



ARMI

Reference Materials and  
Sample Preparation Equipment  
2018 Catalog

Analytical Reference Materials International  
An LGC Standards company  
[armi.com](http://armi.com)

## Content

Introduction.....	3
IARM Products.....	3
Carbon and Low Alloy Steel.....	4
Special Low Alloy Steel .....	10
Stainless Steel.....	11
Tool Steel.....	18
Aluminum Alloys.....	20
Nickel Alloys.....	21
High Purity Nickel .....	26
Titanium Alloys .....	27
Copper Brass and Bronze .....	30
SUS Set up Samples .....	35
CKD Low Alloy Steel.....	36
CKD Cast Iron .....	37
Aluminum Alloy Reference Materials from Rio Tinto ALCAN.....	40
Aluminum Process Powders .....	61
Bauxite.....	61
Red Mud .....	61
Alumina.....	62
Raw Fluorite.....	62
Aluminum Fluoride.....	63

Cryolite .....	63
Pitch.....	63
Bath .....	64
Joint Research Centre Metal Alloys.....	65
Proficiency Testing Program.....	68
Sample Preparation Equipment .....	69
ColdBlock™ IR Digestion Systems for ICP Sample Preparation.....	69
Sample Grinder HK150EX .....	70
Disc Grinder HK200.....	71
autofluxer® classic .....	72
autofluxer® plus.....	73

## Introduction

LGC ARMI is a producer of high quality reference materials for the chemical analysis of metal alloys. Our certification process follows ISO 17034 procedures for reference material manufacturers and includes both homogeneity testing of candidate material and chemical analysis of major and trace elements using a wide range of analytical methods including XRF, ICP-OES/MS, Arc-Spark Optical Emission, GD-AES and GDMS. The homogeneity testing is all performed in house in our ISO 17025 analytical laboratory. The chemical analyses used for the certification process are collected both in our laboratory using XRF, ICP-OES and ICP-MS as well as through a network of external laboratories using multiple analytical techniques. This approach insures that we produce high quality reference materials with the largest number of certified elements while limiting inter-technique biases. Our reference materials are available in several forms to suit various analytical techniques. Most of our products are 38mm in diameter and cut as 3mm thick discs for XRF analysis, 19mm thick discs for OE analysis. We also provide chips for ICP and AA analysis. Custom forms are available upon request.

We recognize that sample preparation along with reference materials are critical components in producing high quality analytical data. We therefore provide sample preparation equipment including disc and pendulum grinders for the surface preparation of metal samples for XRF and OE analysis, fusion systems for the preparation of powdered materials for XRF analysis and a unique ColdBlock™ digestion system for ICP and AA sample preparation.

This catalog includes our own current certified reference materials for metal alloys well as high quality reference materials from Rio Tinto Alcan and the European Commission's Joint Research Centre with whom we both have close distribution relationship. ARMI is the exclusive global distributor of Rio Tinto Alcan Aluminum alloy and process powder certified reference materials. ARMI is also one of a select group of approved distributors for the high quality European Commission reference materials. We are proud to include the products from both of these organizations in our catalog.

## IARM Products



IARM products are available as 38mm diameter discs in either a thickness of 19mm for optical emission or 3mm for XRF. All of the products are also available as chips for analysis by ICP-OES and ICP-MS. Chips are packaged in bottles containing 100g of material for all alloy types with the exception of titanium which is packaged in bottles containing 65g.

All concentrations listed for IARM products are in % unless otherwise noted. Values in parentheses indicate an informational value.

# Carbon and Low Alloy Steel

IARM Part Number	Type	Grade	UNS#	Al	As	B	Bi	C	Ca	Cd	Co	Cr	Cu	Mg	Mn	Mo	N	Nb
27G	CRM	CP Iron	K00095	0.0013	0.0016	(0.0002)	(<0.002)	0.003	(0.0002)	(<0.003)	0.0009	0.043	0.040	(0.0002)	0.003	(0.002)	(0.0003)	(0.002)
27F	CRM	CP Iron	K00095	(0.0009)	(0.0023)	(<0.002)	(<0.01)	0.002	(<0.001)	(<0.003)	0.0025	(<0.005)	(<0.005)	(<0.001)	(<0.005)	(<0.005)	(<0.002)	(<0.002)
28K	CRM	AISI 1018	G10180	0.0019	(0.005)	(0.0004)	(<0.001)	0.174	(<0.001)	(<0.001)	0.006	0.107	0.17	(<0.005)	0.805	0.0209	0.008	0.0015
29E	CRM	AISI 1117	G11170	0.0032	0.0085	0.0007	(<0.013)	0.193	0.0012		0.008	0.105	0.253	(0.0003)	1.19	0.0269	0.0093	0.0024
30D	CRM	AISI 4140	G41400	0.035	0.008	0.0004		0.391	(0.0006)		0.013	0.978	0.241	(0.005)	0.83	0.220	0.0097	0.002
30H	CRM	AISI 4140	G41400	0.020	0.0046	0.0007	(0.002)	0.425	(0.0009)		0.0071	0.97	0.131	(0.001)	0.937	0.199	0.0081	0.003
30J	CRM	AISI 4140	G11180	0.023	0.005	(0.0004)	(<0.02)	0.405	(<0.001)	(<0.001)	0.0098	0.972	0.173	(<0.005)	0.884	0.205	0.0100	0.0016
31A	CRM	AISI 4340	G43400	0.036	(0.006)	(0.002)		0.41	(0.0012)		0.011	0.85	0.19		0.75	0.220	0.0114	0.003
31G	CRM	AISI 4340	G43400	0.021	0.004	0.0004	(<0.02)	0.40	(<0.0009)	(0.001)	0.0083	0.820	0.183		0.689	0.223	0.0069	0.0023
33D	CRM	AISI 4620	G46200	0.026	0.0035	0.0002		0.209	(0.0003)		0.008	0.139	0.072		0.593	0.229	0.0053	0.002
34A	CRM	AISI E6150	G61500	0.014	(0.006)	(0.0002)		0.51	(0.0002)		0.009	0.99	0.18		0.78	0.044	0.0076	0.003

IARM Part Number	Type	Grade	UNS#	Ni	O	P	Pb	S	Sb	Se	Si	Sn	Ta	Ti	V	W	Zn	Zr
27G	CRM	CP Iron	K00095	0.045	0.025	0.003	(<0.003)	0.0011	(<0.01)	(<0.02)	0.07	(0.001)	(<0.008)	(0.0009)	(0.0007)	(<0.002)	(<0.005)	(<0.01)
27F	CRM	CP Iron	K00095	(<0.005)	0.079	(<0.005)	(<0.005)	0.0011	(<0.001)	(<0.005)	0.004	(<0.002)	(<0.005)	(<0.002)	(0.0007)	(<0.005)	(<0.002)	(<0.005)
28K	CRM	AISI 1018	G10180	0.064	(0.0029)	0.012	(0.0005)	0.027	(0.002)	(<0.005)	0.290	0.008	(<0.008)	(0.0014)	0.0010	(0.0023)	(<0.003)	(0.00016)
29E	CRM	AISI 1117	G11170	0.082	0.005	0.0157	0.001	0.121	0.003	(0.0006)	0.239	0.0109	(0.0004)	0.0014	0.0255	(<0.007)	(0.004)	(<0.004)
30D	CRM	AISI 4140	G41400	0.159	0.0014	0.013	(0.0003)	0.020			0.24	0.017	(0.003)	0.002	(0.004)	0.003		
30H	CRM	AISI 4140	G41400	0.063	0.0016	0.015	0.0005	0.022	0.0013	(<0.005)	0.253	0.008	(0.004)	0.0024	0.0040	0.007	(0.002)	0.002
30J	CRM	AISI 4140	G11180	0.187	(0.003)	0.010	(0.002)	0.036	(0.004)	(<0.005)	0.256	0.0109	(<0.008)	0.0013	0.0045	0.005	(<0.002)	(0.003)
31A	CRM	AISI 4340	G43400	1.660	(0.0015)	0.0120		0.028	(0.002)		0.220	0.008		0.0030	0.004			(0.003)
31G	CRM	AISI 4340	G43400	1.814	(0.002)	0.0136	(<0.007)	0.013	(<0.002)		0.262	0.0077	(<0.02)	0.0015	0.0036	0.004	(<0.003)	0.0012
33D	CRM	AISI 4620	G46200	1.78	0.0013	0.009	(<0.001)	0.023	(0.002)		0.207	0.005		0.003	0.0020	(<0.005)		(<0.002)
34A	CRM	AISI E6150	G61500	0.140	(0.0014)	0.0100		0.01			0.220	0.009		0.0030	0.170	(0.016)		(0.002)

# Carbon and Low Alloy Steel

IARM Part Number	Type	Grade	UNS#	Al	As	B	Bi	C	Ca	Cd	Co	Cr	Cu	Mg	Mn	Mo	N	Nb
34C	CRM	AISI E6150	G61500	0.068	0.0024	0.0003		0.50	(0.0004)		0.005	0.914	0.078		0.739	0.022	0.0030	0.004
35B	CRM	1½Cr ½Mo	K11572	0.016	0.006	0.0005		0.13	0.0001		0.008	1.12	0.11		0.45	0.46	0.0079	0.003
35A	CRM	1½Cr ½Mo	K11572	0.028	(0.003)	(0.0002)		0.12	(0.0002)		0.008	1.23	0.078		0.52	0.49	0.0081	0.003
35C	CRM	1½Cr ½Mo	K11572	0.029	0.008	0.0004		0.115	(0.0004)		0.011	1.09	0.271		0.44	0.52	0.0093	0.002
35L	CRM	1½Cr ½Mo	K11572	0.017	0.004	(0.0004)		0.119	(<0.002)	(<0.001)	0.0068	1.35	0.124	(0.002)	0.54	0.61	0.007	(0.003)
36B	CRM	2½Cr 1Mo	K21590	0.030	0.009	(0.0002)		0.14	0.0002		0.012	2.18	0.13		0.49	0.950	0.0102	0.004
36C	CRM	2½Cr 1Mo	K21590	0.017	0.005	(<0.01)	(<0.01)	0.14	(<0.001)	(<0.001)	0.008	2.43	0.142	(<0.003)	0.49	0.98	0.008	(0.004)
37C	CRM	5Cr ½Mo	K42544	0.010	0.009	(0.0003)	(<0.03)	0.0960	(<0.002)		0.015	4.34	0.121	(<0.001)	0.408	0.500	0.0080	0.004
38A	CRM	9Cr 1Mo	K90941	0.009	(0.023)	(0.0003)		0.13	(0.0005)		0.029	8.67	0.15		0.41	0.96	0.0190	0.008
41D	CRM	AISI D-2	T30402	0.014	(0.01)	(0.0006)	(<0.002)	1.519	(0.0008)		0.020	11.5	0.047	(<0.001)	0.256	0.74	0.0152	0.004
49E	CRM	AISI E52100	G52986	0.024	0.0029	(<0.005)	(<0.001)	1.03	(<0.003)	(<0.001)	0.006	1.43	0.076	(<0.0005)	0.364	0.017	0.0030	0.003

IARM Part Number	Type	Grade	UNS#	Ni	O	P	Pb	S	Sb	Se	Si	Sn	Ta	Ti	V	W	Zn	Zr
34C	CRM	AISI E6150	G61500	0.085	0.0008	0.0090	(0.0003)	0.0011	(0.001)		0.30	0.0058		0.0045	0.206	(0.003)		(0.001)
35B	CRM	1½Cr ½Mo	K11572	0.084	0.0016	0.006	(<0.01)	0.015			0.58	0.006		0.003	0.005	(<0.01)		(<0.005)
35A	CRM	1½Cr ½Mo	K11572	0.088	(0.0014)	0.005	(<0.005)	0.006			0.61	0.004		0.002	0.020			(0.002)
35C	CRM	1½Cr ½Mo	K11572	0.102	0.0016	0.012	(0.001)	0.014	(0.005)		0.56	0.017		0.003	0.005	(0.005)		(0.002)
35L	CRM	1½Cr ½Mo	K11572	0.070	(0.003)	0.007	(<0.001)	0.0139	(0.0025)	(<0.002)	0.679	0.0088	(<0.002)	0.002	0.0037	(0.003)	(<0.003)	(<0.005)
36B	CRM	2½Cr 1Mo	K21590	0.180	0.0018	0.010	(0.003)	0.0038			0.21	0.008		0.003	0.006	(<0.01)		(<0.005)
36C	CRM	2½Cr 1Mo	K21590	0.085	(0.004)	0.009	(<0.001)	0.014	(<0.002)	(<0.002)	0.25	0.008		(0.0022)	0.0061	(<0.006)	(<0.004)	(<0.004)
37C	CRM	5Cr ½Mo	K42544	0.148	(<0.02)	0.0140	(<0.002)	0.004	(<0.01)	(<0.006)	0.31	0.009	(<0.002)	0.0025	0.017	0.0120	(<0.008)	(0.002)
38A	CRM	9Cr 1Mo	K90941	0.24	(0.0050)	0.008		0.018	(0.001)		0.38	0.014		0.003	0.020	(0.023)		(0.003)
41D	CRM	AISI D-2	T30402	0.114	0.003	0.021	(0.0008)	0.012	(<0.01)	(<0.002)	0.256	0.005	(<0.01)	0.003	0.77	0.034	(<0.002)	(0.002)
49E	CRM	AISI E52100	G52986	0.043	0.002	0.006	(<0.001)	0.002	(0.001)	(<0.002)	0.248	0.007	(<0.005)	0.0006	0.066	(0.002)	(0.001)	(0.002)

# Carbon and Low Alloy Steel

IARM Part Number	Type	Grade	UNS#	Al	As	B	Bi	C	Ca	Cd	Co	Cr	Cu	Mg	Mn	Mo	N	Nb
143F	CRM	AISI 4130	G41300	0.026	0.0051	(<0.003)	(<0.02)	0.308	(<0.001)		0.010	0.865	0.221	(<0.005)	0.573	0.163	0.0098	0.0015
155F	CRM	AISI 4820	G48200	0.0356	0.0006	(0.0004)		0.199	(<0.001)	(<0.001)	0.012	0.144	0.219	(<0.001)	0.617	0.244	0.005	0.0016
183C	CRM	AISI 12L14	G12144	0.0021	0.003	0.0011	(<0.001)	0.079		(0.002)	0.055	0.016	(<0.0005)	1.06	0.010	0.0049	0.0010	
196A	CRM	SPC 3		0.015	0.025	0.0017		1.08	0.0002		2.35	0.25		2.40	0.129	0.0084	0.087	
199C	CRM	AISI 1144	G11440	0.002	0.0059	(0.003)		0.469	(0.0011)		0.007	0.190	0.19	(0.0002)	1.550	0.029	0.0070	0.002
200D	CRM	AISI 1045	G10450	0.004	0.0050	(0.0002)		0.453	(0.0009)		0.007	0.109	0.232	(<0.001)	0.749	0.0217	0.009	0.001
206B	CRM	AISI 1215	G12150	0.0025	0.0045	0.0006		0.074			0.007	0.038	0.113		1.01	0.018	0.0075	0.002
209D	CRM	AISI 1030	G10300	0.003	0.0060	0.0002		0.322	0.002		0.007	0.137	0.243		0.68	0.037	0.0107	0.0014
210D	CRM	AISI 1040	G10400	0.002	0.0059	0.0004		0.412	0.0009		0.007	0.096	0.273	(0.001)	0.73	0.034	0.011	0.001
213B	CRM	A36	K02600	0.0009	0.0060	0.0002		0.153	(0.0001)		0.008	0.138	0.28		0.78	0.035	0.0094	0.002
213C	CRM	A36	K02600	0.0019	0.0058	0.0003		0.201	0.0014		0.0074	0.099	0.149		0.922	0.022	0.0116	0.0011

IARM Part Number	Type	Grade	UNS#	Ni	O	P	Pb	S	Sb	Se	Si	Sn	Ta	Ti	V	W	Zn	Zr
143F	CRM	AISI 4130	G41300	0.088	0.003	0.011	(<0.003)	0.0177	(<0.009)	(<0.005)	0.23	0.010	(<0.008)	0.0012	0.0046	0.003	(<0.005)	(<0.01)
155F	CRM	AISI 4820	G48200	3.36	0.003	0.008	(<0.006)	0.013	(<0.003)		0.223	0.0084	(<0.005)	0.0020	0.0015	0.004	(<0.001)	(<0.002)
183C	CRM	AISI 12L14	G12144	0.019	0.016	0.078	0.18	0.31	(0.001)		0.004	0.003	(<0.001)	0.0009	0.002	(0.002)	(<0.001)	0.001
196A	CRM	SPC 3		0.61	0.0021	0.040	0.001	0.014	0.006		0.35	0.033		0.014	0.157	0.189		0.006
199C	CRM	AISI 1144	G11440	0.085	0.0037	0.016	0.001	0.281	(0.003)	(<0.006)	0.21	0.0084	(0.0007)	0.002	0.0037	0.0023	(0.0006)	(<0.0040)
200D	CRM	AISI 1045	G10450	0.097	(0.004)	0.0103	(<0.002)	0.024	(0.0019)		0.225	0.0079	(<0.005)	0.00013	0.0244	0.003	(0.002)	(0.001)
206B	CRM	AISI 1215	G12150	0.053	0.016	0.050	(0.001)	0.293	(0.002)		0.012	0.0064		0.0008	0.0016	(0.003)		0.002
209D	CRM	AISI 1030	G10300	0.079	0.005	0.0084	0.001	0.021	0.004		0.268	0.012		0.0011	0.042	0.002	(0.003)	
210D	CRM	AISI 1040	G10400	0.122	0.0034	0.0052	0.001	0.030	0.002		0.230	0.010		0.0104	0.024	0.002		(0.001)
213B	CRM	A36	K02600	0.149	0.009	0.0094	(0.001)	0.041			0.214	0.010		0.0009	0.016	0.0030	0.0029	0.0013
213C	CRM	A36	K02600	0.068	0.0042	0.007	0.0011	0.025	0.002		0.25	0.0081	(0.007)	0.0010	0.035	0.002	(0.006)	(0.0004)

# Carbon and Low Alloy Steel

IARM Part Number	Type	Grade	UNS#	Al	As	B	Bi	C	Ca	Cd	Co	Cr	Cu	Mg	Mn	Mo	N	Nb
213D	CRM	A36	K02600	0.003	(0.006)	(0.0004)		0.158	(<0.001)		0.009	0.09	0.21		0.725	0.0131	0.0080	0.0012
229B	CRM	C ½Mo	K12822	0.025	0.002	0.0006	(<0.0005)	0.22	(0.0003)		0.0116	0.017	0.0153	(<0.001)	0.858	0.495	0.0072	0.0019
252B	CRM	AISI 8740	G87400	0.028	0.005	0.0002		0.419	0.0002		0.005	0.486	0.084		0.91	0.223	0.0081	0.002
252C	CRM	AISI 8740	G87400	0.017	0.004	(0.0001)		0.416	(0.0003)		0.008	0.501	0.109		0.92	0.205	0.0083	0.002
252D	CRM	AISI 8740	G87400	0.024	0.005	0.0002	(0.0005)	0.423	(0.001)		0.0078	0.47	0.27	(0.0002)	0.84	0.204	0.0068	0.0013
252E	CRM	AISI 8740	G87400	0.028	0.005	(0.001)	(<0.02)	0.413	(<0.001)	(<0.001)	0.009	0.49	0.16	(<0.005)	0.87	0.204	0.0064	(0.003)
252F	CRM	AISI 8740	G87400	0.026	0.006	(0.001)	(<0.02)	0.406	(<0.001)	(<0.001)	0.0086	0.463	0.182	(<0.005)	0.88	0.21	0.0059	0.0016
254A	CRM	AISI 1050	G10500	0.025	0.005	0.0002		0.500	0.0010		0.006	0.05	0.09		0.78	0.013	0.0096	0.001
255B	CRM	AISI H-11	T20811	0.032	(0.004)	(0.0004)	(<0.004)	0.389	(<0.0003)	(<0.0001)	0.009	4.82	0.07	(<0.0001)	0.32	1.30	0.0050	0.006
268B	CRM	STA 361		0.002	(<0.005)	0.0011		0.087			0.003	0.094	0.31		0.58	0.033	0.0015	0.006
299A	CRM	D6-AC	K24728	0.092	0.003	0.0003		0.469	(0.001)		0.0054	1.03	0.100		0.70	0.99	0.0028	0.006

IARM Part Number	Type	Grade	UNS#	Ni	O	P	Pb	S	Sb	Se	Si	Sn	Ta	Ti	V	W	Zn	Zr
213D	CRM	A36	K02600	0.076	(0.01)	0.0120	(<0.001)	0.031	(0.0032)		0.226	0.015	(<0.005)	0.0011	0.001	0.0030	(0.002)	(0.0015)
229B	CRM	C ½Mo	K12822	0.03	0.0017	0.0073	0.0005	0.0106	(0.0006)	(<0.0012)	0.329	0.0012	(0.003)	0.0019	0.0059	0.003	(<0.003)	0.0008
252B	CRM	AISI 8740	G87400	0.461	0.0016	0.007	0.0004	0.019	(0.002)		0.236	0.021		0.002	0.004	0.002		0.001
252C	CRM	AISI 8740	G87400	0.505	(0.002)	0.025	0.0010	0.008	(<0.005)		0.248	0.007		0.001	0.005	(<0.005)		(<0.002)
252D	CRM	AISI 8740	G87400	0.424	0.0013	0.008	0.0004	0.013	0.0024	(<0.003)	0.26	0.012	(<0.005)	0.0012	0.002	0.004	0.0005	0.0013
252E	CRM	AISI 8740	G87400	0.407	(0.003)	0.0090	(0.005)	0.012	(0.003)	(<0.005)	0.257	0.008	(<0.008)	0.0010	0.003	(0.006)	(<0.002)	(<0.003)
252F	CRM	AISI 8740	G87400	0.412	(0.003)	0.011	(0.003)	0.009	(0.003)	(<0.005)	0.247	0.008	(<0.008)	0.0010	0.003	(0.003)	(<0.002)	(0.003)
254A	CRM	AISI 1050	G10500	0.044	(0.003)	0.0100	(0.0003)	0.024	(0.004)		0.211	0.005		0.001	0.002	(0.001)		(0.001)
255B	CRM	AISI H-11	T20811	0.062	(0.002)	0.0100	(<0.0005)	0.002	(<0.002)	(<0.011)	0.910	0.006	(<0.008)	(0.0048)	0.515	(0.007)	(<0.011)	(<0.005)
268B	CRM	STA 361		0.127	(0.015)	0.011	(<0.003)	0.035			0.21	0.010		(<0.001)	0.047	0.01		(<0.001)
299A	CRM	D6-AC	K24728	0.57	(0.002)	0.008	(0.001)	0.002	(0.002)		0.22	0.0055		0.0038	0.120	0.010		(0.001)

# Carbon and Low Alloy Steel

IARM Part Number	Type	Grade	UNS#	Al	As	B	Bi	C	Ca	Cd	Co	Cr	Cu	Mg	Mn	Mo	N	Nb
<b>305B</b>	CRM	<i>NIT 135M</i>	K24065	0.92	0.006	0.0006	(<0.002)	0.425	0.0007		0.007	1.63	0.214	(0.002)	0.58	0.32	0.0044	0.002
<b>307A</b>	CRM	AISI 1118	G11180	0.032	0.008	(<0.005)	(<0.02)	0.163	(<0.0005)	(<0.001)	0.010	0.104	0.190	(<0.006)	1.44	0.045	0.0108	(0.002)
<b>307B</b>	CRM	AISI 1118	G11180	0.034	(0.008)	(0.0005)	(<0.014)	0.162	(<0.001)	(<0.001)	0.0101	0.105	0.191	(<0.005)	1.45	0.045	0.011	0.0013
<b>321A</b>	CRM	Grade 722		0.004	0.0052	0.0008		0.53	0.0016		0.007	0.24	0.212		1.53	0.026	0.0100	0.0017
<b>322A</b>	CRM	Grade 75S		0.002	0.005	0.0009		0.317	0.0019		0.006	0.16	0.33		1.40	0.021		
<b>323A</b>	CRM	420/60	N/A	0.003	0.006	0.0003	(0.0001)	0.41	0.0008		0.007	0.15	0.30	(0.0004)	1.14	0.023	0.0105	0.0012
<b>324A</b>	CRM	M10	N/A	0.002	0.006	0.0004		0.99	0.0009		0.007	0.42	0.22		1.01	0.022	0.0082	0.014
<b>330A</b>	CRM	AISI 4330M	K23080	0.045	0.003	0.0003		0.299	0.0010			0.90	0.074		1.00	0.404	0.0024	0.003
<b>330B</b>	CRM	AISI 4330M	K23080	0.023	(<0.1)	(0.001)	(<0.001)	0.302	(0.0011)	(<0.001)	0.013	0.807	0.084	(<0.001)	0.82	0.406	(0.0043)	0.002
<b>340A</b>	CRM	AISI 300M	K44220	0.062	0.004	0.0004		0.414	(0.0004)		0.006	0.84	0.103	(0.0002)	0.755	0.39	0.0020	0.015
<b>341A</b>	CRM	HP9-4-30	K91283	0.032	0.003	0.0005		0.298	0.0011		4.44	0.99	0.143		0.226	1.01	0.0025	0.005

IARM Part Number	Type	Grade	UNS#	Ni	O	P	Pb	S	Sb	Se	Si	Sn	Ta	Ti	V	W	Zn	Zr
<b>305B</b>	CRM	<i>NIT 135M</i>	K24065	0.156	0.0006	0.011	(0.0003)	0.014	0.004		0.349	0.011	(<0.005)	0.0044	0.004	0.004	(0.002)	0.0011
<b>307A</b>	CRM	AISI 1118	G11180	0.197	0.003	0.0113	0.002	0.096	(<0.004)	(<0.006)	0.281	0.0090	(<0.005)	0.0015	0.0028	(0.005)	(<0.002)	(0.002)
<b>307B</b>	CRM	AISI 1118	G11180	0.195	(0.004)	0.012	(0.006)	0.094	(<0.006)	(<0.005)	0.30	0.010	(<0.008)	0.003	0.003	(0.005)	(<0.004)	(0.004)
<b>321A</b>	CRM	Grade 722		0.47	(0.005)	0.012	(0.001)	0.017	(0.002)		0.65	0.019		0.0036	0.089	0.0050		(0.001)
<b>322A</b>	CRM	Grade 75S		0.28	0.006	0.009	(0.001)	0.021	0.0027		0.42	0.016		0.0016	0.124	0.003		(0.001)
<b>323A</b>	CRM	420/60	N/A	0.084	0.010	0.0178	(0.001)	0.061	(0.002)		0.19	0.011	(0.005)	0.0012	0.020	0.004		(0.001)
<b>324A</b>	CRM	M10	N/A	0.081	0.003	0.009		0.028	(0.002)		0.163	0.011		0.0016	0.0017	(0.003)	(0.003)	(0.001)
<b>330A</b>	CRM	AISI 4330M	K23080	1.80	0.0009	0.005	(0.0004)	0.001	(0.001)		0.273	0.0039		0.006	0.071	(0.004)		0.0015
<b>330B</b>	CRM	AISI 4330M	K23080	1.856	(0.004)	0.0075	(<0.01)	0.003	(<0.01)	(<0.001)	0.277	0.0047		(0.001)	0.076	0.024	(<0.001)	(.0013)
<b>340A</b>	CRM	AISI 300M	K44220	1.80	(0.001)	0.011	(0.001)	0.001	0.0021		1.63	0.005		0.0098	0.064	0.005	(0.0001)	(0.002)
<b>341A</b>	CRM	HP9-4-30	K91283	7.16	0.0008	0.0038	(0.001)	0.0008	(0.001)		0.10	0.005		0.003	0.086	(0.01)	(0.0002)	(0.003)

# Carbon and Low Alloy Steel

IARM Part Number	Type	Grade	UNS#	Al	As	B	Bi	C	Ca	Cd	Co	Cr	Cu	Mg	Mn	Mo	N	Nb
342A	CRM	Hy-Tuff	K32550	0.019	0.006	0.0004		0.257	(0.0001)		0.008	0.38	0.110	(0.0002)	1.37	0.42	0.1020	(0.002)
348A	CRM	AISI 1141	G11410	0.002	0.007	0.0013	(<0.02)	0.384	0.0010	(<0.001)	0.010	0.123	0.230	(<0.006)	1.46	0.026	0.010	0.027
349A	CRM	AISI 1541	G15410	0.0020	0.005	0.0003		0.41	0.0015		0.0085	0.189	0.300	(0.0004)	1.49	0.059	0.0100	0.0012
359A	CRM	AISI 1026	G10260	0.002	0.0073	0.0003		0.267	0.0013		0.0069	0.121	0.186	(0.0005)	0.686	0.023	0.0094	0.002
360A	CRM	AISI 1035	G10350	0.0016	0.0060	0.0004		0.331	0.0017		0.0067	0.113	0.235	(0.0003)	0.733	0.024	0.0102	0.0015
373A	CRM	AISI 1060	G10600	0.002	0.0046	0.0003		0.63	0.0005		0.005	0.096	0.107	(0.0004)	0.70	0.0176	0.0088	0.001
378A	CRM	Grade A615-75		0.0029	(0.0055)	0.0006	(<0.015)	0.274	(<0.002)		0.013	0.187	0.299	(<0.005)	1.38	0.031	0.02	0.003
380A	CRM	Grade A706-60		0.0029	0.007	(0.0005)		0.268	(<0.001)	(<0.001)	0.010	0.192	0.265	(<0.001)	1.24	0.059	0.0120	0.002
380B	CRM	Grade A706-60		0.0021	0.0058	(0.0005)	(<0.001)	0.243	(0.0004)	(<0.001)	0.014	0.153	0.307	(<0.001)	1.27	0.055	0.0130	0.0016
381A	CRM	Grade A706-80		0.0023	0.0055	(0.0007)	(<0.001)	0.272	(0.0004)	(<0.001)	0.011	0.129	0.379	(<0.001)	1.16	0.0341	0.0140	0.0018

IARM Part Number	Type	Grade	UNS#	Ni	O	P	Pb	S	Sb	Se	Si	Sn	Ta	Ti	V	W	Zn	Zr
342A	CRM	Hy-Tuff	K32550	1.76	0.0006	0.006	0.0008	0.0051	0.0021		1.63	0.021		0.0028	0.023	(0.005)	(0.001)	(0.002)
348A	CRM	AISI 1141	G11410	0.081	0.003	0.0121	(0.002)	0.102	(0.003)	(<0.005)	0.270	0.0112	(<0.008)	0.0015	0.0029	(0.009)	(<0.003)	(0.003)
349A	CRM	AISI 1541	G15410	0.178	0.003	0.011	(0.001)	0.025	0.003		0.192	0.015	(0.007)	0.0013	0.027	0.004	(0.003)	(0.002)
359A	CRM	AISI 1026	G10260	0.068	0.0044	0.0094	(0.001)	0.020	(0.002)		0.233	0.0100		0.0009	0.027	(0.001)		
360A	CRM	AISI 1035	G10350	0.078	0.004	0.008	(0.001)	0.023	0.0023		0.260	0.010		0.0010	0.039	(0.001)	(0.003)	(0.001)
373A	CRM	AISI 1060	G10600	0.048	0.002	0.0123	(0.001)	0.031	(0.002)		0.22	0.0069		0.0017	0.023	0.002	(0.003)	(0.003)
378A	CRM	Grade A615-75		0.142	(<0.014)	0.018	(0.003)	0.037	(0.004)		0.307	0.0236	(<0.008)	0.003	0.0844	0.006	(0.002)	(0.003)
380A	CRM	Grade A706-60		0.114	(0.007)	0.0210	(<0.005)	0.025	(0.0038)		0.181	0.0117	(0.001)	(0.003)	0.0475	0.009	(0.002)	(0.0014)
380B	CRM	Grade A706-60		0.182	(<0.014)	0.0160	(0.002)	0.027	(0.003)	(<0.001)	0.238	0.0132	(<0.001)	0.0011	0.049	0.003	(<0.004)	(<0.002)
381A	CRM	Grade A706-80		0.185	(0.005)	0.0130	(<0.007)	0.043	(0.005)	(<0.001)	0.269	0.0137	(<0.005)	0.0020	0.0299	0.0030	(<0.003)	(<0.002)

# Special Low Alloy Steel

IARM Part Number	Type	Grade	UNS#	Al	As	B	Bi	C	Ca	Cd	Co	Cr	Cu	Mg	Mn	Mo	N	Nb
164A	CRM	CLA1	N/A	0.72	(0.002)	(0.0001)		0.004	0.0002		0.006	0.032	0.88		1.57	0.009	0.0003	0.006
166A	CRM	CLA3	N/A	0.55	(0.004)	(0.0002)		0.003	0.0003		0.004	0.014	0.64		1.29	1.08	0.0002	0.006
168A	CRM	CLA5	N/A	0.19	(0.003)	0.0004		0.003	0.0002		0.003	0.004	0.009		0.12	0.69	0.0002	0.003
169B	CRM	CLA6	N/A	0.36	(0.002)	0.0003	(<0.011)	0.232	(<0.006)		0.003	0.01	0.005	(<0.005)	0.75	0.004	(0.004)	0.004
170B	CRM	CLA7	N/A	0.230	(0.005)	0.0004	(<0.01)	0.400	(<0.004)	(<0.001)	0.005	0.009	0.005	(<0.005)	0.821	0.003	(0.005)	0.004
172A	CRM	CLA9	N/A	0.39	(0.005)	0.0003		0.78	0.0001		0.006	3.52	0.40		0.010	0.014	0.0004	0.004
180A	CRM	CLA11	N/A	0.76	(0.004)	0.0004		0.007	0.0001		0.004	0.037	0.89		0.41	0.006	0.0096	(0.005)

IARM Part Number	Type	Grade	UNS#	Ni	O	P	Pb	S	Sb	Se	Si	Sn	Ta	Ti	V	W	Zn	Zr
164A	CRM	CLA1	N/A	1.29	0.0005	0.004	(0.004)	0.070			0.019	0.002		0.002	0.78	1.44		(<0.005)
166A	CRM	CLA3	N/A	0.77	0.0006	0.005	(<0.01)	0.073			0.91	(0.003)		0.002	0.40	1.02		(<0.01)
168A	CRM	CLA5	N/A	2.32	0.0008	0.030	(<0.01)	0.064			0.46	0.003		0.004	0.004	0.52		(0.003)
169B	CRM	CLA6	N/A	0.010	(0.004)	0.004	(0.001)	0.004	(0.0009)	(0.005)	0.32	0.002	(0.008)	0.23	0.002	0.003	(<0.001)	(0.004)
170B	CRM	CLA7	N/A	0.197	(<0.006)	0.005	(<0.002)	0.004	(0.0007)	(<0.005)	0.21	0.002	(0.008)	0.19	0.002	(0.002)	(<0.002)	0.005
172A	CRM	CLA9	N/A	0.025	0.0006	0.007	(<0.01)	0.004			1.29	0.003		0.003	0.003	0.038		(<0.005)
180A	CRM	CLA11	N/A	1.29	0.0006	0.004	(0.002)	0.046			0.023	0.002		0.002	0.76	1.48		0.003

# Stainless Steel

IARM Part Number	Type	Grade	UNS#	Al	As	B	C	Ca	Ce	Co	Cr	Cu	Fe	Mg	Mn	Mo	N	Nb
26D	CRM	A286	S66286	0.29	(0.003)	0.0063	0.038	(<0.0005)	(<0.015)	0.040	14.29	0.047	(<0.005)	0.224	1.23	0.0035	0.007	
242A	CRM	Aermet 100	K92580	0.004		(0.0005)	0.24			13.5	3.00	0.007		0.018	1.21	0.0003	0.004	
22C	CRM	AISI 15-5PH	S15500	0.006	0.004	0.0006	0.042	(0.0002)		0.086	14.28	3.24	(0.0001)	0.63	0.48	0.030	0.290	
152C	CRM	AISI 17-7 PH	S17700	0.94	(0.004)	0.0029	0.072			0.113	16.99	0.316		0.74	0.36	0.0172	0.012	
289B	CRM	AISI 301	S30100	0.007	(<0.004)	0.0008	0.161	(0.001)	(<0.001)	0.013	17.09	0.241	(<0.001)	1.92	0.008	0.0110	0.013	
241D	CRM	AISI 302	S30200	0.022	(0.001)	0.0011	0.125	(0.001)		0.022	18.1	0.24		1.94	(0.003)	0.006	0.03	
234C	CRM	AISI 302 HQ	S30430	0.035	(0.0010)	0.0023	0.092	(0.0017)		0.03	18.2	3.41	(0.0020)	1.93	0.012	0.010	0.05	
1D	CRM	AISI 303	S30300		(<0.002)	0.061				0.208	18.24	0.51		1.98	0.130	0.027	(<0.005)	
Fe303-18	CRM	AISI 303	S30300	(0.004)	0.007	0.0012	0.046	(0.002)		0.140	17.2	0.61	(<0.001)	1.55	0.42	0.069	0.015	
253A	CRM	AISI 303Se	S30323	0.003		0.0003	0.041			0.088	17.90	0.223		1.50	0.348	0.0373	0.016	
253B	CRM	AISI 303Se	S30323	0.004	0.0052	0.0007	0.051	(0.0006)	(<0.001)	0.145	17.64	0.44	(0.0006)	1.61	0.59	0.031	0.021	

IARM Part Number	Type	Grade	UNS#	Ni	O	P	Pb	S	Sb	Se	Si	Sn	Ta	Ti	V	W	Zn	Zr
26D	CRM	A286	S66286	24.6	(0.001)	0.013	(<0.03)	0.0008	(<0.004)	(<0.03)	0.05	0.0039	(<0.008)	2.17	0.223	0.036	(<0.02)	(0.0016)
242A	CRM	Aermet 100	K92580	11.1	0.0006	0.002		0.0004			0.02	(0.001)	0.008	0.009	0.01	(<0.01)	(0.002)	
22C	CRM	AISI 15-5PH	S15500	4.63	0.0021	0.027	0.00003	0.0004			0.39	0.013	(0.004)	0.002	0.068	0.031	(0.0005)	(0.002)
152C	CRM	AISI 17-7 PH	S17700	7.30	0.001	0.024		0.0006			0.263	0.007	(0.005)	0.098	0.072	0.026		
289B	CRM	AISI 301	S30100	7.02	0.017	0.004	(0.005)	0.0025	(<0.001)	(<0.006)	0.99	0.002	(0.003)	0.005	0.018	0.012	(<0.03)	0.007
241D	CRM	AISI 302	S30200	9	(0.004)	0.003	(0.0004)	0.0021		(0.002)	0.99	0.002	(0.004)	0.018	0.034	(0.01)		(0.007)
234C	CRM	AISI 302 HQ	S30430	9.00	0.0050	0.009	(0.0010)	0.0027	(0.0040)	(0.0030)	0.88	0.002	0.0030	0.026	0.055	0.01	(0.0010)	0.006
1D	CRM	AISI 303	S30300	9.50	0.007	0.025		0.34			0.22	0.006	(<0.005)	(0.002)	0.101	0.015		
Fe303-18	CRM	AISI 303	S30300	8.12	0.006	0.033	(<0.0001)	0.35	(<0.001)	(<0.001)	0.47	0.015	(<0.005)	(0.004)	0.072	0.029	(<0.005)	(<0.005)
253A	CRM	AISI 303Se	S30323	9.17	0.009	0.140		0.0089		0.21	0.50	0.01		0.002	0.106	0.10		
253B	CRM	AISI 303Se	S30323	9.11	0.007	0.13	(0.0002)	0.011	(0.0018)	0.13	0.46	0.012	(0.003)	0.0027	0.092	0.05	(<0.002)	(<0.008)

# Stainless Steel

IARM Part Number	Type	Grade	UNS#	Al	As	B	C	Ca	Ce	Co	Cr	Cu	Fe	Mg	Mn	Mo	N	Nb
<b>2H</b>	CRM	AISI 304	S30400	0.003	0.007	0.0005	0.05	(0.0021)	(<0.005)	0.13	18.28	0.437	(<0.025)	1.86	0.264	0.08	0.010	
<b>162D</b>	CRM	AISI 304L	S30403	0.003	0.007	0.0027	0.024	(0.003)		0.074	18.31	0.52	(0.0001)	1.82	0.573	0.097	0.009	
<b>Fe304L-18</b>	CRM	AISI 304L	S30403	0.003	0.007	0.0012	0.024	(0.002)	(<0.002)	0.156	18.34	0.54	(<0.001)	1.39	0.462	0.081	0.013	
<b>3E</b>	CRM	AISI 309	S30900	0.005	(0.005)	0.0005	0.0553	0.0015		0.12	22.47	0.259	(0.0003)	1.62	0.215	0.063	0.014	
<b>4E</b>	CRM	AISI 310	S31000	0.004	(0.005)	0.0011	0.044			0.066	24.25	0.234		1.07	0.32	0.038	0.024	
<b>4D</b>	CRM	AISI 310	S31000	0.009	(0.003)	0.0008	0.052			0.070	24.34	0.217	(0.0003)	1.20	0.39	0.046	0.010	
<b>4G</b>	CRM	AISI 310	S31000	0.008	0.005	0.0032	0.0454	(0.001)		0.085	24.9	0.320	0.007	1.36	0.580	0.058	0.008	
<b>4F</b>	CRM	AISI 310	S31000	0.015	0.003	0.0012	0.047	(0.002)	(<0.005)	0.067	24.5	0.146	(<0.002)	1.17	0.142	0.056	0.007	
<b>5I</b>	CRM	AISI 316	S31600	0.004	0.006	0.0006	0.049	(0.0016)	(<0.005)	0.1850	16.67	0.487	(<0.005)	1.44	2.027	0.048	0.013	
<b>339A</b>	CRM	AISI 316H	S31609	0.004	(0.001)	0.0006	0.16	0.0014		0.007	17.0	0.021	(0.0001)	1.71	2.79	0.0060	0.005	
<b>Fe316L-18</b>	CRM	AISI 316L	S31603	0.006	(<0.023)	(0.001)	0.021	(0.002)	(<0.002)	0.209	16.7	0.550	(0.0004)	1.70	2.02	0.067	0.027	

IARM Part Number	Type	Grade	UNS#	Ni	O	P	Pb	S	Sb	Se	Si	Sn	Ta	Ti	V	W	Zn	Zr
<b>2H</b>	CRM	AISI 304	S30400	8.23	0.007	0.032	(<0.003)	0.0278	(0.0018)	(<0.03)	0.248	0.011	0.006	0.0019	0.066	0.022	(<0.006)	0.003
<b>162D</b>	CRM	AISI 304L	S30403	8.15	0.005	0.030	(<0.003)	0.0271	(0.0019)	(<0.03)	0.57	0.0102	0.005	0.013	0.063	0.028	(<0.007)	(<0.007)
<b>Fe304L-18</b>	CRM	AISI 304L	S30403	8.17	0.006	0.034	(<0.001)	0.029	(0.002)	(<0.001)	0.43	0.013	(<0.005)	0.0056	0.076	0.056	(<0.005)	(<0.005)
<b>3E</b>	CRM	AISI 309	S30900	11.99	0.0048	0.0259	0.0003	0.0009	0.0013	(<0.022)	0.307	0.007	(0.005)	0.0022	0.126	0.018	(0.0004)	0.0018
<b>4E</b>	CRM	AISI 310	S31000	20.18	0.0021	0.0224		0.0006			0.514	0.0060	0.005	0.003	0.052	0.046		(0.001)
<b>4D</b>	CRM	AISI 310	S31000	20.20	0.004	0.022	(0.0003)	0.0009			0.49	0.007	0.005	0.0042	0.073	0.026		(0.001)
<b>4G</b>	CRM	AISI 310	S31000	19.2	0.003	0.027	(0.0005)	0.0008	(0.001)	(0.001)	0.630	0.008	0.008	0.029	0.092	0.017	(0.0005)	0.002
<b>4F</b>	CRM	AISI 310	S31000	20.1	0.004	0.0195	(<0.001)	0.0015	(0.001)	(0.001)	0.494	0.005	0.007	0.0031	0.146	0.012	(0.001)	0.002
<b>5I</b>	CRM	AISI 316	S31600	10.04	0.0057	0.028	(0.0001)	0.033	(0.0019)	(0.001)	0.435	0.0080	(0.006)	0.002	0.064	0.185	(0.005)	(0.002)
<b>339A</b>	CRM	AISI 316H	S31609	12.9	0.016	0.004	(0.002)	0.009		(0.0003)	0.64	0.002	(0.005)	0.002	0.007	0.0119	(0.001)	0.003
<b>Fe316L-18</b>	CRM	AISI 316L	S31603	10.12	0.005	0.033	(<0.003)	0.029	(0.0018)	(<0.004)	0.438	0.013	(<0.005)	0.003	0.067	0.060	(<0.005)	(<0.005)

# Stainless Steel

IARM Part Number	Type	Grade	UNS#	Al	As	B	C	Ca	Ce	Co	Cr	Cu	Fe	Mg	Mn	Mo	N	Nb
153C	CRM	AISI 317L	S31703	0.003	0.006	0.0009	0.023	(0.0026)		0.251	18.22	0.442			1.60	3.00	0.0860	0.015
6J	CRM	AISI 321	S32100	0.0195	(<0.04)	0.0024	0.045	(<0.001)		0.191	17.74	0.383		(<0.001)	1.52	0.387	0.0109	0.010
6I	CRM	AISI 321	S32100	0.084	(0.005)	0.0034	0.049	(0.0004)	(<0.005)	0.052	17.76	0.202		(<0.03)	1.76	0.133	0.013	0.018
8G	CRM	AISI 347	S34700	0.0030	(0.007)	0.0005	0.042	(<0.0005)		0.162	17.20	0.39		(<0.0200)	1.468	0.359	0.046	0.53
8I	CRM	AISI 347	S34700	0.0030	(<0.008)	(0.0005)	0.0424	(<0.001)		0.301	17.08	0.441			1.395	0.416	0.052	0.60
8H	CRM	AISI 347	S34700	0.005	(<0.01)	(0.0002)	0.049	(<0.002)		0.083	17.14	0.192		(<0.001)	1.81	0.237	0.027	0.48
9D	CRM	AISI 410	S41000	0.003	0.003	0.0005	0.143	(0.001)		0.0213	12.51	0.11		(0.0004)	0.57	0.038	0.0225	0.0023
327A	CRM	AISI 415	S41500	0.003	(0.004)	0.001	0.018			0.019	12.73	0.082		(0.0003)	0.54	0.53	0.0157	0.008
10D	CRM	AISI 416	S41600	0.003	0.007	0.002	0.110	(0.0011)		0.0187	12.42	0.192		(<0.09)	1.11	0.148	0.0241	0.0027
154A	CRM	AISI 420	S42000	0.008			0.39			0.021	12.82	0.044			0.47	0.052	0.0294	0.004
154C	CRM	AISI 420	S42000	0.003	(0.004)	0.0007	0.339	(<0.001)		0.016	12.41	0.120		(<0.001)	0.423	0.036	0.054	0.014

IARM Part Number	Type	Grade	UNS#	Ni	O	P	Pb	S	Sb	Se	Si	Sn	Ta	Ti	V	W	Zn	Zr
153C	CRM	AISI 317L	S31703	11.10	0.0060	0.029	(0.001)	0.0288	(0.0020)	(<0.04)	0.35	0.010	(0.006)	0.004	0.058	0.043	(<0.001)	0.004
6J	CRM	AISI 321	S32100	9.00	(0.001)	0.028	(<0.03)	0.002	(<0.005)	(<0.001)	0.62	0.009	(0.01)	0.34	0.081	0.026	(<0.001)	(<0.002)
6I	CRM	AISI 321	S32100	9.20	0.0012	0.0208	(<0.02)	0.023	(0.0008)	(<0.03)	0.31	0.0060	(<0.01)	0.60	0.048	0.023	(0.003)	(0.003)
8G	CRM	AISI 347	S34700	9.02	0.003	0.0327	(<0.02)	0.0126	(<0.02)	0.01	0.36	0.0107	0.004	0.0024	0.062	0.032	(<0.005)	0.002
8I	CRM	AISI 347	S34700	9.01	(0.004)	0.0352	(<0.03)	0.0118	(<0.002)	(<0.001)	0.38	0.012	(<0.005)	0.0080	0.057	0.060	(<0.001)	(<0.005)
8H	CRM	AISI 347	S34700	9.08	(0.004)	0.025	(<0.03)	0.002	(<0.002)	(<0.001)	0.40	0.008	(0.01)	0.0027	0.049	0.016	(<0.001)	(<0.002)
9D	CRM	AISI 410	S41000	0.200	0.0053	0.033	(0.0002)	0.028		(0.0001)	0.38	0.006	0.004	0.0016	0.022	0.004	(0.0001)	(0.001)
327A	CRM	AISI 415	S41500	3.83	0.0047	0.018	(0.0001)	0.0010			0.43	0.006	(0.004)	0.0026	0.036	0.009		(0.002)
10D	CRM	AISI 416	S41600	0.291	0.005	0.0178	(0.0003)	0.334	(0.0022)	(<0.02)	0.475	0.01		0.0015	0.051	0.005	(0.006)	(<0.005)
154A	CRM	AISI 420	S42000	0.19	(0.0068)	0.018		0.003			0.35	0.004		0.002	0.045	0.011		
154C	CRM	AISI 420	S42000	0.215	0.0042	0.0174	(<0.01)	0.0043	(0.001)	(0.0003)	0.37	0.0058	(<0.005)	0.0015	0.043	0.005	(<0.005)	(0.0014)

# Stainless Steel

IARM Part Number	Type	Grade	UNS#	Al	As	B	C	Ca	Ce	Co	Cr	Cu	Fe	Mg	Mn	Mo	N	Nb
352A	CRM	AISI 420FS	42020	0.0025	0.005	0.0007	0.341	(<0.005)	(<0.005)	0.016	13.11	0.148	(<0.009)	1.13	0.38	0.0290	0.012	
205C	CRM	AISI 422	S42200	0.003	0.004	0.0003	0.231	(0.0005)		0.058	12.14	0.109		0.74	1.00	0.040	0.010	
205D	CRM	AISI 422	S42200	0.002	0.004	0.0007	0.23	(0.002)	(<0.0010)	0.043	12.2	0.122	(0.0007)	0.74	1.00	0.048	0.013	
11D	CRM	AISI 430	S43000	0.015	(0.005)	0.0006	0.070	(0.002)		0.024	17.35	0.085	(0.0003)	0.400	0.075	0.021	0.009	
355A	CRM	AISI 430FS	S43020	0.0016	0.004	0.0011	0.0274	(<0.005)	(<0.005)	0.047	17.81	0.083	(0.0008)	0.47	0.337	0.0439	0.0095	
12B	CRM	AISI 431	S43100	(0.003)		(0.0003)	0.174			0.018	16.02	0.143		0.60	0.057	2.150	0.011	
12C	CRM	AISI 431	S43100	0.004	0.004	0.0004	0.155	0.0007		0.048	15.78	0.33	(0.0002)	0.55	0.125	0.056	0.020	
13D	CRM	AISI 440C	S44004	0.006	0.008	0.0005	1.04	(0.0007)		0.0212	16.36	0.184		0.70	0.488	0.0492	0.0074	
353A	CRM	AISI 440F Se	44023	0.0018	0.004	0.0006	0.98	(0.0003)	(<0.005)	0.032	17.01	0.13	(0.004)	0.95	0.50	0.027	0.011	
14B	CRM	AISI 446	S44600	0.004	(<0.005)	(0.0004)	0.016	(<0.005)		0.030	23.60	0.071	(<0.001)	0.426	0.095	0.043	0.006	
14C	CRM	AISI 446	S44600	0.0041	0.003	0.0005	0.061	(0.001)		0.043	24.9	0.19	(0.0005)	0.385	0.101	0.058	0.013	

IARM Part Number	Type	Grade	UNS#	Ni	O	P	Pb	S	Sb	Se	Si	Sn	Ta	Ti	V	W	Zn	Zr
352A	CRM	AISI 420FS	42020	0.269	0.005	0.0182	(<0.001)	0.21	(0.004)	(0.006)	0.357	0.0046	(0.0007)	0.0015	0.028	0.005	(<0.02)	(<0.003)
205C	CRM	AISI 422	S42200	0.68	0.0041	0.017		0.0034			0.39	0.004	(0.002)	0.002	0.21	1.03	(0.001)	0.002
205D	CRM	AISI 422	S42200	0.84	0.0053	0.021	0.002	0.0028	(<0.0070)	(<0.0050)	0.26	0.005	(<0.0050)	0.002	0.32	1.07	(<0.0050)	0.0022
11D	CRM	AISI 430	S43000	0.60	0.004	0.023	(0.0005)	0.004		(0.001)	0.83	0.006	(0.003)	0.003	0.052	0.008	(0.004)	(0.001)
355A	CRM	AISI 430FS	S43020	0.427	0.010	0.0186	(0.0002)	0.31	(<0.004)	(0.0001)	0.435	0.005	(0.001)	0.0020	0.038	0.018	(0.0007)	(0.002)
12B	CRM	AISI 431	S43100	2.15	0.0101	0.016	(<0.0005)	0.003			0.56	0.006		0.003	0.037	0.014		(0.002)
12C	CRM	AISI 431	S43100	2.23	0.005	0.022	(0.0005)	0.0032			0.34	0.008	(0.0005)	0.002	0.040	0.015		(0.001)
13D	CRM	AISI 440C	S44004	0.256	0.0031	0.020	(<0.0090)	0.0012	0.0027	(<0.02)	0.614	0.011	0.004	0.0035	0.058	0.046	(<0.02)	0.0017
353A	CRM	AISI 440F Se	44023	0.265	0.005	0.019	(0.002)	0.025	(0.002)	0.17	0.49	0.0056	0.004	0.0015	0.116	0.041	(0.005)	0.002
14B	CRM	AISI 446	S44600	0.29	0.0054	0.022	(<0.001)	0.0015			0.51	0.005	(<0.001)	0.0024	0.11	0.011		(<0.005)
14C	CRM	AISI 446	S44600	0.364	0.006	0.021	(0.0001)	0.0015	(0.002)	(0.0001)	0.63	0.004	(0.002)	0.013	0.078	0.031	(0.0003)	(0.001)

# Stainless Steel

IARM Part Number	Type	Grade	UNS#	Al	As	B	C	Ca	Ce	Co	Cr	Cu	Fe	Mg	Mn	Mo	N	Nb
318B	CRM	Alloy 16-6-2-2	N/A	0.004	(0.004)	0.0003	0.050		0.100	15.9	1.63			1.02	1.57	0.032	0.086	
292A	CRM	Alloy 2101	S32101	0.010	(<0.01)	0.0011	0.030		0.031	21.35	0.29			5.0	0.097	0.245	0.009	
Fe2205-18	CRM	Alloy 2205	S32205	0.007	(0.003)	(0.002)	0.018	(0.002)	0.104	22.60	0.208		(<0.001)	1.18	3.20	0.17	0.011	
317A	CRM	Alloy 2304	S32304	0.005	(0.006)	0.0019	0.025	(0.0003)	0.064	22.5	0.21			1.26	0.249	0.123	0.004	
301B	CRM	Alloy 2507	S32750	0.005	(0.004)	0.0024	0.0206	(0.0009)	0.055	25.06	0.192		(0.0003)	0.807	3.75	0.297	0.02	
316A	CRM	Alloy 253MA	S30815	0.006	0.007	(0.0003)	0.070	0.0017	0.064	0.118	21.07	0.19		0.61	0.250	0.1605	0.003	
302B	CRM	Alloy 254SMO	S31254	0.016	(0.009)	0.0027	0.0226	(0.0031)	0.072	20.33	0.70		0.0009	0.93	6.24	0.18	0.012	
239C	CRM	Alloy 255	S32550	0.007	(0.004)	0.0014	0.017	(<0.004)	(<0.005)	0.039	25.8	1.49		(<0.03)	0.87	3.33	0.228	0.006
335A	CRM	Alloy AM355	S35500	0.019	(0.01)	0.0007	0.138	(0.001)	0.063	15.30	0.086			0.85	2.72	0.085	0.015	
308A	CRM	Alloy C-250	K92890	0.097	(0.003)	0.0029	0.003	(0.0003)	7.80	0.023	0.018			0.019	4.78	0.0013	0.003	
99D	CRM	Alloy C-300	K93120	0.117	(<0.002)	0.0026	0.006	(<0.001)	9.240	0.120	0.05		(<0.005)	0.013	4.80	0.0014	0.011	

IARM Part Number	Type	Grade	UNS#	Ni	O	P	Pb	S	Sb	Se	Si	Sn	Ta	Ti	V	W	Zn	Zr
318B	CRM	Alloy 16-6-2-2	N/A	5.71	0.009	0.022		0.0006		0.41	0.004	(0.004)	0.014	0.115	0.087		(0.003)	
292A	CRM	Alloy 2101	S32101	1.47	0.0024	0.018		0.001		0.75	0.004	(0.006)	0.005	0.084	0.01			
Fe2205-18	CRM	Alloy 2205	S32205	5.57	0.004	0.023	(<0.003)	0.001	(0.001)	(<0.001)	0.46	0.006	(0.02)	0.003	0.063	0.024	(<0.005)	(<0.005)
317A	CRM	Alloy 2304	S32304	4.19	0.0032	0.028	(0.001)	0.0007		0.39	0.008	(0.004)	(0.002)	0.061	0.015			
301B	CRM	Alloy 2507	S32750	7.01	0.0069	0.251	(0.0003)	0.001	(0.0006)	(0.00008)	0.419	0.0051	0.003	0.003	0.07	0.05	(0.0004)	0.0008
316A	CRM	Alloy 253MA	S30815	10.8 <sub>1</sub>	0.0052	0.023	(0.0001)	0.0011		1.50	0.006	0.003	0.002	0.042	0.022	(0.0008)		
302B	CRM	Alloy 254SMO	S31254	17.7	0.0032	0.0256	(0.001)	0.0007	(0.0018)	(0.0006)	0.56	0.0075	0.004	0.0031	0.052	0.025	(<0.01)	(<0.01)
239C	CRM	Alloy 255	S32550	6.14	(0.007)	0.023	(0.004)	0.0010	(0.0004)	(<0.03)	0.38	0.003	(0.004)	0.004	0.083	0.05	(<0.03)	(0.003)
335A	CRM	Alloy AM355	S35500	4.27	0.0020	0.016	(0.002)	0.0005		0.39	0.0034	(0.01)	(0.002)	0.094	0.008		(0.002)	
308A	CRM	Alloy C-250	K92890	18.5 <sub>3</sub>	0.0005	0.004		0.0005		0.014	0.001	(<0.01)	0.46	0.01	0.01		0.01	
99D	CRM	Alloy C-300	K93120	18.4	(<0.003)	0.0040	(0.01)	0.0011	(<0.004)		0.030	(0.002)	(<0.032)	0.6700	0.037	0.01	(<0.002)	(0.008)

# Stainless Steel

IARM Part Number	Type	Grade	UNS#	Al	As	B	C	Ca	Ce	Co	Cr	Cu	Fe	Mg	Mn	Mo	N	Nb
309A	CRM	Alloy C-350	K93540	0.11	(0.004)	0.0032	0.0059	(<0.001)		12.3	0.053	0.023		0.018	4.71	0.0010	0.004	
15B	CRM	Custom 450	S45000	0.006			0.047			0.24	14.53	1.53		0.39	0.82	0.0355	0.65	
15C	CRM	Custom 450	S45000	0.005	0.0044	0.0006	0.032	(0.0004)	(<0.01)	0.024	14.39	1.54	(<0.005)	0.760	0.722	0.0148	0.63	
16C	CRM	Custom 455	S45500	0.072	0.003	0.0011	0.003			0.017	11.34	2.08	(0.0001)	0.024	0.009	0.0030	0.248	
354A	CRM	Custom 465	S46500	0.05	(0.002)	0.0023	0.0076	(0.0003)	(<0.001)	0.022	11.61	0.018	(0.0001)	0.012	0.95	0.0018	0.02	
239B	CRM	Ferralium 255	S32550	0.008	(0.003)	0.0008	0.013			0.048	25.9	1.48		0.86	3.42	0.25	0.024	
20C	CRM	Greek Ascoloy	S41800	(0.004)			0.18			0.031	12.15	0.060		0.30	0.12	0.0222	0.010	
20B	CRM	Greek Ascoloy	S41800	0.006			0.18			0.030	12.42	0.069		0.35	0.32	0.0434	0.010	
100C	CRM	Haynes 556	R30556	0.350		(0.002)	0.104			17.9	21.9	0.105	31.2	(0.001)	0.97	3.06	0.126	0.172
24B	CRM	Invar-36	K93601	0.002	(<0.005)	(0.001)	0.053			0.036	0.121	0.052		0.82	0.011	0.0017	(<0.01)	
98B	CRM	Kovar	K94610	0.07	(<0.002)	0.001	0.007	(<0.0005)		17.0	0.012	0.028		0.0040	0.18	0.010	0.0024	0.002

IARM Part Number	Type	Grade	UNS#	Ni	O	P	Pb	S	Sb	Se	Si	Sn	Ta	Ti	V	W	Zn	Zr
309A	CRM	Alloy C-350	K93540	18.4	0.0005	0.004		0.0006		0.020	(0.001)	(0.006)	1.47	0.01	0.01		0.008	
15B	CRM	Custom 450	S45000	6.94	0.0039	0.013		0.001		0.33	0.009		0.005	0.033	0.12			
15C	CRM	Custom 450	S45000	6.35	0.003	0.019	(0.003)	0.0018	(0.003)	(0.0003)	0.26	0.009	(0.004)	0.002	0.041	0.020	(0.01)	0.003
16C	CRM	Custom 455	S45500	8.23	0.0014	0.007		0.0046		0.03	0.003	(0.005)	1.16	0.070	0.008		0.0010	
354A	CRM	Custom 465	S46500	11.05	0.0012	0.0029	(0.004)	0.0019	(0.0002)	(<0.003)	0.04	0.002	(<0.004)	1.56	0.020	0.02	(<0.005)	(<0.005)
239B	CRM	Ferralium 255	S32550	5.78	0.004	0.025	(0.001)	0.0005		0.39	0.003	(0.004)	0.002	0.099	0.106		0.002	
20C	CRM	Greek Ascoloy	S41800	1.93	0.0068	0.018		0.007		0.35	0.004		(0.003)	0.086	2.59			
20B	CRM	Greek Ascoloy	S41800	1.94	0.0056	0.019		0.004		0.40	0.005		0.004	0.17	3.52			
100C	CRM	Haynes 556	R30556	20.5	0.001	0.013		0.0005		0.441	0.003	0.67	0.013	0.039	2.49		0.006	
24B	CRM	Invar-36	K93601	35.86	0.003	0.009		0.0010		0.19	0.28	0.0018	(<0.005)	0.002	(<0.005)	(<0.04)	(<0.005)	
98B	CRM	Kovar	K94610	29.4	0.0021	0.002	(<0.0005)	0.0007		0.17	0.002	(<0.05)	0.03	(0.003)	(0.02)	(<0.0005)	(<0.01)	

# Stainless Steel

IARM Part Number	Type	Grade	UNS#	Al	As	B	C	Ca	Ce	Co	Cr	Cu	Fe	Mg	Mn	Mo	N	Nb
291A	CRM	M-152	S64152	(0.004)	(0.005)	0.001	0.11	(0.001)		0.021	11.3	0.060		0.71	1.61	0.035	0.022	
99B	CRM	Maraging 300	K93120	0.095		0.0026	0.005			9.24	0.081	0.094		0.036	4.88	0.0011	(0.005)	
19C	CRM	Nitronic 40	S21900	0.007	(0.004)	0.0011	0.012			0.087	19.51	0.45		9.02	0.40	0.32	0.028	
17D	CRM	Nitronic 50	S20910	0.0032	0.005	0.001	0.041	(0.002)		0.23	21.06	0.412	(0.0003)	4.15	1.52	0.311	0.14	
18D	CRM	Nitronic 60	S21800	0.006	(0.007)	0.0011	0.069	(0.002)	(<0.005)	0.086	16.70	0.421	(<0.021)	8.1	0.325	0.170	0.031	
295A	CRM	NMS 140	N/A	(0.01)		0.002	0.021			0.021	18.0	0.113		19.7	0.97	0.62	0.018	
294A	CRM	NMS J38	N/A	(0.01)		(0.003)	0.017			0.021	19.7	0.34		21.6	1.8	0.78	0.03	
296A	CRM	NMS MDC	N/A	(0.005)		(0.001)	0.074			0.018	11.2	0.12		10.6	0.60	0.23	0.043	
214A	CRM	NMS-100	N/A	(0.002)		(0.001)	0.018			0.021	12.36	0.36		18.3	0.44	0.27	0.23	
21D	CRM	PH13-8Mo	S13800	1.03	(0.003)	(0.0004)	0.032	(0.0004)		0.078	12.69	0.017	(<0.0005)	0.052	2.23	0.0037	0.005	
FeZ100-18	CRM	Zeron 100	S32760	0.017	(0.0045)	0.002	0.017	(<0.002)		0.123	25.5	0.55	(0.002)	0.52	3.61	0.22	0.005	

IARM Part Number	Type	Grade	UNS#	Ni	O	P	Pb	S	Sb	Se	Si	Sn	Ta	Ti	V	W	Zn	Zr
291A	CRM	M-152	S64152	2.62	0.014	0.016		0.009			0.23	0.004	(0.001)	0.0011	0.29	(0.01)		(<0.005)
99B	CRM	Maraging 300	K93120	18.46	0.0015	0.005		0.0005			0.022	(0.003)		0.74	0.012	0.016		(<0.01)
19C	CRM	Nitronic 40	S21900	6.40	0.003	0.027		0.0007			0.31	0.0061	0.005	0.003	0.090	0.037		
17D	CRM	Nitronic 50	S20910	11.83	0.003	0.026	(0.0002)	0.0018	(0.001)	(0.001)	0.416	0.0044	0.003	0.010	0.118	0.056	(0.0004)	0.002
18D	CRM	Nitronic 60	S21800	8.39	(0.004)	0.032	(<0.11)	0.0025	(<0.004)	(<0.03)	3.68	0.007	(0.01)	0.012	0.064	0.026	(<0.02)	(0.005)
295A	CRM	NMS 140	N/A	1.84	0.003	0.028		0.0041			0.36	0.004		0.0019	0.046	0.016		(0.001)
294A	CRM	NMS J38	N/A	2.9	0.003	0.026	(0.001)	0.0028			0.43	(0.006)	(0.003)	(0.002)	0.046	0.01		(0.002)
296A	CRM	NMS MDC	N/A	1.71	0.003	0.027		0.002			0.38	0.001		0.002	0.056	0.01		
214A	CRM	NMS-100	N/A	2.33	0.0026	0.033		0.002			1.00	0.008		0.002	0.04	0.02		
21D	CRM	PH13-8Mo	S13800	8.29	(0.0006)	0.008	(<0.001)	0.0014	(<0.001)	(<0.001)	0.039	(0.001)	(<0.003)	0.016	0.017	0.012	(<0.002)	(0.002)
FeZ100-18	CRM	Zeron 100	S32760	7.1	0.003	0.026	(<0.003)	0.0009	(0.001)	(<0.004)	0.24	0.006	(<0.045)	(0.004)	0.090	0.56	(<0.005)	(<0.005)

# Tool Steel

IARM Part Number	Type	Grade	UNS#	Al	As	B	C	Ca	Co	Cr	Cu	Mg	Mn	Mo	N	Nb	Ni	O
39B	CRM	AISI A-2	T30102	0.006			0.99		0.014	4.79	0.10		0.54	1.01	0.0096	0.006	0.14	
39C	CRM	AISI A-2	T30102	0.017	(0.005)	0.001	0.99	(0.001)	0.013	4.99	0.077		0.45	0.97	0.011	0.0040	0.144	0.001
40A	CRM	AISI A-6	T30106	0.009	(0.007)	(0.0003)	0.68		0.011	1.04	0.092		2.15	1.05	0.0077	0.004	0.14	(0.0024)
40B	CRM	AISI A-6	T30106	(0.006)		(0.0010)	0.68		0.015	1.04	0.500		1.98	1.22	0.0107	0.005	0.096	(0.0014)
40C	CRM	AISI A-6	T30106	0.019	0.008	0.0009	0.72	(0.001)	0.010	0.99	0.142		1.91	1.27	0.0083	0.003	0.255	0.0013
42C	CRM	AISI H-13	T20813	0.018	(0.01)	0.0011	0.382	(0.0005)	0.022	4.86	0.066		0.4	1.29	0.0201	0.004	0.051	0.003
43B	CRM	AISI L-6	T61206	0.021	0.005	0.0002	0.711	(0.002)	0.012	0.651	0.180	(<0.003)	0.56	0.206	0.0093	0.004	1.39	0.0016
44C	CRM	AISI M-2	T11302	0.05	(0.01)	(0.002)	0.82		0.247	4.04	0.12		0.301	5.02	0.033	0.012	0.132	0.003
45A	CRM	AISI O-6	T31506	0.011	(0.003)	(0.0001)	1.39	(0.0005)	0.004	0.13	0.049		0.88	0.250	0.0079	0.002	0.11	(0.0017)
45B	CRM	AISI O-6	T31506	0.010	0.002	(0.0001)	1.42	(0.001)	0.004	0.061	0.018		0.90	0.24	0.0080	0.002	0.024	0.0005
46B	CRM	AISI S-1	T41901	0.011	(0.01)	0.0003	0.45		0.013	1.09	0.147		0.27	0.222	0.0069	0.003	0.108	0.002

IARM Part Number	Type	Grade	UNS#	P	Pb	S	Sb	Si	Sn	Ta	Ti	V	W	Zn	Zr		
39B	CRM	AISI A-2	T30102	0.017		0.003		0.35	0.004		0.003	0.22		(0.026)			
39C	CRM	AISI A-2	T30102	0.019	(0.0001)	0.007	(0.002)	0.28	0.005		0.0029	0.21	0.011			(0.002)	
40A	CRM	AISI A-6	T30106	0.024		0.010		0.25	0.006		0.003	0.007	(0.013)				
40B	CRM	AISI A-6	T30106	0.012		0.003		0.39	0.004		0.003	0.014	0.013				
40C	CRM	AISI A-6	T30106	0.014		0.012		0.32	0.008		0.008	0.010	0.009			(0.002)	
42C	CRM	AISI H-13	T20813	0.022	0.0007	0.0037	(0.004)	0.85	0.006	(0.004)	0.0125	0.84	0.32	(0.008)	(0.002)		
43B	CRM	AISI L-6	T61206	0.008	(<0.0005)	0.013	(<0.002)	0.251	0.013	(<0.001)	0.0047	0.0035	(<0.005)		(<0.001)		
44C	CRM	AISI M-2	T11302	0.027	(0.002)	0.004	(0.004)	0.31	0.010	(0.004)	0.004	1.91	6.0	0.006	0.002		
45A	CRM	AISI O-6	T31506	0.0140	(<0.005)	0.012	(0.002)	1.02	0.005		0.0030	0.005			(<0.005)		
45B	CRM	AISI O-6	T31506	0.010		0.008	(0.001)	0.92	0.008		0.002	0.003	(0.004)		(0.001)		
46B	CRM	AISI S-1	T41901	0.019	(<0.002)	0.0040		0.89	0.016		0.007	0.170	1.96				

# Tool Steel

IARM Part Number	Type	Grade	UNS#	Al	As	B	C	Ca	Co	Cr	Cu	Mg	Mn	Mo	N	Nb	Ni	O
47A	CRM	AISI S-5	T41905	0.017	(0.014)	(0.0003)	0.58		0.009	0.29	0.25		0.80	0.41	0.0084	(0.004)	0.23	(0.0021)
47B	CRM	AISI S-5	T41905	0.014		(<0.001)	0.59		0.007	0.23	0.17		0.79	0.20	0.0092	(0.002)	0.090	(0.0014)
48C	CRM	AISI T-1	T12001	0.017	0.012	(0.001)	0.77		0.22	4.24	0.13	(0.0002)	0.39	0.17	0.0165	0.005	0.204	0.003
251A	CRM	AISI M-4	T11304	0.01	0.016	(0.002)	1.398	(0.0005)	0.129	4.1	0.13		0.33	5.16	0.044	0.016	0.131	(0.01)
255A	CRM	AISI H-11	T20811	0.01	(0.002)	0.0004	0.403	(0.0004)	0.009	4.84	0.049		0.27	1.33	0.0067	0.004	0.083	0.0011
259A	CRM	AISI S-7	T41907	0.016	0.006	0.0003	0.479	(0.0003)	0.011	3.27	0.081		0.399	1.43	0.0077	0.003	0.194	0.0014
281A	CRM	AISI T-4	T12004	0.007	(0.02)	(0.003)	0.74		4.8	3.89	0.096	(0.003)	0.3	0.49	0.0064	0.094	0.15	0.003
304A	CRM	AISI M-1	T11301	0.009	(0.01)	0.002	0.857	(0.002)	0.278	3.55	0.14		0.260	8.04	0.034	0.021	0.133	0.002
306B	CRM	AISI M-50	T11350	0.082	0.004	0.0007	0.837	(0.001)	0.010	4.12	0.058	(<0.002)	0.24	4.23	0.005	0.005	0.095	0.0009
320A	CRM	AISI M-35	T11335	0.023	0.013	0.0011	0.093	(<0.003)	4.9	4.22	0.091	(<0.003)	0.33	4.79	0.014	0.015	0.204	0.0021

IARM Part Number	Type	Grade	UNS#	P	Pb	S	Sb	Si	Sn	Ta	Ti	V	W	Zn	Zr
47A	CRM	AISI S-5	T41905	0.015	(<0.005)	0.010	(0.003)	1.92	0.031		0.008	0.22	(0.016)		(<0.01)
47B	CRM	AISI S-5	T41905	0.017	(0.0003)	0.006		1.96	0.008		0.010	0.17	(0.016)		
48C	CRM	AISI T-1	T12001	0.029	(0.0004)	0.018	(0.002)	0.45	0.012	(0.01)	0.006	1.27	17.5		(0.003)
251A	CRM	AISI M-4	T11304	0.014	(0.002)	0.058		0.58	0.011		0.003	3.9	5.5		(0.002)
255A	CRM	AISI H-11	T20811	0.013	(<0.001)	0.0012		0.93	0.006	(<0.005)	0.002	0.43	0.007		(<0.005)
259A	CRM	AISI S-7	T41907	0.020	(<0.0005)	0.0007	(0.002)	0.44	0.004	(0.005)	0.0026	0.256	0.035	(<0.005)	0.001
281A	CRM	AISI T-4	T12004	0.015		0.019		0.29	0.02		0.004	0.9	17.6		(0.002)
304A	CRM	AISI M-1	T11301	0.019		0.0016	(0.001)	0.36	0.006	(0.002)	0.002	1.23	1.65		(0.002)
306B	CRM	AISI M-50	T11350	0.0061	(0.0008)	0.0011	(0.002)	0.213	0.0042	(<0.011)	0.0016	0.98	0.009	(<0.055)	0.0014
320A	CRM	AISI M-35	T11335	0.021	(<0.007)	0.0015	(<0.0011)	0.36	0.008	(<0.0020)	0.0032	1.76	6.01	(<0.001)	(0.003)

# Aluminum Alloys

IARM Part Number	Type	Grade	UNS#	Ag	B	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Mg	Mn	Na	Ni
<b>104B</b>	CRM	AA2024	A92024	(0.0005)	0.0016	0.00021	(<0.002)	(<0.002)	(<0.0002)	(0.0005)	0.0088	4.63	0.262	0.011	1.56	0.645	(0.0005)	0.0053
<b>109C</b>	CRM	AA6061	A96061	(0.0004)	(0.0012)	(0.001)	0.003	0.002	(0.0003)	(0.0006)	0.10	0.30	0.529	0.013	0.83	0.108		0.0123
<b>111B</b>	CRM	AA7075	A97075	(<0.002)	(0.0008)	0.00087	(<0.002)	(0.001)	(0.0003)	(0.0005)	0.205	1.38	0.225	0.008	2.2	0.093	(0.003)	0.0098
<b>343A</b>	CRM	AA7055	A97055	(<0.003)	0.0007	(<0.004)	(<0.009)	0.0024	(0.0002)	(0.0008)	0.0009	2.29	0.084	0.012	2.04	0.002	(0.0005)	0.005

IARM Part Number	Type	Grade	UNS#	P	Pb	Sb	Si	Sn	Ti	V	Zn	Zr
<b>104B</b>	CRM	AA2024	A92024	(<0.005)	0.014	(<0.02)	0.15	0.003	0.056	0.006	0.065	0.001
<b>109C</b>	CRM	AA6061	A96061	(0.002)	0.0072	(<0.005)	0.616	0.0040	0.0176	0.009	0.121	0.0018
<b>111B</b>	CRM	AA7075	A97075	(<0.0040)	0.0063	(<0.015)	0.192	(0.002)	0.0427	0.0035	5.7	0.0132
<b>343A</b>	CRM	AA7055	A97055	0.001	0.0012	(<0.004)	0.05	(<0.005)	0.0175	0.0058	8.15	0.152

# Nickel Alloys

IARM Part Number	Type	Grade	UNS#	Ag	Al	As	B	Be	Bi	C	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga
7B	CRM	Alloy 330	N08330		0.023		(0.002)			0.062				0.069	19.32	0.21	(43.0)	
7C	CRM	Alloy 330	N08330		0.017	(0.002)	0.0027			0.064	(0.002)			0.041	18.4	0.031	43.5	
25D	CRM	Alloy 20	N08020	(0.0004)	0.015	(0.004)	0.0036	(<0.0001)	(<0.0001)	0.028	(<0.009)	(<0.005)	(<0.0001)	0.14	20.00	3.46	38.700	(0.002)
50C	CRM	Ni 200	N02200	(<0.0001)	0.004	(<0.003)	0.0027	(<0.0001)	(<0.005)	0.015	(0.0012)	(<0.0001)	(<0.0001)	0.011	0.005	0.028	0.084	(<0.0001)
51D	CRM	Alloy 400	N04400	(<0.0004)	0.036	(<0.003)	(<0.0003)	(<0.0001)	(<0.003)	0.139	(<0.001)	(<0.0001)	(<0.0001)	0.011	0.064	32.6	1.68	(0.00019)
52D	CRM	Alloy K500	N05500	(0.0006)	2.95	(<0.003)	0.0020	(<0.0001)	(<0.003)	0.125	(<0.003)	(<0.0001)	(<0.0001)	0.005	0.004	29.6	1.38	(0.00032)
53F	CRM	Alloy 600	N06600	(<0.0001)	0.17	(<0.001)	0.0026	(<0.0001)	(<0.0001)	0.077	(<0.001)	(<0.0003)	(<0.0001)	0.056	16.0	0.077	9.5	(0.0016)
54G	CRM	Alloy 625	N06625	(0.00007)	0.150	(0.002)	0.0027	(<0.0001)	(<0.0001)	0.053	(0.00004)	(<0.02)	(<0.0001)	0.06	21.1	0.066	4.03	(0.0026)

IARM Part Number	Type	Grade	UNS#	Ge	Hf	In	La	Mg	Mn	Mo	N	Nb	Ni	O	P	Pb	Pd	Re
7B	CRM	Alloy 330	N08330						1.47	0.19	0.0130	0.023	35.84	0.0026	0.018			
7C	CRM	Alloy 330	N08330					0.0015	1.32	0.095	0.034	0.189	34.9	0.0021	0.014	(0.0001)		
25D	CRM	Alloy 20	N08020	(<0.002)	(<0.0005)	(<0.0001)	(<0.001)	0.0016	1.14	2.1	0.0340	0.66	32.6	0.005	0.019	(0.004)	(<0.0001)	(<0.007)
50C	CRM	Ni 200	N02200	(<0.0001)	(<0.01)	(<0.0001)	(<0.0001)	0.005	0.220	(<0.023)	(0.0005)	0.002	99.400	(0.006)	0.0014	(0.001)	(<0.0001)	(<0.01)
51D	CRM	Alloy 400	N04400	(<0.002)	(<0.0001)	(<0.0001)	(<0.0001)	0.016	1.03	0.019	(0.00019)	0.006	64.1	(<0.0007)	0.01	(<0.001)	(<0.0001)	(<0.0001)
52D	CRM	Alloy K500	N05500	(0.0002)	(0.00008)	(<0.0001)	(<0.0001)	0.0065	0.59	(0.002)	(<0.002)	0.002	64.5	(0.0004)	0.002	0.002	(<0.002)	(<0.0001)
53F	CRM	Alloy 600	N06600	(<0.0008)	(<0.0001)	(<0.0001)	(<0.0001)	0.016	0.260	0.084	(0.007)	0.088	72.7	(0.001)	0.0070	(0.0006)	(<0.0001)	(<0.0001)
54G	CRM	Alloy 625	N06625	(<0.0003)	(<0.01)	(<0.0001)	(<0.0001)	0.004	0.172	8.52	0.022	3.48	61.9	(0.0011)	0.007	(<0.005)	(<0.0001)	(0.0004)

IARM Part Number	Type	Grade	UNS#	Ru	S	Sb	Se	Si	Sn	Ta	Te	Ti	V	W	Y	Zn	Zr
7B	CRM	Alloy 330	N08330		(0.001)			1.38	0.004			(0.005)	0.048	(0.031)			
7C	CRM	Alloy 330	N08330		0.0004	(0.0003)		1.21	0.0020	(0.002)		0.022	0.060	(0.02)			(0.001)
25D	CRM	Alloy 20	N08020	(<0.0001)	0.0013	(0.0008)	(<0.0003)	0.70	0.008	(0.002)	(<0.0007)	0.009	0.089	0.13	(<0.0005)	(0.0013)	(0.003)
50C	CRM	Ni 200	N02200	(<0.0001)	0.0012	(<0.007)	(<0.0002)	0.031	(<0.001)	(<0.03)	(<0.0001)	0.026	(0.0006)	(<0.1)	(<0.0005)	(0.00009)	(<0.003)
51D	CRM	Alloy 400	N04400	(<0.0001)	0.0015	(<0.0001)	(<0.0004)	0.16	(0.00016)	(<0.001)	(<0.0001)	0.033	(0.001)	(0.0017)	(<0.0005)	(<0.0005)	(0.0008)
52D	CRM	Alloy K500	N05500	(<0.0001)	0.0012	(<0.004)	(<0.0007)	0.17	0.0013	(<0.01)	(<0.0001)	0.6	0.001	(<0.008)	(<0.0005)	(0.0011)	0.026
53F	CRM	Alloy 600	N06600	(<0.0001)	0.0022	(0.00011)	(<0.001)	0.17	0.002	0.0040	(<0.0001)	0.255	0.024	0.014	(<0.0001)	(<0.002)	(0.002)
54G	CRM	Alloy 625	N06625	(<0.0002)	(0.002)	(0.00048)	(<0.0008)	0.27	0.0009	(<0.03)	(<0.001)	0.24	0.025	0.03	(<0.0001)	(<0.002)	(<0.002)

# Nickel Alloys

IARM Part Number	Type	Grade	UNS#	Ag	Al	As	B	Be	Bi	C	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga
54H	CRM	Alloy 625	N06625		0.310		(0.0020)			0.018				0.0990	21.95	(0.1)	4.050	
56H	CRM	Alloy 718	N07718	(<0.0001)	0.510	(<0.001)	0.0045	(<0.0001)	(<0.0001)	0.0248	(<0.0001)	(<0.007)	(<0.0001)	0.049	17.86	0.012	18.6	(0.0014)
57E	CRM	Alloy X750	N07750	(0.00002)	0.740	(0.0004)	0.008	(<0.0001)	(0.000002)	0.060	(<0.0005)	(<0.0001)	(<0.0001)	0.021	15.300	0.010	8.010	(0.0013)
58B	CRM	Alloy 800	N08800		0.45	(0.002)	0.0003			0.073				0.02	19.6	0.011	47.7	
59A	CRM	Alloy 825	N08825		0.05		(0.002)			0.02				0.25	22.12	1.71	30.82	
63D	CRM	Alloy B-2	N10665	(<0.001)	0.13	(<0.001)	0.0017	(<0.0001)	(<0.0001)	0.0079	(<0.001)	(<0.07)	(<0.0001)	0.013	0.153	0.003	1.56	(0.0001)
65D	CRM	Alloy C-22	N06022	(0.0001)	0.29		(0.001)			0.0021				1.22	21.5	0.050	3.66	
67C	CRM	Alloy G-30	N06030		0.14		0.001			0.0058				1.75	28.9	1.24	13.48	

IARM Part Number	Type	Grade	UNS#	Ge	Hf	In	La	Mg	Mn	Mo	N	Nb	Ni	O	P	Pb	Pd	Re
54H	CRM	Alloy 625	N06625		(<0.001)			(<0.001)	0.11	8.680	(<0.02)	3.5100	60.700	(<0.001)	0.006			
56H	CRM	Alloy 718	N07718	(<0.0001)	(<0.01)	(<0.0001)	(<0.0001)	0.001	0.04	2.9	0.0062	5.2	53.8	(0.0004)	0.0052	(<0.0001)	(<0.0001)	(0.00003)
57E	CRM	Alloy X750	N07750	(0.0001)	(<0.004)	(<0.0001)	(0.00002)	0.0013	0.079	0.014	(0.0025)	1.000	72.100	(0.0012)	0.005	(0.0003)	(<0.0001)	(<0.004)
58B	CRM	Alloy 800	N08800					(0.001)	0.51	0.01	0.010	0.01	30.7	0.001	0.010	(0.0001)		
59A	CRM	Alloy 825	N08825					(<0.001)	0.33	2.68		0.02	(40.91)		0.017			
63D	CRM	Alloy B-2	N10665	(<0.0001)	(<0.01)	(<0.0001)	(<0.01)	0.0013	0.76	26.6	(0.0007)	0.04	70.4	(<0.006)	0.004	(<0.001)	(<0.0001)	(0.0001)
65D	CRM	Alloy C-22	N06022						0.007	0.28	13.1	0.019	0.033	56.8	0.0005	0.008		
67C	CRM	Alloy G-30	N06030						0.0069	1.01	4.93	0.035	0.36	45.8	0.0016	0.011		

IARM Part Number	Type	Grade	UNS#	Ru	S	Sb	Se	Si	Sn	Ta	Te	Ti	V	W	Y	Zn	Zr
54H	CRM	Alloy 625	N06625		0.001			0.14	(<0.001)	(<0.03)		0.2860	(<0.02)	(<0.08)		(<0.002)	
56H	CRM	Alloy 718	N07718	(<0.0002)	0.0005	(0.00009)	(<0.0008)	0.054	0.00026	0.006	(<0.0007)	0.96	0.025	0.014	(<0.01)	(0.00004)	(<0.01)
57E	CRM	Alloy X750	N07750	(<0.0002)	0.0009	(0.00007)	(<0.0006)	0.052	(<0.016)	(<0.023)	(<0.0001)	2.540	0.021	0.009	(<0.002)	(<0.005)	0.037
58B	CRM	Alloy 800	N08800		0.001			0.282	0.002	(<0.01)		0.50	0.035	0.01			(<0.005)
59A	CRM	Alloy 825	N08825		0.001			0.10	(0.001)	(<0.01)		0.83	0.03	0.13			(<0.01)
63D	CRM	Alloy B-2	N10665	(<0.0001)	0.0006	(<0.0005)	(<0.0002)	0.03	(0.002)	(<0.011)	(<0.0003)	0.14	0.007	0.02	(<0.001)	(<0.0003)	0.002
65D	CRM	Alloy C-22	N06022		0.0004			0.035	(0.001)	(0.01)		0.005	0.012	2.81			(0.002)
67C	CRM	Alloy G-30	N06030		0.0006	(0.0003)		0.14	0.0014	(0.006)		0.005	0.031	1.97			0.002

# Nickel Alloys

IARM Part Number	Type	Grade	UNS#	Ag	Al	As	B	Be	Bi	C	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga
68D	CRM	Haynes 230	N06230	(<0.00002)	0.03	(<0.001)	0.004		(0.001)	0.099	(0.001)			0.158	21.59	0.016	1.11	
68E	CRM	Haynes 230	N06230	(0.00005)	0.300	(0.0003)	0.0070	(<0.0001)	(0.000004)	0.0990	(0.00002)	(<0.002)	(<0.0001)	0.160	21.88	0.022	1.060	(<0.003)
68F	CRM	Haynes 230	N06230	(<0.001)	0.26		0.0050		(<0.001)	0.101	(<0.005)			0.24	21.9	0.031	1.50	
157D	CRM	AL 6XN	N08367	(<0.0005)	0.020	(<0.004)	0.0007	(<0.0001)	(<0.03)	0.015	(<0.005)	(<0.02)	(<0.0001)	0.1020	20.31	0.20	48.0	(0.003)
203A	CRM	Alloy 909	N19909		0.066		(0.002)			0.005				12.9	0.72	0.05	40.6	
272A	CRM	Alloy 617	N06617	(0.0001)	1.16	(0.0002)	0.003		(<0.00001)	0.082				12.89	21.98	0.015	1.10	
273A	CRM	Alloy C263	N07263	(<0.0001)	0.490	0.001	0.0012			0.06	(<0.0020)			20.12	20.43	0.007	0.285	
274A	CRM	Alloy 725	N07725		0.26		0.002			0.007				0.143	21.0	0.10	7.60	
IARM Part Number	Type	Grade	UNS#	Ge	Hf	In	La	Mg	Mn	Mo	N	Nb	Ni	O	P	Pb	Pd	Re
68D	CRM	Haynes 230	N06230				0.01	0.0062	0.492	1.291	0.0476	0.029	60.3	0.0007	0.0059	(0.0002)		
68E	CRM	Haynes 230	N06230	(<0.0001)	(<0.002)	(<0.0001)	0.008	0.006	0.51	1.18	0.05	0.035	(59.9)	0.0007	0.005	(0.0002)	(<0.0001)	(0.0003)
68F	CRM	Haynes 230	N06230					0.006	0.499	1.35	0.045	0.084	(59.6)	0.0007	0.006	(<0.001)		
157D	CRM	AL 6XN	N08367	(0.001)	(<0.07)	(<0.0001)	(<0.07)	(<0.0003)	0.63	6.080	0.2030	0.1490	23.900	(0.004)	0.016	(<0.002)	(<0.0001)	(0.0005)
203A	CRM	Alloy 909	N19909					(<0.002)	0.023	0.09	0.0010	5.00	38.4		0.006			
272A	CRM	Alloy 617	N06617					0.002	0.067	9.34	0.0049	0.015	52.68	0.0007	0.003	(0.0001)		
273A	CRM	Alloy C263	N07263					0.003	0.214	5.84	0.0037	0.019	50.3	0.0012	0.003	(<0.0001)		
274A	CRM	Alloy 725	N07725					0.0019	0.08	8.06	0.007	3.48	57.5	0.0006	0.007			
IARM Part Number	Type	Grade	UNS#	Ru	S	Sb	Se	Si	Sn	Ta	Te	Ti	V	W	Y	Zn	Zr	
68D	CRM	Haynes 230	N06230		0.0002	0.0001		0.422	0.001	0.014		0.0108	0.009	14.16			0.0023	
68E	CRM	Haynes 230	N06230	(<0.0001)	0.0005	(0.00006)	(<0.0007)	0.39	(0.0004)	(<0.015)	(<0.0001)	0.015	0.007	14.6	(<0.001)	(0.00009)	(0.001)	
68F	CRM	Haynes 230	N06230		0.0005	(<0.001)		0.381	(<0.001)	(0.009)		0.010	0.007	14.5	(<0.001)		(0.002)	
157D	CRM	AL 6XN	N08367	(<0.0001)	0.0005	(0.0007)	(<0.0002)	0.28	0.0036	(0.003)	(<0.002)	0.0090	0.050	0.036	(<0.001)	(0.0001)	(0.001)	
203A	CRM	Alloy 909	N19909		0.0009			0.41				1.58	(<0.01)	(0.02)			(<0.01)	
272A	CRM	Alloy 617	N06617		0.0002	(0.0001)		0.07	(0.0003)	(0.01)		0.50	0.005	0.061			0.002	
273A	CRM	Alloy C263	N07263		0.0003	(<0.001)		0.078	0.001	0.007		2.12	0.007	0.019			0.001	
274A	CRM	Alloy 725	N07725		0.0004			0.02	0.001	(0.002)		1.55	0.019	0.06			(0.001)	

# Nickel Alloys

IARM Part Number	Type	Grade	UNS#	Ag	Al	As	B	Be	Bi	C	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga
276A	CRM	Alloy C-22HS	N/A	0.00010	0.245	(0.0009)	0.0038		(0.000003)	0.0040	(<0.007)			0.041	20.54	0.04	1.300	
277A	CRM	Rene 77	N/A		4.38		0.015			0.080				14.5	14.35	0.004	0.16	
282A	CRM	Alloy HR-120	N08120	(0.0001)	0.085	(0.003)	0.0050		(<0.0001)	0.054				0.12	24.6	0.0615	0.0615	
283A	CRM	B 1900	N/A		6.05		0.014			0.114				9.8	8.05	(0.01)	0.044	
287A	CRM	Udimet 500	N07500		3.02		0.009			0.079				16.99	18.47	(0.001)	0.086	
325A	CRM	Rene 41	N07041	(0.00001)	1.56	(0.0004)	0.0082			0.067	(0.0003)			10.46	18.52	(0.003)	0.07	
328A	CRM	Alloy 945	N09945	(<0.00001)	0.189	0.0009	0.0011		(<0.001)	0.006	(<0.004)			0.003	20.57	1.94	22.41	
329A	CRM	Alloy G-35	N06035	0.00007	0.29	0.001	0.0010		(<0.0001)	0.0086	(<0.006)			0.052	33.7	0.065	0.92	

IARM Part Number	Type	Grade	UNS#	Ge	Hf	In	La	Mg	Mn	Mo	N	Nb	Ni	O	P	Pb	Pd	Re
276A	CRM	Alloy C-22HS	N/A				(<0.007)	0.007	0.305	16.200	0.0388	0.014	61.1	0.0010	0.006	0.00004		
277A	CRM	Rene 77	N/A					0.0021	0.01	4.22	0.0017	0.034	58.9	0.0005	0.002			
282A	CRM	Alloy HR-120	N08120					0.004	0.81	0.21	0.207	0.57	37.1	0.0023	0.016	(0.001)		
283A	CRM	B 1900	N/A				(0.002)	0.0033	0.001	5.94	0.0003	0.020	64.4	0.0004	0.003			
287A	CRM	Udimet 500	N07500					0.0023	0.002	3.51	0.0007	0.022	54.8	0.0005	0.001			
325A	CRM	Rene 41	N07041					0.0044	0.004	9.98	0.0016	0.007	56.1	0.0005	0.003	(0.00004)		
328A	CRM	Alloy 945	N09945				(<0.0005)	0.0008	0.017	3.16	0.0056	3.14	47.03	0.0006	0.004	0.00002		
329A	CRM	Alloy G-35	N06035					0.0124	0.222	8.38	0.073	0.131	55.8	0.0027	0.0059	0.00003		

IARM Part Number	Type	Grade	UNS#	Ru	S	Sb	Se	Si	Sn	Ta	Te	Ti	V	W	Y	Zn	Z
276A	CRM	Alloy C-22HS	N/A		0.0005	0.00019		0.043	0.0004	0.011		0.004	0.008	0.03			
277A	CRM	Rene 77	N/A		0.0010			0.037	(<0.003)	(0.02)		3.40	0.011	0.047			
282A	CRM	Alloy HR-120	N08120		0.0003	(0.0004)		0.63	0.003	(0.005)		0.019	0.052	0.043		(0.001)	
283A	CRM	B 1900	N/A		0.0006	(0.00002)		0.019	(0.0002)	4.3		0.98	0.0058	0.056		0.001	
287A	CRM	Udimet 500	N07500		0.0008			0.02	0.0002	0.010		3.02	0.004	0.013			
325A	CRM	Rene 41	N07041		0.0003			0.012	(0.0002)	0.003		3.16	0.01	0.03			
328A	CRM	Alloy 945	N09945		0.0006	0.00023		0.021	0.0002	0.004		1.53	0.008	0.015			
329A	CRM	Alloy G-35	N06035		0.0003	0.0001		0.053	0.0005	(<0.008)		0.005	0.009	0.021			

# Nickel Alloys

IARM Part Number	Type	Grade	UNS#	Ag	Al	As	B	Be	Bi	C	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga
332A	CRM	CMSX-4	N/A		5.79	(0.0003)	0.0009		(0.00001)	0.0039	(<0.0022)			9.45	6.3	0.007	0.028	
338A	CRM	Alloy 602CA	N06025	(0.0001)	2.13	(<0.0005)	0.005		(<0.0001)	0.168	0.002		0.035	25	0.0059	9.74		
347A	CRM	Alloy 904L	N08904	(0.0001)	0.016	0.006	0.0020		(0.00001)	0.023	0.0029		0.083	20.14	1.34	47.4		
357A	CRM	Alloy 028	N08028	(<0.0005)	0.09	(<0.01)	0.0014		(<0.0001)	0.0199	(<0.005)		0.17	27.0	0.81	34.3		
358A	CRM	Alloy 740		(<0.0001)	1.33	(<0.01)	0.0011		(<0.002)	0.026	(0.001)	(<0.0005)		20.1	24.6	0.005	0.122	
362B	CRM	Alloy 686	N06686	(<0.0001)	0.32	(<0.01)	(0.003)		(<0.001)	0.0079	(<0.001)	(<0.0005)		0.010	20.4	(0.003)	0.10	
366A	CRM	Alloy 601	N06601	(<0.00001)	1.51		(0.0026)		(<0.0001)	0.025			0.041	22.0	0.038	14.3		
372A	CRM	Alloy 693	N06693	(<0.0002)	3.28	(<0.0002)	0.0016		(<0.0001)	0.030	(<0.001)		0.009	28.3	0.004	3.12		

IARM Part Number	Type	Grade	UNS#	Ge	Hf	In	La	Mg	Mn	Mo	N	Nb	Ni	O	P	Pb	Pd	Re
332A	CRM	CMSX-4	N/A		0.099			0.0052	0.003	0.6	0.00026	0.0053	60.7	0.0004	0.002	(0.00002)	2.9	
338A	CRM	Alloy 602CA	N06025					0.0058	0.052	0.0017	0.0276	0.004	62.3	0.001	0.003	0.00007		
347A	CRM	Alloy 904L	N08904				(0.0006)	0.0008	1.24	4.16	0.062	0.01	24.88	0.0026	0.023	0.0003		
357A	CRM	Alloy 028	N08028	(<0.009)		(<0.001)		0.005	1.63	3.48	0.011	0.089	31.9	0.005	0.013	(<0.002)	(<0.005)	
358A	CRM	Alloy 740		(<0.0003)				0.0019	0.259	0.310	0.0045	1.51	50.3	0.001	0.004	(<0.005)		
362B	CRM	Alloy 686	N06686	(<0.01)				0.008	0.229	16.1	0.0060	0.015	58.7	0.0006	0.005	(<0.004)		
366A	CRM	Alloy 601	N06601	(<0.06)				0.004	0.205	0.079	0.0136	0.069	60.9	0.0010	0.008	(<0.003)		
372A	CRM	Alloy 693	N06693	(0.03)		(<0.0001)		0.016	0.285	0.006	0.011	0.71	63.6	0.0008	0.003	(0.001)	(<0.003)	

IARM Part Number	Type	Grade	UNS#	Ru	S	Sb	Se	Si	Sn	Ta	Te	Ti	V	W	Y	Zn	Zr
332A	CRM	CMSX-4	N/A		0.0003	(0.00002)		0.03	(0.0002)	6.5		0.991	0.002	6.45	(0.0012)	0.005	
338A	CRM	Alloy 602CA	N06025		0.0008	(0.00009)		0.02	0.00037	(0.002)		0.13	0.0026	(<0.02)	0.06	0.081	
347A	CRM	Alloy 904L	N08904		0.0009	0.0013		0.56	0.011	(0.005)		0.007	0.078	0.020		(0.002)	
357A	CRM	Alloy 028	N08028		0.0021	(<0.001)		0.458	(0.002)	(0.008)		0.079	0.091	0.108	(<0.001)	(<0.001)	(0.005)
358A	CRM	Alloy 740			0.0018	(<0.001)		0.145	(<0.001)	(0.006)		1.36	0.009	0.002		0.022	
362B	CRM	Alloy 686	N06686		0.0004	(<0.013)	(<0.005)	0.04	(<0.003)	(0.005)		0.052	0.010	3.90	(<0.0001)	(<0.001)	(0.004)
366A	CRM	Alloy 601	N06601		0.0003			0.019	(<0.005)	(<0.02)		0.43	0.028	0.02	(<0.0001)		0.012
372A	CRM	Alloy 693	N06693		0.0016	(0.056)		0.020	(0.001)	(<0.022)		0.486	0.008	0.02	(<0.0001)	(<0.001)	0.017

# High Purity Nickel

IARM Part Number	Type	Grade	UNS#	Ag	Al	As	B	Be	Bi	C	Ca	Cd
<b>187A</b>	CRM	<i>HPNI</i>		0.1	11	0.1	(<5)	(<1)	(<0.1)	13	(<10)	(<0.1)
<b>188A</b>	CRM	<i>HPNI-LO</i>		1.1	24	0.7	(<5)	(<1)	0.9	22	(<10)	0.2
<b>189A</b>	CRM	<i>HPNI-MI</i>		2.4	44	0.7	(<5)	(<1)	2.6	23	(<10)	0.8
<b>190A</b>	CRM	<i>HPNI-HI</i>		10.9	50	28	(<5)	(<1)	11.1	22	(<10)	5
<b>191A</b>	CRM	<i>ELNI-HP</i>		0.1	1.5	13	(<5)	(<1)	(<0.1)	14	(<10)	

Values listed are in ppm

# Titanium Alloys

IARM Part Number	Type	Grade	UNS#	Al	B	C	Co	Cr	Cu	Fe	H	Hf	Mg	Mn	Mo	N	Nb	Ni
175D	CRM	Ti 6-4	R56400	6.380	(0.0008)	0.008		0.015	0.002	0.22	0.0028		0.002	0.003	0.030	(0.008)	0.016	
176C	CRM	Ti 6-4 ELI	R56407	5.95		0.012	(0.001)	0.011	0.003	0.14	0.0034		0.0011	0.004	0.005	(0.005)	0.012	
178C	CRM	Ti 6-6-2	R56620	5.44	0.0010	0.022	(0.003)	0.014	0.61	0.66	0.0025		0.002	0.012	0.011	(<0.01)	0.013	
178D	CRM	Ti 6-6-2	R56620	5.49	(0.001)	0.028	0.005	0.031	0.52	0.550	0.0016		0.003	0.10	0.017	(0.01)	0.067	
261A	CRM	Ti 3-2.5	R56320	3.00		0.007	(0.001)	0.013	0.002	0.19	0.0023		0.0011	0.003	0.007	(0.01)	0.006	
261B	CRM	Ti 3-2.5	R56320	2.98	0.0004	0.011	(<0.004)	0.016	0.003	0.19	(0.001)		(0.003)	0.004	0.004	(0.002)	0.023	
261D	CRM	Ti 3-2.5	R56320	3.02	0.0003	0.011	(<0.001)	0.016	0.0028	0.185	(0.0005)		(0.002)	0.003	0.0051	(0.003)	0.018	
261C	CRM	Ti 3-2.5	R56320	3.05	0.0004	0.011	(0.005)	0.014	0.003	0.180	0.001		(0.003)	0.004	0.005	(0.003)	0.016	
261E	CRM	Ti 3-2.5	R56320	3.05	0.0003	0.012	(0.0004)	0.016	0.0025	0.18	(0.0005)		(0.001)	0.003	0.006	(0.005)	0.018	
269B	CRM	Ti 8-1-1	R54810	7.86	(<0.001)	0.014	(<0.0005)	0.0014	0.0023	0.071	0.007	(<0.0001)	0.0071	0.98	0.006	0.004	(0.001)	
271A	CRM	Ti 5-2.5	R54520	5.28		0.026	(0.002)	0.016	0.004	0.31	0.013		0.002	0.011	0.012	(0.003)	0.035	

IARM Part Number	Type	Grade	UNS#	O	P	Pb	Pd	Ru	S	Sb	Si	Sn	Ta	Ti	V	W	Y	Zr
175D	CRM	Ti 6-4	R56400	0.177							0.009	0.01	(89.2)	4.00	(0.002)	(0.001)	(0.002)	
176C	CRM	Ti 6-4 ELI	R56407	0.110			(0.004)		(0.0005)		0.017	0.005		89.8	4.00		(0.0001)	0.0023
178C	CRM	Ti 6-6-2	R56620	0.168	(0.003)		(0.003)	(0.002)	(0.002)		0.045	1.98	(<0.002)	(85.8)	5.41		(0.001)	0.0038
178D	CRM	Ti 6-6-2	R56620	0.17	(0.002)		(0.003)	(0.001)	(0.001)		0.053	1.84	(0.001)	(85.8)	5.47	(0.001)	(0.001)	0.026
261A	CRM	Ti 3-2.5	R56320	0.10					(0.001)		0.012	0.008			2.48		(0.001)	(0.002)
261B	CRM	Ti 3-2.5	R56320	0.083	(0.004)			(0.001)	(0.0004)		0.008	0.004	(94.4)	2.23	(0.003)	(0.0004)	0.002	
261D	CRM	Ti 3-2.5	R56320	0.083	(<0.004)		(0.002)	(0.0005)	(0.001)		0.008	0.005	(0.0005)	(94.2)	2.50	(0.001)	(0.0005)	0.003
261C	CRM	Ti 3-2.5	R56320	0.085	(0.003)		(0.002)	(0.001)	(0.001)		0.007	0.006	(94.1)	2.46	(0.001)	(0.0004)	0.003	
261E	CRM	Ti 3-2.5	R56320	0.084	(<0.003)		(0.002)	(0.001)	(0.001)		0.007	0.005	(94.1)	2.51	(0.001)	(0.001)	(0.003)	
269B	CRM	Ti 8-1-1	R54810	0.09	(0.003)		(<0.005)	(0.004)	(0.003)		0.025	0.008	(<0.005)	(89.9)	1.03	(0.001)	(<0.001)	0.002
271A	CRM	Ti 5-2.5	R54520	0.02	(0.002)				(0.002)		0.021	2.49			0.09			0.015

# Titanium Alloys

IARM Part Number	Type	Grade	UNS#	Al	B	C	Co	Cr	Cu	Fe	H	Hf	Mg	Mn	Mo	N	Nb	Ni
271B	CRM	Ti 5-2.5	R54520	5.21	0.0012	0.0128	(0.0010)	0.010	0.007	0.196	0.014	(0.001)	0.0036	0.0063	0.013	0.005	0.009	
280A	CRM	Ti 4-4-2-0.5	IMI 550	4.11		0.005	(0.002)	0.0055	0.003	0.044	0.0015		(0.002)	4.01	0.0014	(0.001)	0.012	
300A	CRM	Ti 6-7	R56700	5.96	(0.0008)	0.007	(0.001)	0.0097	0.0039	0.191	0.0018	(0.0004)	0.0012	(0.001)	0.0033	6.86	0.0081	
300C	CRM	Ti 6-7	R56700	5.97	(0.0006)	0.01	(0.001)	0.008	0.003	0.181	(0.0006)	(<0.001)	(0.003)	0.0023	0.0061	6.8	0.014	
300D	CRM	Ti 6-7	R56700	6.06	(0.001)	0.01	(0.004)	0.006	0.003	0.183	0.183	(<0.001)	(<0.005)	0.0019	0.005	6.82	0.013	
300B	CRM	Ti 6-7	R56700	6.090	(0.0012)	0.008	(0.002)	0.0174	0.014	0.175	0.0025	(<0.002)	0.0060	0.0013	0.0030	6.8400	0.012	
300E	CRM	Ti 6-7	R56700	6.16	(<0.002)	0.008	(0.004)	0.007	(<0.02)	0.17	(0.001)	(<0.001)	(<0.001)	(<0.02)	0.0028	0.0059	6.85	0.011
303B	CRM	Ti Grade 7	R52400	0.015	(<0.001)	0.035	(<0.002)	0.0018	0.002	0.12	0.0008	(<0.003)	(<0.001)	0.001	0.002	0.017	0.006	0.0013
311A	CRM	Ti CP	BT1-0	0.32		0.009		0.013	0.0013	0.060	0.0021		0.0013	0.0012	0.012	(0.002)	0.014	
312A	CRM	Ti CP Gr. 1	R50250	0.006		0.004	(0.001)	(0.002)	0.002	0.028	0.0049		(0.001)	(0.002)	0.0023		(0.002)	
312B	CRM	Ti CP4 (Grade 1)	R50250	0.018	(<0.001)	0.0092	(<0.002)	0.01	0.003	0.072	0.0004	(0.0004)	(<0.002)	(0.001)	0.003	0.007	(0.001)	0.019

IARM Part Number	Type	Grade	UNS#	O	P	Pb	Pd	Ru	S	Sb	Si	Sn	Ta	Ti	V	W	Y	Zr
271B	CRM	Ti 5-2.5	R54520	0.155	(0.0011)		(0.0011)	(0.003)	(0.001)		0.010	2.52	(0.0104)	(91.9)	0.057	(0.0021)	(0.00018)	0.059
280A	CRM	Ti 4-4-2-0.5	IMI 550	0.19			(0.002)		(0.001)		0.47	2.07	(88.7)	0.023		(0.0003)	0.002	
300A	CRM	Ti 6-7	R56700	0.162	(0.001)						0.018	0.007	0.004	86.71	0.005	(<0.002)	(0.0004)	0.003
300C	CRM	Ti 6-7	R56700	0.174	(<0.001)	(<0.0001)	(<0.005)		(0.0005)	(0.0005)	0.018	(0.006)	(0.005)	(86.7)	0.03	(<0.002)	(0.002)	(0.005)
300D	CRM	Ti 6-7	R56700	0.166	(<0.002)	(<0.0005)	(<0.005)	(<0.001)	(0.001)	(0.0004)	0.021	(0.005)	(0.005)	(86.7)	0.03	(<0.002)	(0.003)	(0.005)
300B	CRM	Ti 6-7	R56700	0.1710	(<0.004)		(0.005)		(0.001)		0.02	0.0040	0.0050	(86.3)	0.004	(<0.005)	(<0.005)	0.0130
300E	CRM	Ti 6-7	R56700	0.18	(<0.001)	(<0.0001)	(<0.001)	(<0.01)	(<0.001)	(<0.001)	0.017	0.005	(0.006)	(86.5)	0.03	(<0.002)	0.003	(<0.02)
303B	CRM	Ti Grade 7	R52400	0.176	(<0.002)		0.13	(<0.01)	(<0.002)		0.006	0.006	(<0.005)	(99.6)	0.0023	(<0.002)	(<0.001)	0.0028
311A	CRM	Ti CP	BT1-0	0.083							0.005	0.0020		(99.4)	0.004	(0.002)	(0.0002)	0.012
312A	CRM	Ti CP Gr. 1	R50250	0.066			(0.004)		(0.001)		0.006	0.0012		99.7	(0.002)		(0.0004)	(0.001)
312B	CRM	Ti CP4 (Grade 1)	R50250	0.128	(<0.002)		(<0.005)	(<0.001)	(0.0008)	(0.0003)	0.006	0.004	(<0.005)	(99.7)	0.009	(<0.005)	(<0.001)	0.0014

# Titanium Alloys

IARM Part Number	Type	Grade	UNS#	Al	B	C	Co	Cr	Cu	Fe	H	Hf	Mg	Mn	Mo	N	Nb	Ni
314A	CRM	Ti 5-5-3	Ti5553	5.50		0.008	(0.003)	3.09	0.002	0.46	0.004		0.002	4.78	0.0034		0.022	
314B	CRM	Ti 5-5-3	Ti5553	5.57	(0.001)	0.010	(0.004)	3.08	0.002	0.39	0.0057		0.001	4.88	0.0045	0.009	0.0044	
336A	CRM	Ti 6-2-4-6	R56260	5.9	(0.001)	0.005	0.002	0.002	0.002	0.115	0.0022			6.16	0.0015		0.002	
336B	CRM	Ti 6-2-4-6	R56260	6.04	(0.001)	0.006	(0.002)	(0.001)	0.002	0.132	0.0029			6.16	0.0016		0.002	
337A	CRM	Ti 6-2-2-2-2	Ti 6-22-22	5.60	(0.001)	0.008	0.0011	2.01	0.002	0.114	0.005			2.05	0.0017	(0.004)	0.011	
344A	CRM	Ti 15-3-3-3	R58153	3.15	0.0011	0.011	(0.001)	3.09	0.002	0.20	(0.015)		(0.003)	0.004	0.005	(0.005)	0.011	
344B	CRM	Ti 15-3-3-3	R58153	3.03	(<0.001)	0.0095	(<0.004)	2.91	0.0024	0.118	0.007	(<0.001)	(<0.004)	0.003	0.006	0.016	(0.003)	0.021
345A	CRM	Ti 5-2-2-4-4	R58650	5.12	(0.001)	0.010	(0.002)	3.89	0.002	0.121	0.0040			0.0009	4.09	0.0025	(0.002)	0.015
361A	CRM	Ti Grade 12	R53400	0.013	(0.0005)	0.012	(<0.002)	0.008	0.003	0.095	0.0027	(<0.004)	(<0.002)	(<0.05)	0.288	0.006	(0.004)	0.88
367A	CRM	Ti 2-1.5	RA OT4-1	2.020	(<0.001)	0.014	(<0.002)	0.012	0.002	0.064	0.0030	(<0.001)	(<0.001)	1.61	0.00	0.007	(<0.01)	0.013

IARM Part Number	Type	Grade	UNS#	O	P	Pb	Pd	Ru	S	Sb	Si	Sn	Ta	Ti	V	W	Y	Zr
314A	CRM	Ti 5-5-3	Ti5553	0.155	(0.005)						0.02	(0.01)		(81)	4.98		(0.0003)	0.002
314B	CRM	Ti 5-5-3	Ti5553	0.130	(0.001)		(0.003)		(0.001)		0.041	0.022	(0.002)	(81)	5.04	(0.003)	(0.001)	(0.002)
336A	CRM	Ti 6-2-4-6	R56260	0.102					(0.002)		0.019	2.03		81.7	0.005	(0.004)	(0.0003)	3.92
336B	CRM	Ti 6-2-4-6	R56260	0.101	(0.002)				(0.002)		0.020	2.04		81.4	0.004	(0.005)	(0.0002)	4.12
337A	CRM	Ti 6-2-2-2-2	Ti 6-22-22	0.104					(0.001)		0.14	1.96		(86.0)	(0.003)	(0.003)	(0.0004)	1.89
344A	CRM	Ti 15-3-3-3	R58153	0.107	(0.002)		(0.001)		(0.001)		0.03	3.09	(0.001)	(74.9)	15.3	(0.003)	<0.001	(0.002)
344B	CRM	Ti 15-3-3-3	R58153	0.118	(<0.003)	(<0.001)	(<0.03)	(<0.02)	(<0.003)	(<0.001)	0.03	3.01	(<0.04)	(76.0)	14.7	(<0.03)	(<0.006)	0.002
345A	CRM	Ti 5-2-2-4-4	R58650	0.120	(0.002)		(0.002)		(0.001)		0.013	1.99	(0.003)	(82.8)	0.005	(0.002)	0.0003	1.90
361A	CRM	Ti Grade 12	R53400	0.15	(<0.003)		(0.002)	(<0.006)	(<0.004)		0.012	0.004	(<0.005)	(98.5)	0.006	(<0.03)	(0.0004)	0.0016
367A	CRM	Ti 2-1.5	RA OT4-1	0.105	(<0.005)	(<0.001)	(<0.01)	(<0.01)	(0.0012)	(<0.0005)	0.011	0.00	(<0.005)	(96.1)	0.005	(<0.002)	(<0.001)	0.003

# Copper, Brass and Bronze

IARM Part Number	Type	Grade	UNS#	Ag	Al	As	B	Be	Bi	C	Cd	Co	Cr	Cu	Fe	Mg	Mn	N
70C	CRM	CDA 110	C11000	0.0011	0.0014	0.0009	(0.0004)	(<0.002)	(0.002)	0.002	(0.0008)	0.001	(0.0002)	99.94	0.0016	(0.0003)	(0.0002)	(<0.008)
72A	CRM	CDA 314	C31400	(<0.005)	(<0.01)					(0.014)		(<0.01)		(89.71)	0.011			(<0.01)
72B	CRM	CDA 314	C31400	(0.002)		(0.003)				0.002				90.08	0.007			(0.0002)
73C	CRM	CDA 360	C36000	0.006	(0.001)	0.005	(0.0004)		0.011	(0.003)	0.0014	0.002	0.001	61.3	0.199	(0.001)	0.003	
74A	CRM	CDA 464	C46400	(0.002)	(<0.01)	(<0.01)				(0.012)					0.01			(<0.01)
74B	CRM	CDA 464	C46400	(0.005)	0.003	(<0.01)			(<0.005)		(0.002)			60.4	0.011			(<0.01)
75A	CRM	CDA 482	C48200		(<0.01)	(<0.01)				(0.01)				(59.79)	0.052			(<0.01)
75B	CRM	CDA 482	C48200	(0.005)	(0.005)	(0.004)			(0.001)	(0.004)	(0.002)	(0.003)		60.63	0.06			(0.003)
75C	CRM	CDA 482	C48200	(0.004)	(0.003)	0.005	(<0.1)	(<0.001)	0.0012	(0.002)	0.0015	0.0007	0.0009	60.7	0.06	(0.0003)	0.0024	(0.0006)
76D	CRM	CDA 485	C48500	0.0014	0.002	0.004	(<0.001)	0.0006	0.0011	0.002	0.001	0.001	0.0006	60.7	0.013	0.0005	0.0006	(<0.001)
77B	CRM	CDA 510	C51000	(0.002)	(0.001)	(0.001)			(0.004)	0.003				95.2	0.002		(0.002)	(0.0001)

IARM Part Number	Type	Grade	UNS#	Nb	Ni	O	P	Pb	S	Sb	Se	Si	Sn	Te	Zn	Zr	
70C	CRM	CDA 110	C11000	(0.004)	(0.0004)	(0.002)	0.0014	0.0013	0.0008	(0.003)	(0.001)	0.0006	0.0005	(0.001)	(0.002)	(0.001)	
72A	CRM	CDA 314	C31400		(<0.01)		(0.007)	1.78	0.0014	(<0.01)		(<0.01)	(<0.01)			8.48	
72B	CRM	CDA 314	C31400		0.004	0.002	0.005	1.99	0.0015	0.006		(0.002)	0.029			7.81	
73C	CRM	CDA 360	C36000	(0.001)	0.095	(0.0003)	0.003	2.97	0.002	0.008		0.003	0.256			35.1	
74A	CRM	CDA 464	C46400		0.01		0.006	0.02	0.001	(<0.01)		(<0.01)	0.50			38.14	
74B	CRM	CDA 464	C46400		0.006		(0.008)	0.017	(0.003)	0.003		0.003	0.70			38.9	
75A	CRM	CDA 482	C48200		0.025		0.005	0.83	0.002	(<0.01)		(<0.01)	0.89			38.39	
75B	CRM	CDA 482	C48200		0.02		0.003	0.63	(0.001)	(0.004)		(0.003)	0.59			38.0	
75C	CRM	CDA 482	C48200	(<0.001)	0.013	(0.0007)	0.004	0.42	0.0015	0.007	(0.005)	0.005	0.69	(0.003)	38.1	(<0.001)	
76D	CRM	CDA 485	C48500	(<0.002)	0.003	(0.0006)	0.0018	1.69	0.0012	0.0040	(<0.001)	0.0037	0.73	(<0.0009)	36.8	(<0.0001)	
77B	CRM	CDA 510	C51000		0.002	(0.002)	0.148	0.016	0.002	0.0050		(0.003)	4.66		0.007	(0.001)	

# Copper, Brass and Bronze

IARM Part Number	Type	Grade	UNS#	Ag	Al	As	B	Be	Bi	C	Cd	Co	Cr	Cu	Fe	Mg	Mn	N
78B	CRM	CDA 544	C54400	0.008	(0.002)	(<0.003)			(0.001)	(<0.002)		(<0.0005)		87.7	0.02		(0.002)	
79B	CRM	CDA 623	C62300	0.002	9.19				(0.003)	0.002		(0.002)	(0.003)	88.4	2.13		0.16	(0.001)
79C	CRM	CDA 623	C62300	(<0.005)	9.20	0.003				0.003		(<0.005)	(0.002)	87.6	2.28		0.20	(<0.0001)
80C	CRM	CDA 630	C63000		10.100	0.006				0.008		0.008	0.013	80.5	3.86		0.58	(0.0003)
80D	CRM	CDA 630	C63000	0.04	9.67	0.009	(0.003)	(<0.002)	0.004	(0.004)	(0.002)	0.022	0.005	(81.7)	2.99	0.003	0.346	(0.002)
82B	CRM	CDA 655	C65500		0.002	(<0.002)				(0.003)			0.004	95.3	0.080		1.04	(<0.0005)
83B	CRM	CDA 675	C67500	(0.002)	0.002					0.003	(0.003)	(0.003)	(0.003)	58.7	0.97	(0.001)	0.13	
84C	CRM	CDA 706	C70600	0.002	(0.002)	(0.002)		(<0.002)	(<0.005)	0.003	(0.001)	0.006	(0.0008)	89.4	0.28	(0.0007)	0.04	
85C	CRM	CDA 715	C71500	(<0.002)	(<0.01)	0.0009				0.008		0.016	0.002	67.3	0.63	0.01	0.65	(<0.0003)
88C	CRM	CDA 863	C86300	0.004	5.79	0.007	(<0.1)	(<0.005)	0.004	0.005	0.0009	0.0010	0.008	64.5	2.98	0.0006	2.99	(0.00016)
89C	CRM	CDA 903	C90300	0.005	(0.002)	0.004		(0.0005)	(0.003)	0.002	(0.001)	(0.001)	(0.002)	87.5	0.004	(0.0004)	(0.001)	c

IARM Part Number	Type	Grade	UNS#	Nb	Ni	O	P	Pb	S	Sb	Se	Si	Sn	Te	Zn	Zr	
78B	CRM	CDA 544	C54400		0.077		0.19	3.87	0.010	0.01		(<0.002)	4.73		3.55		
79B	CRM	CDA 623	C62300		0.075	(0.002)	0.005	(0.003)	(0.001)			0.019	0.017		0.013		
79C	CRM	CDA 623	C62300		0.55	(0.001)	0.006	(<0.005)	(<0.001)	(<0.005)		0.033	0.010		0.014		
80C	CRM	CDA 630	C63000		4.71	0.0007	0.004	0.0040	(0.001)	(0.005)		0.077	0.003		0.096		
80D	CRM	CDA 630	C63000	(<0.02)	5.01	(0.001)	0.005	0.005	0.003	(<0.02)	(<0.03)	0.025	0.093	(0.04)	0.007	(<0.002)	
82B	CRM	CDA 655	C65500		0.011	(0.001)	0.004	0.011	0.003	(<0.01)		3.22	0.017		0.38		
83B	CRM	CDA 675	C67500		0.010	(0.001)	0.004	0.017	(0.001)	(0.004)		(0.003)	0.85		39.3		
84C	CRM	CDA 706	C70600		9.8	(0.008)	0.06	0.047	0.006	0.0012	(0.002)	0.004	0.13	(<0.03)	0.13	(0.0004)	
85C	CRM	CDA 715	C71500		31.3	(0.003)	0.003	0.004	0.002			0.01	0.005		0.057		
88C	CRM	CDA 863	C86300	(0.0001)	0.276	(0.0006)	0.02	0.133	0.001	(0.003)	(<0.005)	0.091	0.147	(0.0001)	22.86	0.0004	
89C	CRM	CDA 903	C90300	(0.005)	0.008	0.006	0.004	0.17	0.0011	0.008	(0.001)	0.003	9.14	(0.0004)	3.0	(0.001)	

# Copper, Brass and Bronze

IARM Part Number	Type	Grade	UNS#	Ag	Al	As	B	Be	Bi	C	Cd	Co	Cr	Cu	Fe	Mg	Mn	N
90C	CRM	CDA 922	C92200	0.011	(0.001)	0.0020		(0.0003)	0.009	(0.002)	0.0003	0.0012	0.0010	87.5	0.101	(0.0002)	0.0030	(0.0003)
91E	CRM	CDA 932	C93200	0.015	0.002	0.008	(0.0005)	0.0005	0.109	0.003	0.0011	0.0024	0.0008	81.3	0.11	(<0.0050)	0.0007	(0.0004)
92C	CRM	CDA 937	C93700	0.05	0.0013	0.005		(<0.001)	0.011	(0.002)		(0.0007)	(0.0007)	80.35	0.008		0.0016	
94B	CRM	CDA 955	C95500	0.017	10.80	(<0.01)			(0.006)		0.011	0.017	80.6	3.99		0.071		
151B	CRM	CDA 875	C87500	(0.01)	0.002	(0.002)			0.005			(0.003)	84.0	0.025		0.002		
158C	CRM	CDA 815	C81500	(0.01)	0.002	(0.001)			0.002	(0.005)	0.002	1.04	98.5	0.090		0.019	(<0.0005)	
158B	CRM	CDA 815	C81500	(0.01)	0.002	(0.001)			0.002		0.002	0.85	98.5	0.090		0.019	(<0.0005)	
159A	CRM	NARloy-A	N/A	3.48	(<0.01)				(0.002)		(<0.01)	(<0.01)	(96.5)	(<0.01)		(<0.01)	0.0003	
160A	CRM	NARloy-Z	N/A	3.03	(<0.01)				0.003		(<0.01)	(<0.01)	(96.6)	(<0.01)		(<0.01)	0.002	
184A	CRM	CDA 941	C94100	(0.01)	0.0016	0.010		0.03	(0.004)	(0.001)	(0.001)	(74)	0.003			0.002		
204A	CRM	CDA 954M	C95410	0.009	10.55	(<0.01)			0.006		0.008	0.008	83.3	3.87		0.052		

IARM Part Number	Type	Grade	UNS#	Nb	Ni	O	P	Pb	S	Sb	Se	Si	Sn	Te	Zn	Zr
90C	CRM	CDA 922	C92200	(0.0005)	0.266	(0.001)	0.026	1.4	0.010	0.022	0.0013	0.0012	6.3	(0.003)	4.3	(0.0002)
91E	CRM	CDA 932	C93200	(0.0005)	0.3	(0.0020)	0.026	7.59	0.028	0.1680	0.004	0.0021	6.69	(<0.04)	3.68	
92C	CRM	CDA 937	C93700		0.170	(0.004)	0.073	9.42	0.026	0.078	(0.001)	0.0019	9.65		0.15	
94B	CRM	CDA 955	C95500		4.31		0.011	0.004	0.002	(0.011)		0.028	(0.003)		0.14	
151B	CRM	CDA 875	C87500		0.011	(0.002)	0.003	0.013	(<0.001)	(0.001)		3.11	0.009		12.94	
158C	CRM	CDA 815	C81500		0.32	0.002	0.005	0.01	0.003	0.002		0.02	0.01		0.014	
158B	CRM	CDA 815	C81500		0.32	0.002	0.005	0.01	0.003	0.002		0.02	0.01		0.014	
159A	CRM	NARloy-A	N/A		(<0.01)	0.0006	(<0.01)	(<0.01)	(<0.01)		(<0.01)	(<0.01)		(<0.01)	(<0.01)	
160A	CRM	NARloy-Z	N/A		(<0.01)	0.0030	(0.004)	(<0.01)	(<0.003)		(<0.01)	(<0.01)		(<0.01)	(<0.01)	0.40
184A	CRM	CDA 941	C94100		0.30		0.008	19.0	0.021	0.27	(0.002)	0.002	6.0		0.37	
204A	CRM	CDA 954M	C95410		1.95		0.007	0.004	(0.002)	(<0.01)		0.034	0.005		0.22	

# Copper, Brass and Bronze

IARM Part Number	Type	Grade	UNS#	Ag	Al	As	B	Be	Bi	C	Cd	Co	Cr	Cu	Fe	Mg	Mn	N
211A	CRM	Magnolia B	C89320	0.005	0.002	(0.01)			4.98		(0.001)	(0.002)	88.4	0.004		(0.003)		
226A	CRM	EnviroBrass 2-1	C89520M	0.004	0.002	0.003			1.7	0.003	0.001	(0.001)	86.7	0.054	0.002	(<0.0005)		
227A	CRM	EnviroBrass 2-2	C89520M	0.004	0.002	0.003			2.3	0.003	0.001	(0.001)	85.9	0.060	0.001	(0.0002)		
228A	CRM	EnviroBrass 2-3	C89520M	0.003	0.002	0.003			1.53	0.003	0.001	0.001	89.0	0.052	0.001	(<0.0005)		
235A	CRM	CDA 958	C95800	(<0.005)	8.9	(<0.005)			(0.004)	0.009	0.01	0.01	81.2	4.07	1.17	(0.0001)		
236A	CRM	CDA 964	C96400		0.003				0.003	0.010	0.004	0.002	66.7	0.91	1.04	0.0002		
263A	CRM	Federalloy I-848A	N/A	0.006	0.002	0.003			2.55	(<0.005)	0.001	0.002	(78)	0.047		0.002		
264A	CRM	Federalloy I-844	C89831	(0.005)	0.003	(0.004)			3.6	(0.004)	0.001	(0.002)	(87.3)	0.048	0.002			
265A	CRM	Federalloy I-836	C89833	(0.002)	0.003	(0.005)			2.4		(0.001)	(0.001)	(90)	0.013		(0.002)		
266A	CRM	Federalloy I-932	C89835	0.001	0.002	0.004			2.37	0.0020	(0.001)	(0.002)	(87)	0.035		0.002		
267A	CRM	CDA 947	C94700	0.002	0.003	(0.004)			(0.005)	(0.003)	0.002	(0.001)	87.8	0.019		0.002		

IARM Part Number	Type	Grade	UNS#	Nb	Ni	O	P	Pb	S	Sb	Se	Si	Sn	Te	Zn	Zr
211A	CRM	Magnolia B	C89320		0.003		0.19	0.014	0.002	0.057		0.003	6.23		0.006	
226A	CRM	EnviroBrass 2-1	C89520M		0.54	(0.001)	0.005	0.040	0.005	0.004	0.93	0.002	5.1		4.8	
227A	CRM	EnviroBrass 2-2	C89520M		0.53	0.0013	0.003	0.042	0.005	(<0.01)	1.21	0.002	5.1		4.70	
228A	CRM	EnviroBrass 2-3	C89520M		0.45	(0.002)	0.032	0.026	0.004	0.010	0.67	0.002	4.1		4.1	
235A	CRM	CDA 958	C95800		4.44	(0.001)	0.012	0.012	0.002	(0.004)		0.061	0.018		0.083	
236A	CRM	CDA 964	C96400	0.92	30.0	0.002	0.003	0.004	0.003	(<0.005)		0.19	0.005		0.002	
263A	CRM	Federalloy I-848A	N/A		0.66		0.040	0.022	0.002	0.06	0.002	0.003	3.5		15.8	
264A	CRM	Federalloy I-844	C89831		0.54		0.027	0.057	0.0013	0.074	(0.001)	0.003	3.03		5.33	
265A	CRM	Federalloy I-836	C89833		0.69		0.024	0.011	(0.002)	0.015	(0.002)	0.003	4.4		2.45	
266A	CRM	Federalloy I-932	C89835		0.46		0.032	0.010	0.002	0.010	0.001	0.002	6.9		3.48	
267A	CRM	CDA 947	C94700		5.1		0.037	0.026	0.0014	(<0.03)	0.002	0.003	4.95		2.06	

# Copper, Brass and Bronze

IARM Part Number	Type	Grade	UNS#	Ag	Al	As	B	Be	Bi	C	Cd	Co	Cr	Cu	Fe	Mg	Mn	N
278A	CRM	CDA 145	C14500	(0.001)	(<0.002)	(0.001)			(0.001)	0.003		0.001	(0.001)	99.5	0.004	(0.0005)	(0.0004)	(0.0001)
279A	CRM	CDA 182	C18200	0.003	0.002	(0.002)			(0.001)	0.002	(0.0005)	0.002	0.86	99.1	0.025	(0.001)	(0.002)	(0.0003)
298A	CRM	CDA 976	C97600	0.009	0.003	0.004	(<0.005)	(<0.001)	0.014	0.013	(<0.001)	0.016	0.005	65.3	0.73	0.0004	0.34	(<0.001)
310A	CRM	CDA 907	C90700	0.0020	0.0009	0.002		(0.001)	(0.001)	(0.005)	(0.001)	0.0011	(0.001)	89.2	0.006	(0.001)	(0.001)	
313A	CRM	CDA 693	C69300	0.0017	(0.001)	0.001	0.0008	(0.0003)	(0.001)	(0.002)	(0.0003)	(0.004)	(0.001)	75.4	0.011	(0.0003)	(0.001)	(0.0001)
334A	CRM	CDA 955M	C95510	(0.001)	9.760	(0.004)	(0.001)	(0.001)	(0.001)	0.0058	(0.001)	(0.003)	(0.01)	80.7	3.82	(0.001)	0.69	(0.0001)
334B	CRM	CDA 955M	C95510	0.0013	9.91	(0.003)	(0.002)	(0.001)	(0.001)	0.005	(0.001)	(0.003)	(0.004)	80.8	3.7	(0.001)	0.60	(0.0004)

IARM Part Number	Type	Grade	UNS#	Nb	Ni	O	P	Pb	S	Sb	Se	Si	Sn	Te	Zn	Zr
278A	CRM	CDA 145	C14500		(<0.005)	(0.0004)	0.011	0.003	0.002	(<0.005)		0.002	0.001	0.53	0.002	
279A	CRM	CDA 182	C18200		0.014	(0.001)	0.005	0.01	0.0015	(0.004)		0.020	0.021		0.01	0.012
298A	CRM	CDA 976	C97600	(<0.01)	19.6	(<0.005)	0.004	4.0	0.011	0.04	(<0.02)	0.019	4.0	(<0.005)	5.8	(<0.01)
310A	CRM	CDA 907	C90700		0.043	(0.001)	0.094	0.064	0.0021	(0.002)	(0.001)	(0.001)	10.56		0.10	
313A	CRM	CDA 693	C69300	(0.001)	0.002	(0.001)	0.09	0.042	0.0016	0.014	(0.001)	3.09	0.006	(0.003)	21.3	(0.0004)
334A	CRM	CDA 955M	C95510		4.77	(0.0003)	(0.005)	0.010	0.0007	0.0043		0.073	0.025		0.110	
334B	CRM	CDA 955M	C95510	(0.001)	4.70	(0.0006)	0.005	0.006	0.0008	(0.004)	(0.004)	0.075	0.019		0.122	

# SUS – Set up Samples

IARM Part Number	Type	Grade	Ag	Al	As	B	Be	Bi	C	Ca	Cd	Ce	Co	Cr	Cu	Ga	Hf
220G	AI SUS	QA 10	(<0.00001)		(0.000012)	(0.00057)	(<0.00001)	(<0.00001)		(0.000010)	(<0.00001)	(0.00034)	(<0.00001)		(0.00014)	(<0.00001)	
217A	LAS SUS	QA A			(0.0002)	(0.003)	(<0.0001)			(0.01)	(0.0001)			(0.004)	(0.01)	(0.001)	
218A	LAS SUS	QA C			(0.003)	(0.1)	(0.0004)			(0.05)	(<0.0001)			(0.01)	(0.1)	(0.6)	
219A	LAS SUS	QA D			(0.2)	(0.01)	(0.01)			(0.9)	(<0.00001)			(1.0)	(5.0)	(0.6)	

IARM Part Number	Type	Grade	In	La	Mg	Mn	Mo	N	Na	Nb	Ni	O	P	Pb	Re	Ru	S
220G	AI SUS	QA 10	(<0.00001)	(0.00026)	(0.00087)		(0.000015)		(0.000030)	(<0.00001)			(0.00060)	(0.000015)	(<0.00001)	(<0.00001)	(0.000010)
217A	LAS SUS	QA A				(0.003)	(0.01)	(0.0005)		(0.001)	(0.01)		(0.002)	(0.004)			(0.001)
218A	LAS SUS	QA C				(2.0)	(0.1)	(0.007)		(<0.0001)	(5.0)		(0.1)	(<0.001)			(0.07)
219A	LAS SUS	QA D				(0.02)	(1.5)	(0.002)		(0.4)	(2.8)		(0.003)	(0.003)			(0.002)

IARM Part Number	Type	Grade	Sb	Se	Si	Sn	Ta	Te	Ti	V	W	Y	Zn	Zr
220G	AI SUS	QA 10	(0.000010)	(<0.00005)		(<0.00001)	(<0.00001)	(<0.00001)		(0.00052)	(0.000010)	(<0.00001)		(0.000088)
217A	LAS SUS	QA A	(0.006)		(0.01)	(0.0005)	(0.01)		(0.0001)	(0.002)	(0.005)		(<0.0001)	(0.005)
218A	LAS SUS	QA C	(0.02)		(0.1)	(0.1)	(0.02)		(0.01)	(1.0)	(0.7)		(<0.001)	(<0.001)
219A	LAS SUS	QA D	(0.1)		(2.0)	(0.06)	(0.01)		(1.7)	(0.3)	(0.01)		(0.01)	(0.002)

# CKD Low Alloy Steel

Available as 38mm diameter disks in thicknesses of either 13mm or 25mm. Concentrations are listed in % w/w.

Part Number	Type	Al	Sb	As	Bi	B	C	Cr	Co	Cu	Fe	Pb	Mn	Mo	Ni	Nb	N	P
<b>CKD-183C</b>	CKD	0.15	0.001	0.005	0.0000	0.0005	0.049	0.205	0.12	0.575	Bal.	(0.000)	1.76	0.036	1.1	0.006	0.004	0.009
<b>CKD-184A</b>	CKD	0.022	0.27	0.006		0.0005	1.013	2.33	0.007	0.089	(93.58)	(0.000)	2.23	0.016	0.25	0.013	0.0104	0.028
<b>CKD-186D</b>	CKD	0.042	0.002	0.007		0.0009	0.392	1.51	0.006	0.226	Bal.	(0.000)	1.312	0.254	1.58	0.004	(0.005)	0.013
<b>CKD-187A</b>	CKD	0.019	0.023	(0.007)	0.003	0.0006	0.119	3.51	0.071	0.036	(93.01)	0.003	0.525	0.565	0.085	0.028	0.0122	0.035
<b>CKD-187C</b>	CKD	0.038	0.023	(0.007)	0.003	0.0006	0.118	3.5	0.071	0.041	Bal.	0.003	0.53	0.563	0.085	0.028	0.0153	0.035
<b>CKD-187D</b>	CKD	0.024	0.022	(0.007)	0.003	0.0006	0.119	3.51	0.071	0.035	Bal.	0.003	0.529	0.566	0.085	0.028	0.012	0.035
<b>CKD-188A</b>	CKD	0.093	0.006	(0.005)		0.0047	0.332	5.11	0.006	0.057	(90.53)	0.001	0.169	1.28	0.445	0.122	0.0076	0.006
<b>CKD-189A</b>	CKD	0.041	(0.003)	0.08		0.003	0.175	1.065	0.007	0.06	(90.01)	0.002	0.262	0.837	5.34	0.017	(0.004)	0.032

Part Number	Type	Se	Si	S	Ta	Sn	Ti	W	V	Zr
<b>CKD-183C</b>	CKD		1.03	0.012	(0.000)	0.053	0.003	0.353	0.004	0.081
<b>CKD-184A</b>	CKD	(0.008)	0.348	(0.01)	0.000	0.008	0.01	(0.001)	0.017	(0.002)
<b>CKD-186D</b>	CKD		1.41	0.007	0.008	0.018	0.047	0.054	0.021	(0.002)
<b>CKD-187A</b>	CKD	(0.004)	0.567	0.018	0.015	0.013	0.087	0.67	0.558	0.013
<b>CKD-187C</b>	CKD		0.588	0.013	0.016	0.014	0.11	0.67	0.559	0.011
<b>CKD-187D</b>	CKD		0.576	0.015	0.016	0.013	0.096	0.67	0.56	0.012
<b>CKD-188A</b>	CKD		0.775	0.033	0.022	0.005	0.034	0.091	0.802	0.052
<b>CKD-189A</b>	CKD		0.286	0.051	(0.005)	0.029	0.326	1.3	0.054	0.005

# CKD Cast Iron

Available as 38mm diameter disks in thicknesses of either 13mm or 25mm. Concentrations are listed in % w/w.

Part Number	Type	Al	Sb	As	Bi	B	C	Ce	Cr	Co	Cu	Fe	La	Pb	Mg	Mn	Mo	Ni	
<b>CZ02033-2F</b>	CRM	0.024	0.028		0.002	0.002	3.77	0.018	0.022	0.003	0.89			0.005	0.053	0.091	0.002	0.658	
<b>CZ02033-2G</b>	CRM	0.019	0.029		0.006	0.0023	3.78	0.013	0.027	0.012	0.88			0.008	0.036	0.096	0.002	0.65	
<b>CZ2002-242A</b>	CRM	0.036	0.007	0.015	0.015	0.008	1.84			0.029	0.002	0.055				0.012	0.05	1.13	0.039
<b>CZ02033-4E</b>	CRM	0.003			(0.002)		4.45			0.03	0.033	0.005		(0.002)		0.034	0.002	0.049	
<b>CZ2002-242B</b>	CRM	0.042	0.005	0.009	0.02	0.005	2.06		0.031	0.004	0.04	(92.6)		0.027		0.189	1.21	0.022	
<b>CZ02033-1F</b>	CRM	0.073			0.001	0.0043	3.23	0.036	0.035	0.024	0.018			0.009	0.07	0.693	0.182	0.373	
<b>CZ02033-1E</b>	CRM	0.058			0.002	0.0036	3.15	0.027	0.037	0.022	0.012			0.007	0.044	0.718	0.185	0.367	
<b>CZ02033-4A</b>	CRM	0.015					4.18			0.04	0.002	0.081			0.006		0.236	0.002	0.056
<b>CZ02033-2E</b>	CRM	0.025	0.028		0.005	0.0024	3.47	0.017	0.043	0.005	0.89			0.004	0.038	0.168	0.002	0.62	
<b>CZ02033-1G</b>	CRM	0.062			0.005	0.0034	3.22	0.023	0.044	0.01	0.027			0.016	0.05	0.701	0.185	0.357	
<b>CZ02033-4B</b>	CRM	0.003	(0.001)				3.95			0.049	0.005	0.062			0.004		0.145	0.005	0.023

Part Number	Type	Nb	N	P	Se	Si	S	Te	Sn	Ti	W	V	Zn	Zr
<b>CZ02033-2F</b>	CRM			0.159		1.23	0.009		0.014	0.021	0.003	0.01	0.018	(0.005)
<b>CZ02033-2G</b>	CRM			0.125		1.1	0.009	(0.004)	0.015	0.029	0.004	0.017	0.02	
<b>CZ2002-242A</b>	CRM	0.013		0.039		3.06	0.036	0.08	0.01	0.19	0.007	0.37		--
<b>CZ02033-4E</b>	CRM			0.023		0.09	0.006		0.001	0.011		0.015		
<b>CZ2002-242B</b>	CRM	0.009	0.0092	0.044	(0.002)	2.81	0.028	0.031	0.01	0.28	-0.002	0.46		
<b>CZ02033-1F</b>	CRM			0.043		2068	0.005	(0.007)	0.03	0.041	0.022	0.014	0.004	(0.008)
<b>CZ02033-1E</b>	CRM			0.037		2.72	0.006		0.032	0.046	0.021	0.015	0.009	(0.007)
<b>CZ02033-4A</b>	CRM			0.053		0.71	0.034		0.007	0.015		0.004	0.007	
<b>CZ02033-2E</b>	CRM			0.106		1.03	0.01	(0.006)	0.015	0.039	0.008	0.026	0.025	
<b>CZ02033-1G</b>	CRM			0.036		2.53	0.007		0.028	0.054	0.015	0.019	0.003	(0.004)
<b>CZ02033-4B</b>	CRM			0.041		0.252	0.046		0.001	0.006		0.004	0.008	

# CKD Cast Iron

Part Number	Type	Al	Sb	As	Bi	B	C	Ce	Cr	Co	Cu	Fe	La	Pb	Mg	Mn	Mo	Ni
<b>CZ02033-5A</b>	CRM	0.06					2.3		0.054		0.014					0.804	0.1	0.096
<b>CZ02033-4D</b>	CRM	0.007		(0.012)	(0.002)	(0.0001)	4.19		0.056	0.003	0.084		0.007		0.112	0.024	0.063	
<b>CZ02033-5C</b>	CRM	0.103	(0.002)		0.007	0.0078	2.3		0.085	0.013	0.013					0.704	0.104	0.188
<b>CZ02033-3C</b>	CRM	0.024		(0.007)	0.002	0.0044	3.68	0.013	0.1	0.026	0.421		0.005	0.006	0.333	0.49	0.04	
<b>CZ02033-8C</b>	CRM	0.004	0.014	(0.006)	0.009		3.41		0.125	0.03	0.158		0.008		0.408	0.041	0.102	
<b>CZ2002-245B</b>	CRM	0.038	0.052	0.006	0.009	0.003	2.95		0.197	0.007	0.081	(92.5)	0.02	0.003	1.38	0.115	0.194	
<b>CZ2033-3D</b>	CRM	0.055	0.007	(0.018)	0.002	0.0071	3.24	0.006	0.236	0.014	0.396		0.005	0.016		0.453	0.025	
<b>CZ2002-244B</b>	CRM	0.019	0.004	0.04		0.093	2.57	0.018	0.36	0.049	0.308	(93.0)	0.009	0.002	0.025	0.68	0.056	0.336
<b>CZ2033-7A</b>	CRM	0.029					3.11		0.479	0.044	0.022				0.321	1.07	1.29	
<b>CZ2033-7C</b>	CRM	0.04			(0.002)	0.0008	3.55		0.542	0.048	0.016				0.389	0.966	1.26	
<b>CZ2002-246B</b>	CRM	0.101	0.004	0.003	0.001		2.73	0.007	1.16	0.012	1.39	(92.6)	0.003	-0.002	0.016	0.354	0.009	0.065

Part Number	Type	Nb	N	P	Se	Si	S	Te	Sn	Ti	W	V	Zn	Zr
<b>CZ02033-5A</b>	CRM			0.035		1.26	0.1			0.008		0.005		
<b>CZ02033-4D</b>	CRM			0.05		0.259	0.041		0.001	0.009		0.012	0.009	
<b>CZ02033-5C</b>	CRM			0.027		1.4	0.091	(0.010)	0.002	0.008		0.054		(0.009)
<b>CZ02033-3C</b>	CRM			0.026		2.15		(0.005)	0.009	0.021	0.003	0.016		0.317
<b>CZ02033-8C</b>	CRM			0.168		1.93	0.058		0.067	0.022		0.015		
<b>CZ2002-245B</b>	CRM	0.029		0.42	(0.029)	1.59	0.035	0.017	0.076	0.11	0.02	0.055		0.004
<b>CZ2033-3D</b>	CRM			0.008		2.12	0.006		0.009	0.016		0.072		
<b>CZ2002-244B</b>	CRM	0.006		0.022		2.06	0.011		0.179	0.019	0.052	0.002	0.026	0.025
<b>CZ2033-7A</b>	CRM			0.043		1.83	0.019			0.027	0.022	0.0005		
<b>CZ2033-7C</b>	CRM			0.028		1.73	0.026	(0.006)	0.004	0.026	0.037	0.067		
<b>CZ2002-246B</b>	CRM	0.001		0.66		0.76	0.02		0.002	0.014	0.011	0.013		

# CKD Cast Iron

Part Number	Type	Al	Sb	As	Bi	B	C	Ce	Cr	Co	Cu	Fe	La	Pb	Mg	Mn	Mo	Ni
<b>CZ2002-246</b>	CRM	0.006	0.003	0.005			2.82	0.01	1.2	0.008	1.38	(92.9)	0.003	0.0003	0.01	0.302	0.005	0.043
<b>CZ02033-6C</b>	CRM	0.024	0.044			0.0024	3.11		1.33	0.005	0.273			0.003		1.25	0.006	0.021
<b>CZ02033-6A</b>	CRM	0.022	0.056				3.14		1.4		0.225					1.22	0.005	0.023

Part Number	Type	Nb	N	P	Se	Si	S	Te	Sn	Ti	W	V	Zn	Zr
<b>CZ2002-246</b>	CRM	0.001		0.6		0.62	0.022		0.002	0.001	0.007	0.002		
<b>CZ02033-6C</b>	CRM			0.097		3.25	0.019			0.107	0.007	0.192		
<b>CZ02033-6A</b>	CRM			0.077		3.37	0.032		0.119	0.066		0.3		

# Aluminum Alloys – Rio Tinto Alcan

Available as 57 mm diameter disks with a thickness of 25mm. Concentrations are listed in % w/w. "L" indicates a value that is less than. "N" indicates a value that is not certified.

Standard	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	B	Be	Bi	Ca	Cd	Co	Ga	Hg	Li
HP FK	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	
HP FL	0.0001	0.0001	0.0001L	0.0001L	0.0001	0.0001L	0.00001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	
PROF A1	1.0 N	0.18 N	1.0 N	0.95 N	1.0 N		0.88 N	0.98 N										
PROF B2	0.20 N		0.030 N	0.105 N	0.028 N					0.006 N	0.029 N	0.14 N	0.027 N	0.23 N		0.031 N		
PROF C1	0.27 N	0.30 N					0.11 N											0.0015 N
PROF D1	0.32 N	0.12 N				0.31 N	0.009 N		0.11 N		0.11 N				0.034 N			
LIM E	0.023	0.013	0.0088	0.0062	0.0028	0.0099	0.012	0.0049	0.0046i	0.0017i	0.0007	0.0063	0.0013i	0.002	0.0043	0.0059	0.0018	0.0007i
LIM G	0.050	0.034	0.020	0.012	0.0044	0.020	0.024	0.011	0.0103i	0.0031i	0.0018	0.010	0.0033i	0.0038	0.002	0.013	0.0051	0.0017i
PREC A2	0.11 N	0.31 N	0.049 N	0.036 N	0.023 N	0.018 N	0.041 N	0.048 N	0.059 N		0.0034 N		0.005 N	0.012 N	0.015 N	0.015 N	0.031 N	0.0103 N
PREC B1	0.79 N	0.47 N	0.50 N	0.49 N	0.57 N	0.48 N	0.46 N	0.52 N										
1S CAF	0.065 N	0.135 N						0.029										

Standard	Na	P	Pb	Sb	Sn	Sr	V	Zr
HP FK		0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L
HP FL	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L
PROF A1						0.005 N		
PROF B2				0.10 N	0.017 N			
PROF C1	0.0027 N	0.0017 N	0.095 N					
PROF D1			0.28 N	1.0 N		0.045 N	0.10 N	
LIM E	0.0012i	0.0054	0.0062	0.0054	0.0098	0.0031i	0.002	0.0031
LIM G	0.0024i	0.0065	0.012	0.0087 N	0.021	0.0013i	0.004	0.0058
PREC A2	0.0118 N	0.0037 N	0.031 N	0.0037 N	0.039 N	0.0069 N	0.014 N	0.014 N
PREC B1				0.48 N				
1S CAF								

# Aluminum Alloys – Rio Tinto Alcan

Standard	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	B	Be	Bi	Ca	Cd	Co	Ga	Hg	Li
1S CAI	0.125	0.263	0.0001	0.0001L	0.0003	0.0001L	0.0001	0.0002	0.0001L	0.0081	0.0009	0.0001L						
F3S AA	7.14	0.19	0.15	0.019	0.98	0.015	0.024	0.022	0.16		0.0041	0.017	0.005 N			0.020		0.004 N
161 CAH	12.0 N	0.14 N	0.0001	0.0001	0.34 N	0.0001L	0.0001L	0.0001	0.0001L	0.0001	0.0001L	0.0001L	0.0001	0.0001	0.0001L	0.0001L	0.0001L	
B206 AA	0.078	0.16	4.68	0.43	0.30i	0.028	0.029	0.029	0.22		0.0008	0.009	0.0037i	0.0011		0.017		0.0030i
B319.1 AF	6.14	0.64	3.11	0.43	0.33	0.015	0.049	0.72	0.060		0.0017	0.022i	0.0040i	0.0013		0.024		0.0024i
B319.1 CAG	6.30 N	0.65 N	3.34 N	0.43 N	0.32 N	0.0001L	0.0001L	0.70 N	0.0001	0.0002	0.0001L	0.0001L	0.0001	0.0001L	0.0001	0.0001L	0.0001L	
A320 AC	0.54	0.20	0.057	0.036	4.10	0.020	0.032	0.047	0.15		0.005	0.037				0.018		
A320 CAB	0.001 N		0.003 N	0.001L	3.90 N	0.001L	0.001L	0.001L	0.001L			0.001L			0.001L			
B320 AA	0.83	0.80	0.054	0.54	3.38	0.032	0.029	0.041	0.047			0.042				0.017		
B320 CAB	0.76 N	0.78 N	0.003 N	0.47 N	3.4 N	0.001L	0.001L	0.001L	0.001L			0.001L			0.001L			
332.0 AB	10.47	0.62	2.65	0.42	1.67	0.058	0.21	0.65	0.22i		0.0013	0.028i	0.0064			0.031		0.0026i

Standard	Na	P	Pb	Sb	Sn	Sr	V	Zr
1S CAI	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L
F3S AA	0.007 N	0.001	0.021		0.022	0.0023	0.015	
161 CAH	0.0002	0.0004	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L
B206 AA	0.0033i	0.003	0.011	0.0038	0.020	0.0037i	0.020	0.003
B319.1 AF	0.0026i	0.0016i	0.013	0.002 N	0.014	0.044i	0.020	0.003
B319.1 CAG	0.0001L	0.0001	0.0002	0.0002	0.0002	0.0001L	0.0001L	0.0001
A320 AC		0.042		0.038			0.012	
A320 CAB		0.001 N		0.001L			0.001L	
B320 AA		0.041		0.040			0.011	
B320 CAB		0.002 N		0.001 N			0.001L	
332.0 AB	0.0039i	0.001	0.030	0.0042	0.034	0.018	0.042	0.026

# Aluminum Alloys – Rio Tinto Alcan

Standard	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	B	Be	Bi	Ca	Cd	Co	Ga	Hg	Li
332.0 CAC	10.62	0.59	2.70	0.41	1.49	0.0001	0.19	0.67	0.20	0.0001	0.0001L	0.0001L	0.0002	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L
X332.0 AC	11.33	0.20	3.28	0.032	1.29	0.030	0.031	0.067	0.25		0.0011	0.005	0.0039	0.0013	0.0021	0.021		0.0032
A333.0 AI	9.7	0.90	3.47	0.33	0.14	0.11	0.15	2.56	0.12		0.0012	0.019	0.0021	0.0012		0.017		0.0022i
A333.0 CAH	9.64 N	1.00 N	3.55 N	0.37 N	0.0003	0.0001	0.0001L	2.56 N	0.0001L	0.0001	0.0001L							
339.0 AD	12.73	0.48	1.40	0.37	1.23	0.051	1.12	0.099	0.048		0.0013	0.04	0.002			0.031		0.0009
339.0 CAB	12.5 N	0.50 N	1.40 N	0.27 N	1.17 N	0.0004	1.10 N	0.0005	0.0007		0.0001L	0.0001	0.0004		0.0014	0.001	0.0001L	
354.0 CAB	9.35 N	0.47 N	2.19 N	0.0001	0.49 N	0.0001L												
A355.0 CAA	4.0 N	0.21 N	0.95 N	0.0001L	0.60 N	0.0001L	0.0001L	0.0001L	0.0001L	0.0001	0.0001L							
356.2 AV	7.26	0.201	0.080	0.037	0.39	0.027	0.031	0.081	0.178		0.0011i	0.0076	0.0037i	0.0011i		0.019		0.0020i
356.2 AW	7.27	0.21	0.081	0.033	0.39	0.027	0.031	0.082	0.18		0.001	0.0086	0.0037i	0.0011		0.020		0.0024i
356.2 CAU	7.42	0.16	0.0001L	0.0001L	0.42	0.0001L	0.0001L	0.0001L	0.11	0.0001L	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	

Standard	Na	P	Pb	Sb	Sn	Sr	V	Zr
332.0 CAC	0.0001L	0.0003						
X332.0 AC	0.0062	0.0031	0.028	0.003	0.020	0.003	0.019	0.003
A333.0 AI	0.0028i	0.0032i	0.13	0.0039	0.17	0.0031i	0.020	0.0029
A333.0 CAH	0.0001L	0.0005	0.0001	0.0028	0.0001L	0.0001L	0.0001L	0.0001L
339.0 AD	0.0025	0.0061	0.046	0.001	0.046	0.0021	0.032	0.0029
339.0 CAB	0.0011	0.0003	0.0001	0.0003	0.0001	0.0001	0.0008	0.0009
354.0 CAB	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L
A355.0 CAA	0.0001L	0.0001	0.0001L	0.0003	0.0001	0.0001L	0.0001L	0.0001L
356.2 AV	0.0026i	0.0019	0.008	0.0029	0.014	0.0151i	0.020	0.0021
356.2 AW	0.0028i	0.002	0.0082	0.0029	0.015	0.031i	0.020	0.0021
356.2 CAU	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	

# Aluminum Alloys – Rio Tinto Alcan

Standard	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	B	Be	Bi	Ca	Cd	Co	Ga	Hg	Li
356.2 DAO	7.36 N	0.16 N	0.068 N	0.0035 N	0.42 N	0.0011 N	0.0031 N	0.0045 N	0.11 N	0.0000 N	0.0000 N	0.0042 N	0.0008 N	0.0000 N	0.0002 N	0.014 N	0.0000 N	
A380.2 AD	9.08	0.39	3.63	0.027	0.026i	0.030	0.033	0.031	0.030		0.0009i	0.0078	0.0027i	0.0009i		0.020		0.0025i
A380.2 CAC	9.45 N	0.39 N	3.64 N	0.0008	0.0005	0.0006	0.0003	0.0002	0.0011	0.0002	0.0001L	0.0001L	0.0001	0.0002	0.0001L	0.0001L		0.0001L
383.1 AB	11.24	0.97	2.67	0.35	0.12	0.10	0.22	2.65	0.15		0.0013	0.016	0.0033i	0.0009		0.026		0.0030i
383.1 CAC	10.93 N	1.03 N	2.69 N	0.38 N	0.0001	0.0007	0.0005	2.63 N	0.0011	0.0004	0.0001L	0.0001L	0.0001L	0.0001	0.0001L	0.0001L		0.0001L
A390.1 AA	17.70	0.38	4.84	0.052	0.62	0.050	0.051	0.047	0.13		0.0011	0.0029	0.0016	0.0014	0.0016 N	0.016		
A413.2 AD	12.06	0.40	0.033	0.039	0.026	0.016	0.031	0.030	0.031		0.0009	0.0069	0.0025i	0.0014		0.029		0.0029i
A413.2 CAE	11.74 N	0.34 N	0.0001L	0.0001L	0.0001	0.0001L	0.0002	0.0001L	0.0001L	0.001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L
443.2 AC	5.31	0.35	0.048	0.046	0.022i	0.027	0.028	0.041	0.155		0.001	0.0085i	0.0024i	0.0012		0.021		0.0017i
443.2 CAB	5.46 N	0.35 N	0.0002	0.0001L	0.0003	0.0001	0.0001L	0.0002	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L		0.0001L		0.0001L
A535.0 AA	0.12	0.17	0.053	0.17	7.30	0.053	0.052	0.044	0.16		0.0012	0.043i	0.0025i	0.0012		0.021		0.0033

Standard	Na	P	Pb	Sb	Sn	Sr	V	Zr
356.2 DAO	0.0000 N	0.0014 N	0.0010 N	0.0004 N	0.0004 N	0.011 N	0.012 N	0.0014 N
A380.2 AD	0.0025i	0.0021	0.008	0.003 N	0.020	0.0031i	0.022	0.0034
A380.2 CAC	0.0001	0.0003	0.0001	0.0001L	0.0001	0.0001L	0.0002	0.001
383.1 AB	0.0023i	0.002	0.10	0.0069	0.11	0.0034i	0.036	0.017
383.1 CAC	0.0001L	0.0007	0.0004	0.0001	0.0001L	0.0001L	0.0002	0.0001L
A390.1 AA		0.0037	0.0035	0.0028	0.046		0.018	0.0032
A413.2 AD	0.0040i	0.0026	0.008	0.0039	0.014	0.064i	0.019	0.0034
A413.2 CAE	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	
443.2 AC	0.0024i	0.0032	0.0073	0.0033	0.012	0.0038i	0.024	0.0026
443.2 CAB	0.0001L	0.0001	0.0001L	0.001	0.0001L	0.0001L	0.0001L	
A535.0 AA	0.0019i	0.0010i	0.044	0.0024	0.047	0.0025i	0.02	0.0048

# Aluminum Alloys – Rio Tinto Alcan

Standard	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	B	Be	Bi	Ca	Cd	Co	Ga	Hg	Li
A535.0 CAX	0.14	0.17	0.0001L	0.16	7.38	0.0001L	0.0001L	0.0002	0.16	0.0001L	0.0001L	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L
1050 AJ	0.174	0.297	0.040	0.0374	0.0264i	0.0172	0.0227	0.0399	0.0287		0.0010i	0.0081	0.0016i	0.0011		0.019		0.0022i
1100 AK	0.18	0.60	0.084	0.029	0.0123	0.018	0.030	0.031	0.030		0.0011	0.0056	0.0013i	0.0011		0.02		0.0019i
1100 AY	0.17	0.59	0.084	0.029	0.0096i	0.019	0.031	0.032	0.030		0.0009	0.0048	0.0008i	0.0013		0.02		0.0018i
X1100 AH	0.43	0.42	0.088	0.037	0.015	0.016	0.031	0.026	0.028		0.001	0.016	0.0021i	0.001		0.022		0.0014i
X1120 AC	0.10	0.15	0.45	0.15	0.015i	0.019	0.022	0.020	0.019		0.0010i	0.007	0.0016i	0.0012		0.019		0.0020i
1145 AE	0.10	0.40	0.028	0.031	0.022i	0.020	0.030	0.030	0.031		0.0008	0.0082	0.0014i	0.0011		0.019	0.0018 N	0.0019i
1170 AM	0.090	0.179	0.0365	0.036	0.0257i	0.033	0.030	0.0342	0.0302		0.0010i	0.0081	0.0023i	0.0012		0.019		0.0024i
1188 AD	0.052	0.053	0.0052i	0.0066	0.0051i	0.007	0.0073	0.007	0.0072		0.0009i	0.0058	0.0010i	0.0011	0.0011	0.02	0.0021	0.0009i
1188 AE	0.056	0.058	0.0056	0.0069	0.0062i	0.0067	0.0074	0.0077	0.0075		0.0009	0.0062	0.0031i	0.0013	0.0013	0.02	0.0012i	0.0029i
1200 AJ	0.20	0.64	0.031	0.034	0.024i	0.030	0.029	0.061	0.030		0.0010i	0.0075	0.0024i	0.0011		0.02		0.0027i

Standard	Na	P	Pb	Sb	Sn	Sr	V	Zr
A535.0 CAX	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0002 N	0.0001L	0.0001L
1050 AJ	0.0013i	0.0014	0.008	0.002	0.0148	0.0018i	0.0168	0.0019
1100 AK	0.0045i	0.0023	0.0085	0.0016	0.014	0.0018i	0.0178	0.0032
1100 AY	0.0057i	0.0027	0.0082	0.0021	0.014	0.0016i	0.02	0.0034
X1100 AH	0.0021i	0.0038	0.013	0.0039	0.015	0.0024i	0.0215	0.0032
X1120 AC	0.0021i	0.0016	0.0078	0.002	0.021	0.0019i	0.021	0.0019
1145 AE	0.0021i	0.0025	0.008	0.0021	0.02	0.0017i	0.02	0.003
1170 AM	0.0014i	0.0021	0.0082	0.0012	0.02	0.0022i	0.02	0.0029
1188 AD	0.0013i	0.0031	0.0071	0.0028	0.0065	0.0013i	0.02	0.0026
1188 AE	0.0024i	0.002	0.0063	0.0027	0.0076	0.0029i	0.021	0.0031
1200 AJ	0.0018i	0.0028	0.0081	0.0021	0.019	0.0023i	0.02	0.0028

# Aluminum Alloys – Rio Tinto Alcan

Standard	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	B	Be	Bi	Ca	Cd	Co	Ga	Hg	Li
A1200 AA	0.060	0.78	0.012	0.0079i	0.012i	0.076	0.030	0.019	0.030		0.0012i	0.0067i	0.0025i	0.0009		0.019	0.0001L	0.0026i
2007 CAB	0.45 N	0.45 N	4.3 N	0.65 N	0.55 N	0.0002	0.0005	0.0001L	0.0001	0.0001L	0.0001L	0.0003	0.0001L	0.0001L	0.0002	0.0001L	0.0001L	
2011 AC	0.12	0.26	5.62	0.023	0.015	0.019	0.024	0.047	0.017		0.0004	0.49	0.0009i	0.0011		0.02	0.0007i	
2011 CAB	0.13 N	0.30 N	6.0 N	0.0001L	0.0001L	0.0001L	0.0003	0.0005	0.0001L		0.0001L	0.45 N	0.0001L	0.0001L	0.0001	0.0001L	0.0001L	
2014 AE	0.90	0.56	4.67	0.92	0.69	0.065	0.029	0.11	0.120		0.001	0.007	0.0027	0.0012i		0.018	0.0022i	
2014 CAC	0.90 N	0.48 N	4.56 N	0.90 N	0.43 N	0.0001L	0.0001	0.0001L	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001	0.0001L	0.0001L	
2017 AC	0.57	0.41	4.24	0.63	0.75	0.017	0.034	0.015	0.018		0.0012	0.019	0.0025i	0.0013		0.02	0.0025i	
2017 CAB	0.51 N	0.41 N	4.21 N	0.72 N	0.78 N	0.0001	0.0001L	0.0001	0.0001	0.0001	0.0001L	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	
2018 AB	0.48	0.34	4.14	0.015	0.62	0.028	2.15	0.030	0.027		0.0011	0.021	0.0025	0.0012	0.0017	0.02	0.0017i	
2018 CAC	0.48 N	0.34 N	4.18 N	0.0001	0.65 N	0.0001	2.06 N	0.0001	0.0001L									
2024 AF	0.25	0.25	4.55	0.66	1.57	0.028	0.031	0.073	0.032		0.001	0.008	0.0031i	0.0011i		0.022	0.0030i	

Standard	Na	P	Pb	Sb	Sn	Sr	V	Zr
A1200 AA	0.0023i	0.0023	0.0079	0.0056	0.018	0.0026i	0.021	0.0023
2007 CAB	0.0001L	0.0001	1.1 N	0.01	0.006	0.0001	0.0002	0.0003
2011 AC	0.0005i	0.0024	0.53	0.0029	0.019	0.0009i	0.017	0.0027
2011 CAB	0.0001L	0.0001L	0.60 N	0.001	0.0035	0.0001L	0.0001L	0.0001L
2014 AE	0.0026i	0.003	0.0074	0.0028	0.019	0.0026	0.022	0.003
2014 CAC	0.0001L	0.0003	0.0002	0.0002	0.0001L	0.0001L	0.0001L	0.0001L
2017 AC	0.0019i	0.0031i	0.015	0.0032i	0.015	0.0028i	0.022	0.0026
2017 CAB	0.0001L	0.0001	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001
2018 AB	0.0009i	0.003	0.017	0.0025	0.015	0.0026	0.016	0.0018
2018 CAC	0.0001L							
2024 AF	0.0026i	0.0023	0.0077	0.003	0.015	0.0029	0.022	0.0024

# Aluminum Alloys – Rio Tinto Alcan

Standard	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	B	Be	Bi	Ca	Cd	Co	Ga	Hg	Li
2024 CAE	0.26 N	0.30 N	5.0 N	0.69 N	2.0 N	0.0001L	0.0001L	0.0002	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001	0.0001	0.0001L
2219 AC	0.15	0.21	6.70	0.24	0.013	0.013	0.016	0.088	0.050		0.0011	0.0067	0.0011i	0.002		0.015		0.0012i
2219 CAB	0.15 N	0.18 N	6.53 N	0.29 N	0.0001	0.0001L	0.0002	0.0005	0.0003	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001	0.0001	0.0001	0.0001L
2618 AC	0.23	1.12	2.55	0.18	1.66	0.019	1.36	0.077	0.058		0.001	0.011	0.0035	0.0018	0.0022 N	0.018		0.0030i
2618 CAB	0.22 N	1.13 N	2.44 N	0.18 N	1.52 N	0.0005	1.43 N	0.0005	0.001	0.0001	0.0001L	0.0001L	0.0001L	0.0001	0.0005	0.0007	0.0001L	
3003 AI	0.25	0.64	0.085	1.10	0.014i	0.021	0.019	0.020	0.021		0.001	0.008	0.0019i	0.0012		0.02		0.0019i
3003 AJ	0.45	0.22	0.130	1.07	0.0065	0.016	0.020	0.083	0.040		0.0011	0.0073	0.0017i	0.001		0.02		0.0021i
3003 AK	0.24	0.63	0.090	1.14	0.011i	0.0142	0.023	0.0253	0.025		0.0010i	0.0078	0.0017i	0.0013		0.014		0.0023i
X3003 AD	0.37	0.53	0.16	1.17	0.014	0.015	0.018	1.39	0.021		0.0011	0.0064	0.0019i	0.0011		0.021		0.0021i
X3003 CAE	0.25 N	0.58 N	0.0001L	1.11 N	0.0001	0.0001L	0.0001L	1.01 N	0.0001L	0.0001L	0.0001L	0.0001L						
3004 AO	0.23	0.48	0.21	1.20	1.24	0.029	0.027	0.13	0.029		0.0012	0.0069	0.0038	0.0013		0.022		0.0019i

Standard	Na	P	Pb	Sb	Sn	Sr	V	Zr
2024 CAE	0.0001L	0.0001	0.0001	0.0001L	0.0005	0.0001L	0.0001	0.0001L
2219 AC	0.0012i	0.0021	0.0087	0.0029	0.017	0.0018i	0.092	0.13
2219 CAB	0.0001L	0.0001	0.0001L	0.0001	0.0001L	0.0001L	0.0001	0.14 N
2618 AC	0.0040i	0.0021	0.011	0.0027	0.021	0.0034	0.019	0.0027
2618 CAB	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0006	0.0003
3003 AI	0.0024i	0.0028	0.0082	0.0037	0.021	0.0017i	0.019	0.0025
3003 AJ	0.0025i	0.0034	0.0086	0.0025	0.022	0.0021i	0.021	0.0027
3003 AK	0.0014i	0.0016	0.0081	0.002	0.0148	0.0019i	0.02	0.002
X3003 AD	0.0025i	0.003	0.0077	0.0025	0.018	0.0019i	0.019	0.0024
X3003 CAE	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	
3004 AO	0.0028i	0.002	0.008	0.0035 N	0.013	0.0031	0.019	0.0033

# Aluminum Alloys – Rio Tinto Alcan

Standard	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	B	Be	Bi	Ca	Cd	Co	Ga	Hg	Li
3004 CAN	0.22 N	0.62 N	0.17 N	1.23 N	1.27 N	0.0001	0.0001	0.0008	0.0004	0.0002	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0008		0.0001L
3005 AC	0.19	0.42	0.12	1.12	0.49	0.021	0.023	0.049	0.020		0.0012	0.012	0.0032		0.022		0.0023i	
3005 AD	0.46	0.55	0.20	1.15	0.52	0.015	0.020	0.13	0.041		0.0011	0.0077	0.0026	0.0011		0.02		0.0023i
3005 CAF	0.21 N	0.44 N	0.0002	1.16 N	0.43 N	0.0001	0.0001	0.001	0.0002	0.0002	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L		0.0001L
X3005 AB	0.081	0.21	0.53	1.51	0.12	0.016	0.021	0.025	0.020		0.0011	0.008	0.0017	0.002		0.02		0.0018i
X3005 CAC	0.19 N	0.22 N	0.59 N	1.56 N	0.16 N	0.0001	0.0001L	0.0003	0.0001	0.0001	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L		0.0001L
X3012 AA	0.49	0.20	0.52	1.23	0.031	0.016	0.020	0.084	0.014		0.0012	0.0078	0.0015i	0.0014		0.02		0.0012i
3102 AD	0.35	0.54	0.086	0.37	0.028	0.021	0.019	0.029	0.0271		0.001	0.008	0.0016	0.0012		0.019		0.0014i
3102 CAF	0.29 N	0.55 N	0.07 N	0.31 N	0.0002	0.0001L	0.0001L	0.0002	0.0001	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L		0.0001L
3104 AR	0.21	0.42	0.23	0.96	1.19	0.015	0.031	0.12	0.030		0.0012	0.007	0.0026i	0.0013		0.021		0.0024i
3104 AT	0.27	0.46	0.23	0.94	1.19	0.027	0.023	0.17	0.030		0.0072	0.0028	0.0011		0.019		0.0022i	

Standard	Na	P	Pb	Sb	Sn	Sr	V	Zr
3004 CAN	0.0001L	0.0001L	0.0001	0.0001L	0.0001	0.0001L	0.0001	0.0002
3005 AC	0.0034i	0.0029	0.009	0.0041	0.017	0.0035i	0.02	0.003
3005 AD	0.0022i	0.0035	0.008	0.0024	0.019	0.003	0.022	0.0031
3005 CAF	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L
X3005 AB	0.0018i	0.003	0.009	0.002	0.018	0.0021	0.02	0.0018
X3005 CAC	0.0001	0.0001	0.0001L	0.0001L	0.0001L	0.0001	0.0002	
X3012 AA	0.0014i	0.0036	0.0085	0.002	0.022	0.0019i	0.02	0.003
3102 AD	0.0010i	0.003	0.009	0.0035	0.021	0.0018i	0.0191	0.004
3102 CAF	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	
3104 AR	0.0030i	0.0017	0.0083	0.0021	0.015	0.0022i	0.021	0.0019
3104 AT	0.0017i	0.003	0.0077	0.0023 N	0.0145	0.0029	0.021	0.002

# Aluminum Alloys – Rio Tinto Alcan

Standard	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	B	Be	Bi	Ca	Cd	Co	Ga	Hg	Li
4002 CAC	4.00 N	0.30 N	0.003	0.001L	0.003	0.001L	0.001L	0.001L	0.002	0.0001L	0.003 N		1.10 N		0.001L		0.0001L	
X4002 AA	4.10	0.29	0.13	0.037	0.13	0.028	0.038	0.045	0.019			1.06i	0.0065i	0.041		0.031		0.0022i
X4002 CAB	3.90 N	0.30 N	0.10 N	0.0001	0.11 N	0.0001	0.0002	0.0001L	0.0001L	0.0001L	1.00 N	0.0001L			0.0001L		0.0001L	
4007 AA	1.62	0.55	0.011	1.43	0.008	0.091	0.21	0.029	0.029	0.0011	0.007	0.0011i	0.0012		0.019		0.0009i	
X4045 AC	10.03	0.32	0.015	0.013	0.015	0.013	0.014	0.99	0.0129	0.0009	0.008	0.0024i	0.0013		0.016		0.0019i	
X4045 CAB	9.75 N	0.33 N	0.002 N	0.003 N	0.001L	0.001L	0.001 N	1.0 N	0.003 N	0.0001L	0.001L	0.003 N			0.001L		0.0001L	
4104 AE	10.06	0.59	0.10	0.050	1.48	0.030	0.030	0.10	0.027	0.0012	0.11	0.0029	0.0013		0.019		0.0024	
4104 CAD	10.0 N	0.60 N	0.10 N	0.001	1.60 N	0.0001	0.0004	0.0005	0.0002	0.0002	0.0001L	0.10 N	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	
4145 AB	10.66	0.54	4.12	0.050	0.050	0.050	0.054	0.058	0.046	0.0012	0.032	0.0023	0.0012		0.019		0.0016i	
4147 AA	11.37	0.32	0.071	0.066	0.17	0.071	0.031	0.031	0.12	0.0011	0.0071	0.0036i	0.0011		0.021		0.0031i	
425A1 AA	4.58	0.27	0.19	0.12	0.34	0.11	0.020	0.020	0.057	0.0012	0.007	0.0026	0.0011		0.019		0.0019i	

Standard	Na	P	Pb	Sb	Sn	Sr	V	Zr
4002 CAC	0.0003	0.0009	0.001L		0.0004		0.001L	
X4002 AA	0.0016	0.006	0.034		0.029	0.008	0.027	0.014
X4002 CAB	0.0001L	0.0001	0.0001L		0.0001L	0.0001L	0.0001	0.0001L
4007 AA	0.0012i	0.0023	0.0041	0.0042	0.0022	0.0012i	0.015	0.0022
X4045 AC	0.0041i	0.0058	0.008	0.0038	0.012	0.0029i	0.0123	0.0031
X4045 CAB	0.0001L	0.0008	0.001L		0.001L	0.0001L	0.001L	0.0001L
4104 AE	0.0024	0.0027	0.028	0.0028	0.033	0.003	0.019	0.0025
4104 CAD	0.0001L	0.0002	0.002	0.0011	0.0001L	0.0001	0.0001L	0.0001L
4145 AB	0.0018i	0.0033i	0.031	0.0038N	0.03	0.0031	0.02	0.0028
4147 AA	0.0036i	0.0036	0.0076	0.0033	0.027	0.0025i	0.02	0.003
425A1 AA	0.0027i	0.0034	0.0067	0.0027	0.019	0.0027	0.018	0.003

# Aluminum Alloys – Rio Tinto Alcan

Standard	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	B	Be	Bi	Ca	Cd	Co	Ga	Hg	Li
4343 AF	7.84	0.50	0.050	0.052	0.031	0.032	0.029	0.050	0.031		0.0013	0.037	0.0028i	0.001		0.023		0.0022i
4343 CAG	7.83 N	0.50 N	0.0001L	0.0001L	0.0005	0.0001L												
X4343 AA	7.57	0.53	0.048	0.046	0.051	0.025	0.029	0.98	0.031		0.0016	0.019	0.0023i			0.025		0.0004i
462A1 AA	12.12	0.15	3.86	0.025	1.05	0.028	1.07	0.031	0.17		0.0011	0.009	0.0049	0.0012		0.018		0.0029
4643 AD	3.88	0.25	0.029	0.029	0.11i	0.029	0.029	0.029	0.028		0.0012	0.0053	0.0031i	0.0011i		0.019		0.0028i
4643 CAC	3.78 N	0.18 N	0.0001	0.0001L	0.0001	0.0001	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001	0.0001L	0.0001L		
5000 CAB	0.001 N		10.0 N	0.001L	0.001 N	0.001L	0.001L	0.003 N	0.001L			0.001L			0.002 N			
5001 BI	0.36	0.30	19.5	0.050	0.053	0.049	0.052	0.045	0.049		0.0012	0.052	0.0018	0.0013		0.02		0.0020i
5001 CBG		0.02 N	20.0 N	0.001 N	0.002 N	0.001 N	0.003 N	0.001L	0.001 N			0.001L			0.002 N			
5005 AG	0.217	0.59	0.088	0.045	1.00	0.0303	0.0254	0.0253	0.024		0.0012	0.0084	0.0026	0.0011		0.023		0.0024i
5005 CAF	0.17 N	0.58 N	0.080 N	0.0001L	0.87 N	0.0001L												

Standard	Na	P	Pb	Sb	Sn	Sr	V	Zr
4343 AF	0.0027i	0.0042i	0.021	0.0042	0.018	0.011	0.026	0.0029
4343 CAG	0.0001L	0.0001L	0.0001L	0.002 N	0.0001L	0.0001L	0.0001L	0.0001L
X4343 AA	0.0006i	0.0019	0.016		0.017		0.028	0.026
462A1 AA	0.0053	0.0043 N	0.0091	0.0023	0.013	0.0027	0.02	0.0035
4643 AD	0.0032i	0.003	0.0077	0.0031	0.019	0.0098i	0.017	0.0032
4643 CAC	0.0001L	0.0001L	0.0001L	0.001	0.0001L	0.0001L	0.0001L	0.0001L
5000 CAB		0.002 N			0.001L		0.002 N	
5001 BI	0.0011i	0.0039i	0.048	0.004	0.047	0.0027i	0.025	0.003
5001 CBG		0.002 N			0.002 N		0.002 N	
5005 AG	0.0022i	0.0025	0.0076	0.0018	0.021	0.0026	0.024	0.0023
5005 CAF	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	

# Aluminum Alloys – Rio Tinto Alcan

Standard	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	B	Be	Bi	Ca	Cd	Co	Ga	Hg	Li
5010 AE	0.18	0.44	0.032	0.26	0.57	0.025	0.022	0.027	0.025		0.0014	0.023	0.0031i	0.0016		0.026		0.0034i
5010 CAF	0.17 N	0.44 N	0.0001	0.21 N	0.46 N	0.00001L	0.0001L	0.0001	0.0001	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L
5016 AA	0.25	0.76	0.036	0.50	2.48	0.017	0.015	0.080	0.015		0.0038	0.019i	0.0031i	0.0012		0.023		0.0028i
5017 AB	0.28	0.27	0.40	0.28	2.01	0.018	0.030	0.026	0.056		0.0035	0.013	0.0054		0.02		0.0046i	
5017 CAC	0.25 N	0.29 N	0.38 N	0.35 N	2.00 N	0.0002	0.0003	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001	0.0001L	0.0001L	0.0001L
5017 CAD	0.36 N	0.38 N	0.19 N	0.80 N	2.0 N	0.0003	0.0005	0.0003L	0.0004	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0003L	0.0001L	0.0001L	0.0001L
5042 AC	0.15	0.25	0.031i	0.35	3.74	0.060	0.031	0.030	0.030		0.0013	0.009	0.0036i	0.0012		0.02		0.0043i
5042 CAB	0.0018	0.25 N	0.0001	0.33 N	3.68 N	0.0001	0.0001	0.0002	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001	0.0001L	0.0001L	0.0001L
5052 AN	0.20	0.25	0.080	0.073	2.68	0.26	0.028	0.032	0.059		0.0011	0.0077	0.0038	0.0011		0.019		0.0038i
5052 CAO	0.20 N	0.37 N	0.0001	0.0001	2.68 N	0.28 N	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L
5052 DAK	0.090 N	0.28 N	0.041 N	0.057 N	2.40 N	0.20 N	0.0051 N	0.013 N	0.015 N	0.0002 N	0.0000 N	0.0000 N	0.0001 N	0.0000 N	0.0003 N	0.019 N	0.0000 N	

Standard	Na	P	Pb	Sb	Sn	Sr	V	Zr
5010 AE	0.0031i	0.0058i	0.016		0.018	0.0020i	0.024	0.0034
5010 CAF	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	
5016 AA	0.0026i	0.0014i	0.014	0.0025	0.014	0.0029i	0.023	0.0033
5017 AB	0.0042	0.001	0.02		0.021		0.015	0.014
5017 CAC	0.0001L	0.0001	0.0003	0.0001L	0.0001L	0.0001L	0.0001	0.0001L
5017 CAD	0.0001L	0.0003	0.0001L	0.0001	0.0001L	0.0001L	0.0002	
5042 AC	0.0029i	0.0008	0.0081	0.0012	0.015	0.0028i	0.018	0.0016
5042 CAB	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	
5052 AN	0.0029i	0.0018	0.007	0.0028	0.018	0.0033	0.019	0.0028
5052 CAO		0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	
5052 DAK	0.0001 N	0.0007 N	0.0011 N		0.0005 N	0.0000 N	0.013 N	0.0023 N

# Aluminum Alloys – Rio Tinto Alcan

Standard	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	B	Be	Bi	Ca	Cd	Co	Ga	Hg	Li
5056 AD	0.12	0.27	0.053	0.13	4.97	0.086	0.032	0.040	0.028		0.0011	0.010	0.0023i	0.0015		0.021		0.0031
5056 CAC	0.13 N	0.29 N	0.0003	0.14 N	5.06 N	0.10 N	0.0005	0.001L	0.0006	0.0001L	0.0001L	0.001L	0.0001L		0.001L		0.0001L	
5082 AA	0.079	0.20	0.030	0.022	4.62	0.030	0.032	0.051	0.047		0.0015	0.006	0.001		0.026		0.0005	
5082 CAB	0.08 N	0.20 N	0.001L	0.001L	4.57 N	0.001L	0.001L	0.001L	0.001L	0.0001L	0.0001L	0.001L	0.0001L		0.001L		0.0001L	
5083 AF	0.17	0.34	0.078	0.74	4.85	0.15	0.030	0.050	0.027		0.0012	0.008	0.0031	0.0012		0.022		0.0039i
5083 CAE	0.15 N	0.30 N	0.0001	0.68 N	5.0 N	0.13 N	0.0001L	0.0001	0.0002	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001		0.0001L
5100 BS	0.20	3.9	0.06	0.041	0.026	0.031	0.046	0.040	0.038		0.040	0.0033N			0.032		0.0006N	
5100 CBR	0.024	3.7 N	0.003 N	0.002 N	0.001L	0.001L	0.001L	0.001L	0.001L	0.0002		0.001L			0.001L			
5154 AA	0.12	0.23	0.053	0.033	3.46	0.22	0.037	0.030	0.029		0.0012	0.013i	0.0037		0.02		0.0020i	
5154 CAB	0.12 N	0.21 N	0.0004	0.0003	3.56 N	0.22 N	0.0002	0.0002	0.0001L		0.0001L							
A5154 AA	0.19	0.19	0.040	0.18	3.40 i	0.031	0.031	0.032	0.031		0.0011	0.021i	0.0027	0.0015		0.017		0.0023

Standard	Na	P	Pb	Sb	Sn	Sr	V	Zr
5056 AD	0.0034	0.0014i	0.008	0.0032	0.012	0.0025i	0.02	0.0023
5056 CAC	0.0001L	0.0001	0.001L		0.001L	0.0001L	0.001L	0.0001
5082 AA	0.001		0.008		0.007		0.02	0.019
5082 CAB	0.0002	0.0002	0.001L		0.0004	0.0001L	0.001L	0.001L
5083 AF	0.0039i	0.0014	0.0077	0.0012	0.02	0.0033	0.021	0.0035
5083 CAE	0.0001L	0.0001	0.0001	0.0001L	0.0001L	0.0001L	0.0001	0.0001L
5100 BS	0.0006N	0.002 N	0.035		0.043		0.013	0.02
5100 CBR			0.001L				0.001L	
5154 AA	0.0060i	0.001	0.014	0.0025	0.015	0.0026	0.021	0.003
5154 CAB	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001	0.0001L	
A5154 AA	0.0012i	0.001	0.026	0.0035	0.014	0.0025i	0.024	0.0031

# Aluminum Alloys – Rio Tinto Alcan

Standard	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	B	Be	Bi	Ca	Cd	Co	Ga	Hg	Li
A5154 CAB	0.21 N	0.19 N	0.0017	0.20 N	3.53 N	0.0001	0.0003	0.0003	0.0001	0.0001	0.0001L	0.0001						
5182 AV	0.12	0.27	0.041	0.34	5.02	0.029	0.014	0.047	0.048	0.0012i	0.0013	0.007	0.0028i	0.0013	0.021	0.0001L	0.0023i	
5182 BA	0.11	0.26	0.037	0.36	4.96	0.031	0.015	0.050	0.051		0.0012	0.008	0.0031	0.0014		0.02		0.0028
5182 BE	0.13	0.26	0.058	0.35	5.06	0.030	0.020	0.050	0.052		0.0012	0.0068	0.0031	0.0011		0.021		0.0027i
5182 CBB	0.13 N	0.25 N	0.0001	0.33 N	4.86 N	0.0001	0.0008	0.0002	0.0001 L	0.0001 L	0.0001 L	0.0001 L	0.0001	0.0001 L				
5182 CBG	0.18 N	0.26 N	0.0001L	0.36 N	5.02 N	0.0001L	0.0001L	0.0001	0.0001L	0.0001L		0.0001L	0.00001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L
5182 DAU	0.097 N	0.23 N	0.037 N	0.345 N	4.82 N	0.0011 N	0.0049 N	0.012 N	0.0059 N	0.0001 N	0.0000 N	0.0000 N	0.0002 N	0.0000 N	0.0002 N	0.017 N	0.0000 N	
5251 AF	0.36	0.45	0.102	0.29	2.14i	0.096	0.030	0.091	0.098		0.001	0.006	0.0036	0.001		0.02		0.0040i
5251 CAE	0.28 N	0.44 N	0.0001	0.41 N	2.20 N	0.0001	0.0002	0.0003	0.0001 L	0.0001	0.0001 L	0.0001 L	0.0002	0.0001 L				
5454 AC	0.25	0.40	0.10	0.75	3.16	0.030	0.033	0.030	0.064		0.0011	0.0048	0.0022i	0.0014	0.0015	0.022		0.0030i
5454 CAD	0.20 N	0.32 N	0.0001 L	0.73 N	2.94 N	0.0001	0.0009	0.0004	0.0001	0.0001 L	0.0001 L	0.0001 L	0.0001	0.0001 L				

Standard	Na	P	Pb	Sb	Sn	Sr	V	Zr
A5154 CAB	0.0001L	0.0003	0.0001	0.0001L	0.0001	0.0002	0.0001L	0.0001L
5182 AV	0.0034i	0.0014 N	0.0074	0.001	0.014	0.0021i	0.02	0.0031
5182 BA	0.0039i	0.0014	0.009	0.0025	0.015	0.0024	0.02	0.0031
5182 BE	0.0013i	0.0017	0.0074	0.0012	0.019	0.0026	0.022	0.0022
5182 CBB	0.0001 L							
5182 CBG		0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.00001L
5182 DAU	0.0000 N	0.0003 N	0.0009 N		0.0005 N	0.0000 N	0.012 N	0.0022 N
5251 AF	0.0041i	0.001	0.0093	0.003	0.02	0.0036i	0.0205	0.003
5251 CAE	0.0001	0.0001	0.0001 L					
5454 AC	0.0038i	0.0013	0.0035	0.0032	0.0029	0.002	0.02	0.0029
5454 CAD	0.0001	0.0001 L						

# Aluminum Alloys – Rio Tinto Alcan

Standard	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	B	Be	Bi	Ca	Cd	Co	Ga	Hg	Li
5457 AB	0.100i	0.12	0.16	0.42	0.99	0.026	0.027	0.030i	0.028i		0.0013	0.0081	0.0035i	0.0010i		0.02		0.0034i
5754 AE	0.20	0.24	0.050	0.28	3.17	0.110	0.029	0.011	0.051		0.0011	0.007	0.0033	0.0012		0.021		0.0028i
5754 CAF	0.18 N	0.34 N	0.0001	0.32 N	2.72 N	0.0001	0.0001L	0.0001	0.0001	0.0001	0.0001L	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	
X5754 AE	0.38	0.35	0.057	0.45	3.18	0.051	0.031	0.056	0.053		0.0011	0.0045	0.0024i	0.0009		0.029		0.0036i
X5754 CAF	0.35 N	0.34 N	0.0002	0.45 N	3.05 N	0.0002	0.0001L	0.0001	0.0001L	0.0001	0.0001L							
6005 AB	0.82	0.27	0.055	0.053	0.51	0.019	0.022	0.020	0.019		0.0012	0.012	0.0035	0.0014		0.021		0.0028i
A6005 AG	0.88	0.24	0.135	0.25	0.62	0.028	0.030	0.031	0.030		0.0011	0.007i	0.0036	0.0012		0.02		0.0028i
A6005 CAF	0.79 N	0.22 N	0.12 N	0.23 N	0.52 N	0.0001L	0.0001L	0.0001L	0.0001	0.0001	0.0001L							
6006 AB	0.45	0.29	0.24	0.17	0.57	0.016	0.032	0.044	0.043		0.0013	0.015	0.0029	0.0013		0.02		0.0024i
6006 AC	0.71	0.24	0.20	0.20	0.70	0.090	0.031	0.029	0.031		0.0012	0.0049	0.0034	0.0012		0.021		0.0029i
6006 CAD	0.69 N	0.18 N	0.14 N	0.15 N	0.69 N	0.08 N	0.0001L	0.0001	0.0001	0.0001	0.0001L							

Standard	Na	P	Pb	Sb	Sn	Sr	V	Zr
5457 AB	0.0031i	0.0027	0.0078	0.0024	0.021	0.0037i	0.022	0.003
5754 AE	0.0022i	0.0015	0.0075	0.0029	0.016	0.0033	0.02	0.0018
5754 CAF	0.0002	0.0004	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L
X5754 AE	0.0045i	0.0018	0.0038	0.0018	0.026	0.0017i	0.021	0.0024
X5754 CAF	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L
6005 AB	0.0018i	0.0029	0.0085	0.004	0.017	0.0036i	0.023	0.0028
A6005 AG	0.0025i	0.004	0.008	0.0024	0.02	0.0035	0.021	0.0033
A6005 CAF	0.0001	0.0002	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L
6006 AB	0.0025i	0.0034	0.016	0.0031	0.015	0.0031	0.0197	0.003
6006 AC	0.0023i	0.0034	0.0039	0.0034	0.0035	0.0034	0.021	0.0033
6006 CAD	0.0001L	0.0001	0.0001	0.0001L	0.0001	0.0001L	0.0001L	0.0001L

# Aluminum Alloys – Rio Tinto Alcan

Standard	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	B	Be	Bi	Ca	Cd	Co	Ga	Hg	Li
6008 AA	0.67	0.21	0.30	0.067	0.60	0.015	0.030	0.019	0.030		0.0012	0.008	0.0035	0.0014		0.021		0.0024i
6012 AF	0.13	0.21	6.05	0.28	0.020	0.047	0.045	0.049	0.14			0.038				0.016		
6016 AA	1.17	0.27	0.17	0.12	0.44i	0.049	0.02	0.040	0.026		0.0011i	0.0072i	0.0030i	0.0012		0.02		0.0017i
6052 CAE	0.19 N	0.60 N	0.56 N	0.0001L	0.52 N	0.0001L	0.0001L	8.0 N	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	
6061 AR	0.73	0.33	0.36	0.081	1.03	0.21	0.031	0.040	0.040		0.0012	0.0069i	0.0032i	0.0013		0.019		0.0022i
6061 CAS	0.71 N	0.35 N	0.31 N	0.0001L	1.11 N	0.20 N	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	
6061 DAO	0.65 N	0.24 N	0.30 N	0.0081 N	0.96 N	0.14 N	0.0048 N	0.013 N	0.014 N	0.0002 N	0.0000 N	0.0000 N	0.0001 N	0.0000 N	0.0002 N	0.017 N	0.0000 N	
6063 BD	0.56	0.20	0.079	0.077	0.63	0.080	0.020	0.021	0.0152		0.0012	0.0079	0.0036i	0.0013		0.02		0.0020i
6063 CBB	0.47 N	0.20 N	0.0001	0.0008	0.55 N	0.0001L	0.0001L	0.0001	0.0001	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	
6063 CBF	0.53 N	0.24 N	0.0001	0.0001L	0.61 N	0.0001L	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	
6063 DAZ	0.44 N	0.20 N	0.021 N	0.078 N	0.52 N	0.0039 N	0.0048 N	0.013 N	0.010 N	0.0003 N	0.0000 N	0.0000 N	0.0001 N	0.0000 N	0.0003 N	0.018 N	0.0000 N	

Standard	Na	P	Pb	Sb	Sn	Sr	V	Zr
6008 AA	0.0029i	0.004	0.008	0.0032	0.013	0.0031	0.101	0.003
6012 AF			0.037		0.04		0.01	
6016 AA	0.0022i	0.0027	0.0079	0.0027	0.019	0.0028i	0.02	0.0028
6052 CAE	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0004L
6061 AR	0.0021i	0.0017	0.0081	0.0019	0.02	0.0025i	0.02	0.0018
6061 CAS	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001	0.0001L
6061 DAO	0.0001 N	0.0008 N	0.0010 N		0.0005 N	0.0000 N	0.012 N	0.0023 N
6063 BD	0.0027i	0.003	0.0082	0.002 N	0.022	0.0030i	0.0211	0.0025
6063 CBB	0.0001	0.0004	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L
6063 CBF	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L
6063 DAZ	0.0001 N	0.0008 N	0.0011 N	0.0002 N	0.0006 N	0.0000 N	0.012 N	0.0026 N

# Aluminum Alloys – Rio Tinto Alcan

Standard	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	B	Be	Bi	Ca	Cd	Co	Ga	Hg	Li
6066 AF	0.97	0.60	0.96	0.71	0.97	0.018	0.032	0.28	0.032		0.0013	0.007	0.0028	0.0011		0.021		0.0034i
6066 CAG	1.05 N	0.61 N	0.96 N	0.67 N	1.00 N	0.0002	0.0001	0.0001	0.0001	0.0004	0.0001L							
6070 AC	1.25	0.26	0.33	0.74	0.75	0.019	0.019	0.021	0.021		0.0012	0.0063	0.0029	0.001		0.02		0.0029i
6070 CAB	1.35	0.28 N	0.32 N	0.72 N	0.77 N	0.0001L	0.0001L	0.001	0.0001L	0.0001	0.0001L							
6082 AA	1.06	0.42	0.076	0.77	0.67	0.124	0.030	0.052	0.031		0.001	0.0055i	0.0032i	0.0012		0.02		0.0023i
6111 AE	0.60	0.24	0.75	0.20	0.77	0.072	0.028	0.027	0.065		0.0013	0.025	0.0023i	0.0014		0.019		0.0025i
6151 AB	1.08	0.53	0.14	0.14	0.65	0.31	0.028	0.015i	0.036		0.0013	0.0079i	0.0030i	0.0012		0.022		0.0020i
A6181 AA	0.86	0.27	0.14	0.16	0.73	0.059	0.031	0.073	0.030		0.0012	0.007	0.0041i	0.0011		0.02		0.0022i
A6181 CAB	1.08 N	0.27 N	0.17 N	0.17 N	0.73 N	0.06 N	0.0001L	0.070 N	0.0001L									
6195 AE	10.70	0.70	3.45	0.43	1.05	0.027	0.028	0.93	0.017		0.001 N	0.020	0.01 N			0.015		
6201 AD	0.68	0.25	0.021	0.018	0.72	0.019	0.022	0.021	0.020		0.0013	0.030	0.0033i	0.0015		0.024		0.0028i

Standard	Na	P	Pb	Sb	Sn	Sr	V	Zr
6066 AF	0.0039i	0.0032	0.0075	0.0026	0.014	0.0029	0.021	0.0032
6066 CAG	0.0001L	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L
6070 AC	0.0033i	0.0036	0.008	0.0027	0.0069	0.0036	0.016	0.003
6070 CAB	0.0001L	0.0002	0.0002	0.0004	0.0001L	0.0001L	0.0001L	0.0001L
6082 AA	0.0021i	0.003	0.0075	0.0018	0.014	0.0029i	0.025	0.0026
6111 AE	0.0019i	0.003	0.016	0.0031	0.018	0.0026i	0.023	0.0031
6151 AB	0.0016i	0.0024	0.0077	0.0017	0.014	0.0020i	0.02	0.016
A6181 AA	0.0029i	0.002	0.0086	0.003	0.019	0.0028i	0.02	0.0029
A6181 CAB	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L
6195 AE			0.033		0.028		0.012	
6201 AD	0.0026i	0.0046i	0.019	0.0043	0.021	0.0031i	0.022	0.0032

# Aluminum Alloys – Rio Tinto Alcan

Standard	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	B	Be	Bi	Ca	Cd	Co	Ga	Hg	Li
6205 AA	2.45	1.25	20.4	1.05		0.05	0.051	5.55			0.036	0.02 N						
6252 AE	5.41	0.33	3.01	0.60	0.33	0.034	0.041	3.46	0.12			0.029				0.011		
6252 CAC	5.5 N	0.02 N	3.0 N	0.60 N	0.30 N	0.001L	0.001L	3.5 N	0.003 N			0.001L				0.001 N		
6261 AD	0.64	0.22	0.27	0.28	0.84	0.062	0.031	0.11	0.079		0.0011	0.0072i	0.0030i	0.0013		0.02	0.0020i	
6261 CAB	0.64 N	0.26 N	0.31 N	0.29 N	0.76 N	0.0001	0.0001	0.0001L	0.0005	0.0001L	0.0001L	0.0001L	0.0001L	0.0002	0.0001L	0.0001L		
6295 AB	5.80	0.23	0.051	0.31	0.57	0.040	0.038	0.037	0.11			0.039				0.021		
6348 AC	0.081	0.093	0.082	0.087	0.91	0.18	0.052	6.94	0.17		0.0012	0.055	0.0032	0.0012		0.02	0.0024	
6348 CAD	0.08 N	0.07 N	0.0001	0.0001	0.98 N	0.14 N	0.0001L	6.98 N	0.19 N	0.0001L								
6351 AM	1.09	0.21	0.077	0.57	0.64	0.029	0.030	0.050	0.051		0.0012	0.007	0.0034	0.0011		0.019	0.0032i	
6351 CAL	1.13 N	0.32 N	0.0001L	0.63 N	0.59 N	0.0001L	0.0001L	0.0001	0.0001L	0.0001	0.0001L	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	
6363 AC	0.57	0.35	0.99	0.043	0.94	0.046	1.82	0.037	0.04 N			0.037				0.016		

Standard	Na	P	Pb	Sb	Sn	Sr	V	Zr
6205 AA			0.04		0.052			
6252 AE			0.026		0.029		0.012	
6252 CAC			0.001L		0.001L		0.004 N	
6261 AD	0.0026i	0.0023	0.0075	0.0029	0.012	0.0029i	0.022	0.0034
6261 CAB	0.0001L	0.0001	0.0001L	0.0002	0.0001L	0.0001L	0.0001	0.0001L
6295 AB			0.038		0.036		0.012	
6348 AC	0.0028i	0.0032i	0.044	0.0041	0.047	0.0034	0.023	0.0031
6348 CAD	0.0001L	0.0001	0.0003	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L
6351 AM	0.0025i	0.0025	0.0083	0.0023 N	0.018	0.0035	0.02	0.0025
6351 CAL	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001	0.0001L	0.0001L
6363 AC			0.05 N		7.33			

# Aluminum Alloys – Rio Tinto Alcan

Standard	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	B	Be	Bi	Ca	Cd	Co	Ga	Hg	Li
6365 AB	11.89	0.33	1.09	0.17	0.94	0.03	1.09	0.06	0.090			0.02						
6392 AC	0.10	0.11	0.10	0.055	1.26	0.051	0.046	4.26	0.043		0.006 N	0.042			0.021			
6463 AC	0.35	0.12	0.14	0.019	0.49	0.020	0.020	0.020	0.017		0.0011	0.012	0.0033i	0.0012		0.018	0.0024i	
6475 CAB	1.05 N		0.51 N	0.001L	5.0 N	0.001L	0.001L	0.001L	0.001L			0.001L				0.001 N		
7003 AC	0.14	0.28	0.15	0.12	0.90	0.18	0.030	6.23	0.032		0.0012	0.007	0.0026	0.0016		0.02	0.0032	
7003 CAB	0.001 N	0.002 N	0.004 N	0.001L	0.70 N	0.001L	0.001L	5.60 N	0.001L		0.001L	0.001L	0.0001		0.001L	0.0001L		
7004 AA	0.17	0.27	0.052	0.52	1.76	0.034	0.043	5.15	0.051		0.0013	0.022 i	0.004	0.0014		0.03	0.0015	
7010 AC	0.11	0.12	1.84	0.084	2.37	0.057	0.049	6.22	0.062		0.0013	0.020i	0.0024i	0.0013		0.035	0.0029i	
7010 CAD	0.10 N	0.14 N	1.83 N	0.09 N	2.41 N	0.0001L	0.0001L	6.22 N	0.0001	0.0001	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	
7018 CAB	0.20 N	0.39 N	0.15 N	0.29 N	1.03 N	0.14 N	0.0003	4.81 N	0.0002	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001	0.0001	0.0001L	
7019 AA	0.15	0.22	0.19	0.25	2.01	0.033	0.021	3.95	0.034		0.0001L	0.029	0.0015		0.021		0.0009	

Standard	Na	P	Pb	Sb	Sn	Sr	V	Zr
6365 AB			0.03		0.02			
6392 AC			0.044		0.042		0.011	
6463 AC	0.0026i	0.0048	0.007	0.0038	0.019	0.0047i	0.02	0.0031
6475 CAB			0.001L		0.001L		0.002 N	
7003 AC	0.0030i	0.0031	0.008	0.0035	0.017	0.0029	0.019	0.17
7003 CAB	0.0001		0.001L		0.001L		0.001L	
7004 AA	0.0049i	0.001	0.029	0.0028	0.032	0.0027	0.032	0.14
7010 AC	0.0027i	0.0014i	0.027	0.0026	0.02	0.0024i	0.024	0.14
7010 CAD	0.0001L	0.0001L	0.0001L	0.0001L	0.0003	0.0001L	0.0001L	0.15 N
7018 CAB	0.0001L	0.0001	0.0001	0.0001	0.0001L	0.0001L	0.0001	0.14 N
7019 AA	0.0005	0.0001	0.032		0.034	0.0003	0.028	0.16

# Aluminum Alloys – Rio Tinto Alcan

Standard	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	B	Be	Bi	Ca	Cd	Co	Ga	Hg	Li
7021 AA	0.22	0.38	0.029	0.037	1.48	0.033	0.035	5.42	0.041			0.027				0.015 N		
7021 CAB	0.005	0.006	0.003 N	0.001L	1.6 N	0.001L	0.001L	5.5 N	0.001L			0.002 N	0.0001L				0.0001L	
7022 AC	0.38	0.43	0.88	0.30	3.40	0.25	0.018	4.80	0.015			0.0012	0.007	0.0024	0.0013	0.021	0.0028	
7031 AA	0.13	1.15	0.029	0.21	0.013	0.024	0.019	1.12	0.025			0.0035i	0.008i	0.0028i		0.015	0.0032i	
7031 CAB	0.13 N	1.23 N	0.0005	0.21 N	0.0002	0.0005	0.001	1.04 N	0.0002	0.0001L	0.0001L	0.0001L	0.0001L			0.0001L	0.0001L	
7050 AE	0.13	0.120	2.35	0.089	2.44	0.031	0.0249	6.32	0.063			0.0011	0.0071	0.0028	0.0012	0.022	0.0024i	
7050 CAD	0.11 N	0.15 N	2.0 N	0.08 N	2.0 N	0.0001L	0.0001L	7.0 N	0.0001	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L		
7075 CAE	0.18 N	0.29 N	1.65 N	0.0005	2.58 N	0.21 N	0.0001	5.76 N	0.0002	0.0001	0.0001L	0.0001L	0.0001L	0.0001	0.0001L	0.0001L		
7079 AA	0.20	0.24	0.66	0.25	3.28	0.22	0.029	4.55	0.056			0.0013	0.020	0.0026	0.0014	0.02	0.0038	
7146 AA	0.22	0.36	0.031	0.037	1.41	0.028	0.036	6.86	0.042			0.025				0.015		
7146 CAD	0.22	0.33	0.0006	0.0029	1.39	0.0011	0.0043	6.40	0.0065			0.0001L	0.0001L	0.0001L		0.014	0.0001L	

Standard	Na	P	Pb	Sb	Sn	Sr	V	Zr
7021 AA			0.033		0.031		0.012	0.16
7021 CAB	0.0001		0.001L		0.001L			
7022 AC	0.0028	0.0018	0.008	0.0021	0.018	0.0029	0.018	0.0019
7031 AA	0.0033i	0.005	0.017		0.015		0.015	0.007
7031 CAB	0.0001L	0.0003	0.0001L	0.0001L	0.0001L	0.0001L	0.0004	0.0001L
7050 AE	0.0017i	0.0012	0.0095	0.0024	0.0192	0.0026	0.025	0.145
7050 CAD	0.0001L	0.0001	0.0002	0.0002	0.002	0.0001L	0.0001L	0.14 N
7075 CAE	0.0001L	0.0001	0.0002	0.0001L	0.0003	0.0001L	0.0001	0.0001L
7079 AA	0.0018	0.0015	0.014	0.0034	0.022	0.0028	0.021	0.0037
7146 AA			0.03		0.032		0.011	0.16
7146 CAD	0.0002	0.0001L	0.0027	0.0001L	0.0004	0.0002	0.01	0.15

# Aluminum Alloys – Rio Tinto Alcan

Standard	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	B	Be	Bi	Ca	Cd	Co	Ga	Hg	Li
7146 CAE	0.23	0.34			1.41			7.64										
8006 AG	0.22	1.60	0.042	0.55	0.0030i	0.020	0.021	0.046	0.014		0.0012	0.009	0.0017i	0.0015		0.02		0.0014i
8006 CAF	0.17 N	2.0 N	0.0001	0.53 N	0.0002	0.0001L	0.0001L	0.0002	0.0001	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001		0.0001L
8007 CAF	0.002	1.57 N	0.0008	0.55 N	0.0008	0.0007	0.0008	1.09 N	0.0002		0.0001L	0.001L	0.0001L			0.001L		0.0001L
8008 AC	0.19	1.12	0.17	0.74	0.013	0.053	0.028	0.049	0.030		0.0012	0.024	0.0022i	0.0014		0.024		0.0017i
8008 CAD	0.21 N	1.08 N	0.15 N	0.78 N	0.0001	0.0001L	0.0002	0.0001L	0.0001L	0.0001	0.0001L							
A8011 AC	0.75	0.74	0.028	0.022	0.014i	0.020	0.021	0.021	0.020		0.0007i	0.0075	0.0009i	0.0013		0.019		0.0009i
8015 AA	0.13	1.05	0.030	0.18	0.012	0.016	0.020	0.026	0.021		0.0033	0.02	0.0025i			0.015		0.0026i
8015 CAB	0.13 N	1.10 N	0.0005	0.22 N	0.0003	0.0004	0.001	0.0005	0.0002	0.0001L	0.0001L	0.0001L	0.0001L			0.0001L		0.0001L
8018 AB	0.76	0.77	0.46	0.069	0.0075i	0.017	0.015	0.015	0.043		0.001	0.0076	0.0016i	0.0016		0.015		0.0015i
8021 AA	0.11	1.43	0.014	0.0075	0.0048i	0.010	0.010	0.010	0.021		0.0011	0.010	0.0018	0.0013		0.032		0.0014

Standard	Na	P	Pb	Sb	Sn	Sr	V	Zr
7146 CAE							0.001	
8006 AG	0.0015i	0.0034	0.01	0.004	0.012	0.0019i	0.021	0.003
8006 CAF	0.0001L	0.0001	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L
8007 CAF	0.0001L	0.0004	0.001L		0.001	0.0001L	0.001	0.001L
8008 AC	0.0017i	0.0042	0.016	0.0037	0.017	0.0025i	0.032	0.0039
8008 CAD	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001
A8011 AC	0.0013i	0.0029	0.0084	0.0016	0.015	0.0012i	0.019	0.0022
8015 AA	0.0041i	0.004	0.016		0.017	0.0016i	0.01	0.014
8015 CAB	0.0001L	0.0003	0.0001L		0.0001L	0.0001L	0.0004	0.0001L
8018 AB	0.0017i	0.0026	0.0094	0.0036	0.015	0.0031i	0.016	0.003
8021 AA	0.0010i	0.0028	0.0082	0.003	0.0083	0.002	0.022	0.0033

# Aluminum Alloys – Rio Tinto Alcan

Standard	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	B	Be	Bi	Ca	Cd	Co	Ga	Hg	Li
8030 AC	0.066	0.83	0.20	0.0032	0.018	0.020	0.024	0.014	0.003		0.0009	0.027	0.0025i	0.0018		0.029		0.0016i
8079 AF	0.21	1.08	0.020i	0.020i	0.0028i	0.020	0.020	0.020	0.020		0.0008i	0.0078	0.0015i	0.0012		0.02		0.0016i
8079 CAE	0.21 N	1.06 N	0.0001	0.0001	0.0002	0.0001	0.0001	0.0002	0.0001L									
8081 CAB	0.003 N	0.40 N	0.97 N	0.005 N	0.001		0.003 N	0.02 N	0.002 N			0.001 N	0.0001L		0.001 N		0.0001L	
8112 AA	0.52	0.66	0.26	0.11	0.014	0.024	0.020	0.035	0.028		0.0011	0.011	0.0025i	0.0035		0.028		0.0012i
8280 CAC	1.4 N	0.4 N	1.0 N	0.001L	0.002 N	0.001L	0.45 N	0.005L	0.002 N			0.002 N	0.002 N					0.0001L

Standard	Na	P	Pb	Sb	Sn	Sr	V	Zr
8030 AC	0.0018i	0.006	0.016	0.006 N	0.016	0.0027i	0.02	0.0028
8079 AF	0.0015i	0.0017	0.0073	0.0029	0.019	0.0016i	0.02	0.0019
8079 CAE	0.0001L	0.0001	0.0001L	0.0001L	0.0001L	0.0001L	0.0001L	0.0001
8081 CAB	0.0001L		0.08 N		19.5 N		0.001 N	
8112 AA	0.0026i	0.0056	0.008	0.0051	0.018	0.0044i	0.028	0.015
8280 CAC	0.0003N	0.0002	0.05 N		6.9 N	0.0001L		

# Aluminum Process Powders- Rio Tinto Alcan

## Aluminum Process Powders

Available in bottles containing 100g of material.

### Bauxite

Part Number	Loss of Mass LOM	Al <sub>2</sub> O <sub>3</sub>	Fe <sub>2</sub> O <sub>3</sub>	SiO <sub>2</sub>	TiO <sub>2</sub>	Na <sub>2</sub> O	CaO	SO <sub>3</sub>	Cr <sub>2</sub> O <sub>3</sub>	ZrO <sub>2</sub>	V <sub>2</sub> O <sub>5</sub>	P <sub>2</sub> O <sub>5</sub>	MgO	K <sub>2</sub> O	MnO <sub>2</sub>	ZnO	C
<b>BXT-04</b>	25.7	48.5	17.0	2.68	5.32	0.02	0.02	0.13	0.090	0.06	0.19	0.13	0.05	0.03	0.04	0.003	0.12
<b>BXT-08</b>	25.6	51.5	9.6	3.17	9.41	0.02	0.02		0.048	0.10	0.19	0.26	0.04	0.02	0.02	0.006	0.07
<b>BXT-09</b>	20.8	53.4	14.5	7.57	2.98	0.01	0.01	0.06	0.037	0.12	0.06	0.07	0.002	0.01	0.03	0.04	0.20
<b>BXT-12</b>	26.13	50.67	15.9	3.58	3.18	0.02	0.012	0.14	0.031	0.138	0.088	0.067	0.037	0.011		0.0021	0.243
<b>BXT-13</b>	28.52	53.4	11.44	4.82	1.54	0.01	0.02	0.09	0.016	0.08	0.04	0.02	0.01	0.01	0.01	0.002	0.051
<b>BXT-14</b>	28.35	51.2	13.17	5.86	1.11	0.01	0.01	0.11	0.01	0.131	0.01	0.062	0.01	0.01	0.02	0.005	0.162
<b>BXT-15</b>	12.20	51.1	24.9	3.09	3.83		3.34		0.20	0.089	0.089	0.053	0.16	0.040	0.020	0.005	

### Red Mud

Part Number	Loss of Mass LOM	Al <sub>2</sub> O <sub>3</sub>	Fe <sub>2</sub> O <sub>3</sub>	SiO <sub>2</sub>	TiO <sub>2</sub>	CaO	Na <sub>2</sub> O	Al 143 or g Al <sub>2</sub> O <sub>3</sub>	T.E.A.	Organic C
<b>RM-01</b>	12.0	16.8	53.8	5.4	5.9	3.5	1.4	0.6	4.6	0.36
<b>RM-02</b>	8.4	13.9	30.7	6.2	22.6	11.2	3.0	1.9	5.7	0.16
<b>RM-06</b>	15.4	28.6	4.3	17.1	9.1	12.9	9.2			
<b>RM-07</b>	18.4	26.9	4.0	15.7	8.2	16.5	8.4	0.05	12.2	0.25
<b>RM-08</b>	17.2	28.2	4.8	16.7	8.6	13.9	8.7	0.2	13.3	0.27
<b>RM-09</b>	10.00	21.5	34.1	12.6	7.9	4.3	7.0	1.2	8.20	0.23
<b>RM-10</b>	9.6	20.1	44.2	10.3	6.99	1.15	6.1	1.4	9.8	0.23

# Aluminum Process Powders- Rio Tinto Alcan

## Alumina

Part Number	Loss of Mass LOM	Na <sub>2</sub> O	SiO <sub>2</sub>	Fe <sub>2</sub> O <sub>3</sub>	CaO	V <sub>2</sub> O <sub>5</sub>	P <sub>2</sub> O <sub>5</sub>	Ga <sub>2</sub> O <sub>3</sub>	SO <sub>3</sub>	TiO <sub>2</sub>	ZnO
ALU-01	1.2	0.27	0.013	0.016	0.017	0.002	0.0005	0.011	0.12	0.004	0.001
ALU-03	0.77	0.44	0.010	0.011	0.010	0.001		0.009	0.05	0.006	0.001
ALU-04	0.49	0.46	0.021	0.017	0.020	0.003		0.009	0.07	0.009	0.001
ALU-05	0.83	0.37	0.014	0.008	0.033	0.001		0.007	0.13	0.002	0.010
ALU-06	1.31	0.36	0.017	0.008	0.043	0.001		0.005	0.11	0.001	0.009
ALU-08	0.57	0.42	0.007	0.022	0.008	0.003		0.014	0.09	0.002	0.001
ALU-10	0.6	0.37	0.005	0.015	0.004	0.002	0.002	0.013	0.08	0.002	
ALU-11	0.81	0.42	0.0056	0.0097	0.017	0.0005	0.0002	0.0139	0.03	0.0010	0.0086
ALU-12	1.02	0.36	0.021	0.0063	0.033	0.0021	0.0015	0.0057	0.185	0.0009	0.0094

## Raw Fluorite

Part Number	F	Si	CO <sub>2</sub>	Fe	Al	Mg	Pb	P
RF-CAA	35.4	8.3	3.3	0.46				0.0038
RF-CAB	35.0	8.6	3.3					0.0038
RF-CAC	35.6	8.5	2.6	0.57				0.0041
RF-CAG	40.5	2.61	5.5					0.021
RF-CAI	30.0	9.3	4.9	0.77	1.10	0.48	0.25	0.0070
RF-CAJ	46.4	0.42	0.7	0.063				0.025
RF-CAK	44.80	0.47	3.30	0.10	0.095			0.0052

# Aluminum Process Powders- Rio Tinto Alcan

## Aluminum Fluoride

Part Number	Fe	Si	Na	F	S	P	Ca
ALF-01	0.009	0.07	0.32	(62.0)	0.28	0.010	0.017
ALF-02	0.01	0.13	0.26	(63.0)	0.26	0.010	0.014
ALF-03	0.009	0.12	0.27	(64.3)	0.25	0.009	0.014
ALF-04	0.007	0.10	0.29	(63.0)	0.31	0.009	0.016
ALF-05	0.006	0.09	0.29	63.3	0.1	0.006	0.015
ALF-CAA	0.056	0.50	1.16	60.4	0.11	0.0017	0.026
ALF-CAB	0.056	0.42	1.00	57.2	0.16	0.0026	0.024
ALF-CAC	0.049	0.68	0.92	61.8	0.20	0.0017	0.024
ALF-CAN	0.018	0.10	0.22	(62.4)	0.23	0.009	0.16
ALF-CAO	0.020	0.13	0.69	(57.7)		0.004	0.18

## Cryolite

Part Number	SiO <sub>2</sub>	Fe <sub>2</sub> O <sub>3</sub>	Al <sub>2</sub> O <sub>3</sub>	Na <sub>2</sub> SO <sub>4</sub>	NaO <sub>2</sub>	F
C-CAA	0.560	0.08	25.5	7.60	41.2	40.5
C-CAB	0.340	0.10	22.4	11.50	40.6	44.3
C-CAC	0.510	0.06	22.5	9.60	44.3	44.7
C-CAE	0.910	0.08	23.1	6.30	43.4	46.7
C-CAG	0.080	0.019	23.0	5.70	43.0	47.7

## Pitch

Part Number	Fe	Mn	Ni	Si	Zn	Ca	V	S	Na	Pb	Ti	P	C	H
Pitch-03	0.042	0.0005	0.0004	0.066	0.01	0.017	0.0001	0.76	0.021	0.012	0.0015	0.0027	92.5	4.1
Pitch-04	0.015	0.0009	0.0003	0.075	0.047	0.0076	0.0001	1.05	0.011	0.036	0.0003	0.0066	91.500	4.400
Pitch-05	0.059	0.0004	0.0004	0.154	0.016	0.0066	0.00020	0.54	0.0020	0.027	0.0025	0.0030	91.900	4.200
Pitch-06	0.027	0.0003	0.0003	0.082	0.0074	0.0042	0.00010	0.50	0.013	0.0081	0.0015	0.0003	92.100	4.300
Pitch-07	0.032	0.0010	0.0004	0.0080	0.074	0.0082	0.00003	0.57	0.011	0.051	0.00030	0.0018	92.000	4.500
Pitch-08								0.55					93.5	4.1

# Aluminum Process Powders- Rio Tinto Alcan

## Bath

Part Number	CaF <sub>2</sub>	Ratio NaF/AlF <sub>3</sub>	Excess AlF <sub>3</sub>	Magnesium as MgF <sub>2</sub>	Free Alumina	Alpha Alumina	Cloride as NaCl	Lithium as LiF
BA-01	6.2	1.06	12.4		7.0	1.5		
BA-02	5.7	1.12	10.8		2.7	0.3		
BA-03	5.7	1.46	0.9		4.1			
BA-05	4.5	1.02	11.3		23.6	17.3		
BA-06	4.5	1.00	12.2		23.3	16.7	(0.25)	
BA-07	8.3	1.23	6.9		6.8	5.3		
BA-08	9.0	1.37	3.2		7.3	4.6		
BA-09	9.5	1.44	1.3		7.8	5.8		
BA-10	6.7	1.30	5.2		6.0	4.9		
BA-11	8.1	1.46	1.06		5.3	2.9		
BA-12	6.0		3.8	0.21	4.2	2.8		2.72
BA-13	5.4		0.6	0.24	4.2	0.7		2.47
BA-14	3.65		1.4	3.40	3.3	1.9	(0.25)	2.04
BA-15	6.9		5.7	0.28	6.0	4.4		0.95
BA-16	6.3		3.7	0.22	4.0	3.3		3.08
BA-17	5.4		0.6	0.16	5.1	3.4	(0.25)	2.61
BA-18								1.34
BA-19								1.7
BA-20								1.43
BA-21								0.64
BA-31	5.1	0.97	17					

# Joint Research Centre Metal Alloys (BCR, ERM, IRMM)

## Joint Research Centre Metal Alloys

Part Number	Matrix	Form	Grade	C	Cr	Hf	Fe	N	O	Sn
BCR-098	Zirconium	Bottle containing 10g of chips	Zircaloy-4	906	77.6	2.143				14.6
BCR-275	Zirconium	1 bottle of 10 discs 13mm x 1mm	Zircaloy-4	113				39	1670	
BCR-276	Zirconium	1 bottle of approximately 100 discs 4.5mm x 2mm	Zircaloy-4	108				41	1540	

Part Number	Matrix	Form	Grade	Ag	As	Bi	Cd	Cu	Sb	Se	Sn	Tl	Zn
BCR-286	Lead	160g chips in bottles	Electrolytically Refined Lead		21.5				0.099			2.47	<0.1
BCR-287	Lead	160g chips in bottles	Thermally Refined Lead	15.2		67.3	0.356	0.98	0.04		<0.05	0.73	<0.1
BCR-288	Lead	160g chips in bottles	Lead with added impurities		55.7	215.8	33.3	19.3		<0.2	32.8	2.26	8.2

Part Number	Matrix	Form	Grade	Al	C	B	Co	Cr	Cu	Fe	H	Hf	Mn
BCR-089	Titanium	Cylinder of 40mm x 20mm	TiAl6V4	59,700	38			122	10.3	515	31	0.126	4.2
BCR-90	Titanium	Cylinder of 40mm x 20mm or 25g of 0.2g cubes	Titanium with added impurities			28.2	501	533	513	563			314
BCR-024	Titanium	25 cubes of 0.4g cubes	Titanium										
BCR-059	Titanium	Cylinder of 42mm x 30mm or 25 cubes of 0.2g	TiAl6V4										
BCR-318	Titanium	100 discs of 7mm x 1mm	Titanium									12.2	

# Joint Research Centre Metal Alloys (BCR, ERM, IRMM)

Part Number	Matrix	Form	Grade	Mo	N	Nb	Ni	O	Sb	Sn	Ta	V	W	Zr
BCR-089	Titanium	Cylinder of 40mm x 20mm	TiAl6V4	15.2	212		106	1660	1.94	10.4	0.3	39760	1.6	2.8
BCR-90	Titanium	Cylinder of 40mm x 20mm or 25g of 0.2g cubes	Titanium with added impurities	488		(492)	667			(710)			(500)	(436)
BCR-024	Titanium	25 cubes of 0.4g cubes	Titanium		117			608						
BCR-059	Titanium	Cylinder of 42mm x 30mm or 25 cubes of 0.2g	TiAl6V4		172			1750						
BCR-318	Titanium	100 discs of 7mm x 1mm	Titanium											

Part Number	Matrix	Form	Grade	O
BCR-022	Copper- Oxygen	Cylinder 9mm x 50mm	Electrolytic tough pitch copper	138
BCR-054R	Copper- Oxygen	Cylinder 9mm x 50mm	Low Oxygen Copper	0.47
BCR-058	Copper- Oxygen	Cylinder 9mm x 50mm	Continuous cast Copper	390

Part Number	Matrix	Form	Grade	Ag	Al	As	Au	Be	Bi	Cd	Co	Cr	Fe
ERM-EB074	Copper-Trace elements	Disc 39mm x 30mm	Electrolytic Copper	1.03		1.23	0.52	0.31	0.51	0.4	0.83	0.37	5.8
ERM-EB075	Copper-Trace elements	Disc 39mm x 30mm	Electrolytic copper with impurities	10.8	2.3	3.18	1.46	1.08	1.79	2.69	2.64	1.4	9.3
BCR-017	Copper-Trace elements	Disc 39mm x 30mm	Copper										

# Joint Research Centre Metal Alloys (BCR, ERM, IRMM)

Part Number	Matrix	Form	Grade	Hg	In	Mg	Mn	Ni	P	Pb	S	Sb	Se
ERM-EB074	Copper-Trace elements	Disc 39mm x 30mm	Electrolytic Copper	0.49	2.03	0.93	0.61	1.53	2.7	(3.3)	0.57	0.55	
ERM-EB075	Copper-Trace elements	Disc 39mm x 30mm	Electrolytic copper with impurities	(<0.35)	1.83	7	1.35	2.18	2.59	4.8	25	2.93	1.69
BCR-017	Copper-Trace elements	Disc 39mm x 30mm	Copper						6.85		10.4		

Part Number	Matrix	Form	Grade	Si	Sn	Te	Ti	W	Zn	Zr
ERM-EB074	Copper-Trace elements	Disc 39mm x 30mm	Electrolytic Copper	(1.5)	0.5	0.97			2.2	(8.8)
ERM-EB075	Copper-Trace elements	Disc 39mm x 30mm	Electrolytic copper with impurities	2.6	2.13	1.78	3.2	(<0.1)	6.51	(20)
BCR-017	Copper-Trace elements	Disc 39mm x 30mm	Copper							

# Proficiency Testing

## Proficiency Testing Program

Our unique metal alloy Proficiency Testing Program (PTP) is the only program that measures analytical performance against a CRM's "Assigned Value", and has been used in the metals industry for more than 30 years. This PTP was developed as an alternative to typical round-robin style proficiency testing schemes, which only measure performance with non-certified materials. Our PTP is compliant with ISO 17043:2010, Annex A as a Model 2 scheme.

It is important to monitor the quality of your analytical results, as stipulated in the ISO/IEC 17025 laboratory accreditation process. Our PTP gives you that ability with an unbiased and confidential assessment of your analytical performance against peer performance. Whether you have a single-instrument or a multiple-instrument/multiple-technique environment, our PTP is a trouble-free QA program that is traceable to NIST values, and can be easily integrated into your lab processes.

## How it works

- You select the date and frequency (monthly, quarterly, biannually or annually).
- You choose the type of material by matrix group and sample configuration (solids, chips or pins).
- We send you a blind sample from our stock of CRMs based on your selection.
- You analyze the blind sample, and email or fax your results to us.
- You receive your report within 72 hours. All results are confidential.

## Available Matrices include

- Carbon Steel
- Low Alloy Steel
- Stainless Steel
- Tool Steel
- High Temp Steel
- Cobalt Alloys
- Aluminum Alloys
- Magnesium Alloys
- Copper Alloys
- Titanium Alloys
- Zinc Alloys
- Others available upon request



# Sample Preparation Equipment

## Sample Preparation Equipment

### ColdBlock™ IR Digestion Systems for ICP Sample Preparation


The ColdBlock™ digestion system uses IR radiation to rapidly digest samples for analysis by ICP and AA. The IR radiation directly heats the sample rather than the acid leading to rapid digestion while the cooling block condenses the evolving vapor limits loss of volatile elements.

The ColdBlock™ system offers

- Rapid sample digestion (10-15 minutes)
- Increased safety – reduce or eliminate the need for HF and Perchloric acids
- Cost effective- lower acid volumes required
- Faster sample throughput – faster digestion than microwave digestion or hot block
- Simplify workflows – simple operation and fewer digestion recipes

The ColdBlock™ is available in 6, 12 and 15 position units. The 12 and 15 units are the building blocks for modular expansion of the system for higher throughput.

First Sample Digestion Technology  
Using Short-Wave Infrared (IR)



# Sample Preparation Equipment

## Sample Grinder HK150EX

### Manual pendulum grinder with steel cabinet and integrated spark trap and dust exhauster

Clean, powerful sample grinding system with stone – ready to go

- Floor standing machine, dustproof, covered compartment, halogen spotlight
- Steel cabinet with switch board, dust trap, exhauster and drawer
- Reproducible flat surface, easily operated pendulum arm in taper bearings
- Simple and reliable machine construction
- Specially suitable for hard materials, like white cast irons
- Adaptable to various qualities by special stone cup wheels
- Vertical moving of grinding head by hand wheel with 0.1 mmv

### Accessories

Part Number	Description
HK150ERS	Spare parts set (bellows, safety glass, lamp, fuses)
HK150MS	Magnetic plate, complete with arm, 100x65mm
HK150VICE	Vice for samples 44-58mm Ø
HKEXFILT	Round filter, exhauster HK150/350, PAS 11-21
HKEXFILT	Round filter, exhauster HK150/350, PAS 10-20
HKDUST	Spark arrester with metal tube for HK150 & HK350

Technical Specifications	
Grinder motor	3 x 400 V/50 Hz, 1.1 kW (three phases, each 230V) 1 x 230 V/50 Hz 3 x 220 V/60 Hz (USA/Canada)
Instrument dimensions	grinder 400 x 400 x 680 mm, cabinet 600 x 600 x 870 mm
Mass	grinder approx. 100 kg, cabinet approx. 50 kg
Revolution speed	2800 rpm/3440 rpm
Grinding stone	150 x 80 x 32 mm
Grinding height	min. 4 mm, max. 90 mm
Lighting	12 V/20 W halogen

### Consumables

Part Number	Description	Quantity
HKT46J1	Al2O3-grinding stone	1-3 packs
HKT46J2	Al2O3-grinding stone	4-8 packs
HKT46J3	Al2O3-grinding stone	9+ packs
HKT49M1	SiC-grinding stone	1-3 packs
HKT49M2	SiC-grinding stone	4-8 packs
HKT49M3	SiC-grinding stone	9+ packs

# Sample Preparation Equipment

## Disc Grinder HK200

### Mobile but sturdy sample preparation machine for spectrometer samples

- Mobile desk-top model
- For use with self-adhesive grinding paper
- Solid steel cabinet, cast iron disc pan and motor base
- Easy to clean
- Disc pan with exhaust outlet.



#### Technical Specification

Power supply	230 V / 50 Hz, 370 W
Instrument dimensions (W x D x H)	270 x 290 x 280 mm
Alternative power	230 V / 60 Hz or 115 V / 60 Hz
Mass	22 kg
Revolution speed	2880 rpm
Grinding disc diameter	205 mm

#### Sample Holders

Part Number	Description
HKHOLD3	Magnetic sample holder, round, 40-50mm Ø
HKHOLD4	Magnetic sample holder, rectangular, 35x35mm
HKHOLD5	Non-magnetic sample holder, round
HKHOLD6	Magnetic sample holder, rectangular, 50x50mm

#### Adhesive Grinding Paper

Part Number	Description	Quantity
PAP200K/40	Grinding paper Al2O3, 40 grit, PSA, 200mm Ø	100 pcs/pack
PAP200K/60	Grinding paper Al2O3, 60 grit, PSA, 200mm Ø	100 pcs/pack
PAP200K/80	Grinding paper Al2O3, 80 grit, PSA, 200mm Ø	100 pcs/pack
PAP200S/40	Grinding paper SiC, 40 grit, PSA, 200mm Ø	100 pcs/pack
PAP200S/60	Grinding paper SiC, 60 grit, PSA, 200mm Ø	100 pcs/pack
PAP200S/80	Grinding paper SiC, 80 grit, PSA, 200mm Ø	100 pcs/pack
PAP200Z/40	Grinding paper ZrO2, 40 grit, PSA, 200mm Ø	100 pcs/pack
PAP200Z/60	Grinding paper ZrO2, 60 grit, PSA, 200mm Ø	100 pcs/pack
PAP200Z/80	Grinding paper ZrO2, 80 grit, PSA, 200mm Ø	100 pcs/pack

# Sample Preparation Equipment

## autofluxer® classic

### The automatic fusion machine with innovative features

The autofluxer is an automatic fusion machine for XRF and ICP/AAS with up to 4 stations arranged on a compact footprint of only 18.5 square inch.

With simple, clearly arranged controls, function display and status indicator the Autofluxer classic offers the most simple to use flux machine available. Applications range from mining to the process industry of minerals, cements, glasses ceramics, slags, and many other inorganic products.

#### autofluxer® classic - new and unique features

- Slow movement of the crucible during the melting process insuring homogenous heating of samples
- Cooling delay: A break between pouring and cooling is available for special applications
- Counter provides a memory function of the fusion processes to estimate gas consumption

The autofluxer fusion machine follows the principles of the classical German Schoeps machine with refinements following several hundreds of successful applications and technical innovations. Flexible for fusion both as solid or liquid samples, the autofluxer is the right choice for laboratories with changing or research applications. Autofluxer settings can be easily set in position for non-expert handling.



**Base models:** autofluxer® classic with 2 stations XRF  
autofluxer® classic with 4 stations XRF  
Upgrading for up to 4 ICP/AAS solution stations is possible at any time.

#### Technical Specifications

Electric power	110-230 VAC, 50-60 Hz, 150 W
Instrument dimensions (L x W x H)	47 x 47 x 25 cm
Mass	Approx. 29 kg

# Sample Preparation Equipment

## autofluxer® plus

### The automatic fusion machine with innovative features

This machine is especially designed for routine analysis, when reproducible melting conditions for various materials with specific fusion parameters are required, independent of the number of stations in use.

### autofluxer® plus - unique features

- Slow movement of the crucible during the whole melting process protects valuable platinum crucibles and enables homogenous heating of samples
- Cooling-Delay: A break between pouring and cooling is available for special applications
- Counter provides a memory function of the fusion processes to estimate gas consumption
- Crucible lid, to allow a higher temperature in the crucible
- Temperature display: Separate for each station in all process stages
- Temperature stability: Reproducible operating with 1, 2, 3 or 4 stations
- Recipes: 1 + 9 individual programs with cycle times and temperatures
- Separate heating of molds independent of fusion cycle – Pt life extension
- Independent setting of swirling, pouring and cooling cycles



### Technical Specifications

Electric power	110-230 VAC, 50-60 Hz, 200 W
Instrument dimensions (L x W x H)	47 x 47 x 26 cm
Mass	Approx. 33 kg



ARMI



Email: [armi@lgcgroup.com](mailto:armi@lgcgroup.com)  
Phone: +1 603 935 4100

Order online at [armi.com](http://armi.com)

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or any retrieval system, without the written permission of the copyright holder. © LGC Limited, 2017. All rights reserved. Updated 5/1/18.